



<http://www.biodiversitylibrary.org/>

Nomenclator zoologicus : continens nomina systematica generum animalium tam viventium quam fossilium, secundum ordinem alphabeticum disposita, adjectis auctoribus, libris, in quibus reperiuntur, anno editionis, etymologia et familiis, ad quas pertinent, in singulis classibus /

Soloduri :Jent et Gassmann,1842-1846 [i.e., 1847].

<http://www.biodiversitylibrary.org/bibliography/49761>

v.1-4 (1842-1847): <http://www.biodiversitylibrary.org/item/105020>

Article/Chapter Title: 507?

Author(s): Agassiz, Erichson & Germar

Subject(s): Nomina systematica generum...

Page(s): Text, Text, Text, Text, Text, Text, Text, Page 2, Page 3, Page 4, Page 5, Page 6, Page 7, Page 8, Page 9, Page 10, Page 11, Page 12, Page 13, Page 14, Page 15, Page 16, Page 17, Page 18, Page 19, Page 20, Text, Page 2, Page 3, Page 4, Page 5, Page 6, Page 7, Page 8, Page 9, Page 10, Page 11, Page 12, Page 13, Page 14, Text, Text

Contributed by: Harvard University, MCZ, Ernst Mayr Library

Sponsored by: Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

This page intentionally left blank.

NOMINA SYSTEMATICA
GENERUM HEMIPTERORUM,

TAM VIVENTIUM QUAM FOSSILIAM,

SECUNDUM ORDINEM ALPHABETICUM DISPOSITA, ADJECTIS AUCTORIBUS, LIBRIS IN QUIBUS REPERIUNTUR,
ANNO EDITIONIS, ETYMOLOGIA ET FAMILIIS, AD QUAS PERTINENT.

AUCTORE

L. AGASSIZ,

HIST. NAT. IN ACAD. NEOCOM. PROFESSORE.

RECOGNOVERUNT

GUIL. F. ERICHSON ET ERN. F. GERMAR.

LIBRI CITATI.


- Blanch.* Hist. nat. Ins. — *Blanchard*, Histoire naturelle des Insectes (Suites à Buffon).
- Blot* Mém. Soc. Linn. Calv. — *Blot*, in Mémoires de la Société Linnéenne du Calvados.
- Bosc* Journ. de Phys. — *Bosc*, in Journal de Physique.
- Bouché* Naturg. d. Ins. — *Bouché*, Naturgeschichte der Insecten, besonders in Hinsicht ihrer ersten Zustände als Larven und Puppen.
- Brandt* Mém. Ac. Pét. — *Brandt*, in Mémoires de l'Académie de St.-Pétersbourg.
- Burm.* Handb. Entom. — *Burmeister*, Handbuch der Entomologie.
- » in *Silb. Rev. ent.* — *Burmeister*, in *Silbermann* Revue entomologique.
 - » *Gen. Insect.* — *Burmeister*, Genera Insectorum.
 - » *N. Act. Nat. Cur.* — *Burmeister*, in *Nova Acta Academiae Cæs. Leop. Naturæ Curiosorum.*
- Clairv.* Helvet. Entom. — *De Clairville*, Entomologie Helvétique, ou Catalogue des Insectes de la Suisse.
- Costa* in *Guér. Rev. zool.* — *Costa*, in *Guérin* Revue zoologique par la Société Cuvérienne.
- » *Faun. di Nap.* — *Costa*, Fauna del Regno di Napoli.
- Curt.* Entom. Mag. — *Curtis*, in Entomological Magazine.
- » *Brit. Entom.* — *Curtis*, British Entomology, etc.
- De Geer* Mém. Ins. — *De Geer*, Mémoires pour servir à l'histoire des Insectes.
- Duf. (L.)* Ann. Sc. n. — *Léon Dufour*, in Annales des Sciences naturelles.
- » » *Rech. anat. et phys.* — *Léon Dufour*, Recherches anatomiques et physiologiques sur les Hémiptères, etc.
- Dumér.* Zool. anal. — *Duméril*, Zoologie analytique.
- Eversm.* Bull. S. I. Mosc. — *Eversmann*, in Bulletin de la Société Impériale des Naturalistes de Moscou.
- Fabr.* Syst. Rhyng. — *Fabricius*, Systema Rhyngotorum.
- » *Entom. Syst.* — *Fabricius*, Entomologia systematica emendata et aucta.
 - » *Gen. Insect.* — *Fabricius*, Genera Insectorum.
- Fall.* Specim. nov. — *Fallen*, Specimen novam Hemiptera disponendi Methodum exhibens.
- » *Hemipt. Suec.* — *Fallen*, Hemiptera Sueciæ.
 - » *Act. Acad. Holm.* — *Fallen*, in Acta Regiæ Academiae Holmiensis.
- Fonscol.* Ann. Soc. Ent. — *Boyer de Fonscolombe*, in Annales de la Société Entomologique de France.
- Geoffr.* Hist. abr. Ins. — *Geoffroy*, Histoire abrégée des Insectes des environs de Paris.
- Germ.* Zeitschr. f. Ent. — *Germar*, Zeitschrift für die Entomologie.
- » *Mag. d. Ent.* — *Germar*, Magazin der Entomologie.
 - » in *Silb. Rev. ent.* — *Germar*, in *Silbermann* Revue entomologique.

- Germ.* Reise n. Dalm. — *Germar*, Reise nach Dalmatien und in das Gebiet von Ragusa.
 » in *Münst. Beitr.* — *Germar*, in *Graf v. Münster* Beiträge zur Petrefactenkunde.
 » in *Thon Arch.* — *Germar*, in *Thon* Entomologisches Archiv.
- Gray* in *Griff. Anim. Kingd.* — *Gray*, in *Griffith* Animal Kingdom.
- Guér.* Rev. zool. — *Guérin*, Revue zoologique par la Société Cuvérienne.
 » *Voy. Coqu.* — *Guérin*, in *Duperrey* Voyage de la Coquille; Entomologie.
 » *Voy. Ind. orient.* — *Guérin*, in *Béranger* Voyage aux Indes orientales, partie entomologique.
- Guild.* Linn. Trans. — *Guilding*, in Transactions of the Linnean Society of London.
- Hahn* Wanzenart. Ins. — *Hahn*, Die Wanzenartigen Insecten.
 » *Icon. Cimic.* — *Hahn*, Icones ad Monographiam Cimicum.
- Halid.* Ann. of N. Hist. — *Haliday*, in Annals of Natural History.
- Hartig* in *Germ. Zeitschr.* — *Hartig*, in *Germar* Zeitschrift für die Entomologie.
- Heinek.* Zool. Journ. — *Heineken*, in Zoological Journal.
- Heyd.* Mus. Senckenb. — *Von Heyden*, in Museum Senckenbergianum.
- Hoffmg.* Encycl. méth. — *Hoffmannsegg*, in Encyclopédie méthodique.
 » in *Wied. Zool. Mag.* — *Hoffmannsegg*, in *Wiedemann's* Zoologisches Magazin.
- Hope* Cat. of Hem. — *Hope*, A Catalogue of Hemiptera in the collection of the Rev. *W. Hope*, etc. —
- Illig.* Mag. f. Ins. — *Illiger*, Magazin für Insectenkunde.
- Kirby* Faun. bor. Am. — *Kirby*, Fauna borealis Americana.
 » in *Steph. Syst. Cat.* — *Kirby*, in *Stephens* Systematic Catalogue of British Insects.
 » *Trans. Linn. Soc.* — *Kirby*, in the Transactions of the Linnean Society of London.
 » *Intr. to Entom.* — *Kirby*, Introduction to Entomology, etc.
- Klug* Symb. phys. — *Klug*, Symbolæ physicæ.
- Lam.* Anim. s. vert. — *Lamarck*, Histoire naturelle des Animaux sans vertèbres.
- Lap.* Essai Cl. syst. Hém. — *Laporte*, Essai d'une Classification systématique de l'ordre des Hémiptères hétéroptères.
 » *Ann. Soc. Ent.* — *Laporte*, in Annales de la Société Entomologique de France.
- Latr.* Gen. Cr. et Ins. — *Latreille*, Genera Crustaceorum et Insectorum.
 » *R. anim.* — *Latreille*, in *Cuvier* Règne animal.
 » *Fam. natur.* — *Latreille*, Familles naturelles du Règne animal.
 » *Crust. et Ins.* — *Latreille*, Histoire naturelle des Crustacés et des Insectes.
 » in *Humb. et Bonpl. Voy.* — *Latreille*, in Recueil d'observations de Zoologie et d'Anatomie comparée (*Humboldt et Bonpland* Voyage).
- Leach* Edinb. Encycl. — *Leach*, in *Brewster's* Edinburgh Encyclopedia.
 » *Tr. Linn. Soc.* — *Leach*, in Transactions of the Linnean Society of London.
 » *Probosc. Ins.* — *Leach*, On the Genera and Species of proboscideous Insects.
 » *Zool. Misc.* — *Leach*, Zoological Miscellany.
- Lewis* Trans. Ent. Soc. — *Lewis*, in Transactions of the Entomological Society of London.
- Linn.* Syst. Nat. — *Linné*, Systema Naturæ.
- Pal. Beauv.* Ins. Afr. et Am. — *Palliot-de-Beauvois*, Insectes recueillis en Afrique et en Amérique.
- Perch.* in *Guér. Mag. Zool.* — *Percheron*, in *Guérin* Magazin de Zoologie.
- Perty* Delect. An. Art. — *Perty*, Delectus Animalium articulorum, quæ in Itinere per Brasiliam collegerunt Dr. *J. B. Spix* et Dr. *C. T. Ph. de Martius*.

LIBRI CITATI.

V

- Ramb.* Faun. Andal. — *Rambur*, Faune entomologique de l'Andalousie.
Réaum. Mém. Ins. — *Réaumur*, Mémoires sur les Insectes.
Risso Eur. mérid. — *Risso*, Histoire naturelle des principales productions de l'Europe méridionale.
Say Descr. het. Hem. — *Say*, Descriptions of a new species of heteropterous Hemiptera of North America.
Schill. Beitr. z. Ent. — *Schilling*, Beiträge zur Entomologie des Schlesiens.
Schrank Faun. Boic. — *Schrank*, Fauna Boica.
Serv. Ann. Sc. n. — *Audinet-Serville*, in Annales des Sciences naturelles.
Spin. Essai s. l. Hém. — *Spinola*, Essai sur les Hémiptères hétéroptères.
» in *Guér. Rev. zool.* — *Spinola*, in *Guérin* Revue zoologique par la Société Cuvérienne.
» Syst. d. Hém. — *Spinola*, p. err. leg.: in *Guerin* Magazin de Zoologie.
Steph Syst. Cat. Br. Ins. — *Stephens*, Systematic Catalogue of British Insects.
St. Farg. Encycl. méth. — *Lepelletier de St.-Fargeau*, in Encyclopédie méthodique.
Thunb. Dissert. Ins. — *Thunberg*, Dissertatio novae Insectorum species sistens.
Westw. Mod. Cl. Ins. — *Westwood*, Introduction to the modern Classification of Insects.
» Trans. Ent. Soc. — *Westwood*, in Transactions of the Entomological Society.
» in *Hope* Cat. — *Westwood*, in *Hope* Catalogue of Hemiptera.
» Mag. of N. Hist. — *Westwood*, in Magazine of Natural History.
» Ann. Soc. Ent. — *Westwood*, in Annales de la Société Entomologique de France.
» in *Steph.* Syst. Cat. — *Westwood*, in *Stephens* Systematic Catalogue of British Insects.
» in *Griff. An. Kingd.* — *Westwood*, in *Griffith* Animal Kingdom.
» Natur. Libr. — *Westwood*, in Naturalist's Library.
» Zool. Journ. — *Westwood*, in Zoological Journal.
White Mag. of N. Hist. — *White*, in Magazine of Natural History.
» in *Grey's Trav. App.* — *White*, in *Grey's Travels of Australasia*, Appendix.
Zetterst. Ins. Lappon. — *Zetterstedt*, Fauna Insectorum Lapponica.



HEMIPTERA.

- Acalypta** Westw. Mod. Cl. Ins. II, 1840. ἀκάλυπτος, inopertus. **Tingidites.**
- Acanalonia** Spin. in Guér. Rev. zool. 1839. ἄκανος, spinosus; ἄλωγια, area. **Fulgorellae.**
- Acanthia** Fabr. Gen. Insect. 1776. ἄκανθα, aculeus. **Acanthillae.**
- Acanthicus** Lap. Ann. Soc. Entom. I, 1832. ἄκανθικός, aculeatus. **Membracides.**
- Acanthides** Leach Edinb. Encycl. 1818. *Acanthia*. = **Riparii.**
- Acanthillae** Latr. Gen. Cr. et Ins. 1807. *Acanthia*. **Heteroptera.**
- Acanthocephalus** Lap. Essai Cl. syst. Hém. 1833. ἄκανθα, aculeus; κεφαλή, caput. **Coreides.**
- Acanthocerus** Pal. Beauv. Ins. Afr. et. Am. 1805. ἄκανθα, aculeus; κέρασ, cornu. **Coreides.**
- Acanthosoma** Curt. Brit. Entom. 1824. ἄκανθα, aculeus; σῶμα, corpus. **Pentatomides.**
- Achantillae** Latr. (ex errore pro **Acanthillae**).
- Achilus** Kirby Trans. Linn. Soc. XII, 1818. ἄχιλος, sinè pabulo. **Fulgorellae.**
- Acinocoris** Hahn Wanzenart. Ins. 1834. ἄκινος, acinus; κόρις, cimex. **Lygaeites.**
- Acocephalus** Germ. in Silb. Rev. ent. 1833. ἄκων, hasta; κεφαλή, caput. **Cicadellae.**
- Acrocoris** Hahn Wanzenart. Ins. 1835. ἄκρος, acutus; κόρις, cimex. **Reduwini.**
- Actaca** Germ. in Münst. Beitr. 1842. *Actacus*. **Cimicides.**
- Actorus** Burm. Handb. Entom. II, 1835. ἄκτωρ, dux. **Coreides.**
- Aeucephalus** Germ. (Vid. **Acocephalus**.) — **Cicadellae.**
- Adelges** Vallot. ? **Aphidii.**
- Aelia** Fabr. Syst. Rhyng. 1803. *Nom. propr.* **Pentatomides.**
- Aelia** Burm. Handb. Entom. II, 1835. *Nom. propr.* **Pentatomides.**
- Aetalion** Latr. in Humb. et Bonpl. Voy. II, 4, 1816. αἰθαλίον (nom. mythol.) **Cicadellae.**
- Aethalia** Germ. Mag. d. Entom. IV, 1821, αἰθαλίον (nom. mythol.) **Cicadellae.**
- Agallia** Curt. Entom. Mag. 1832. ἀγάλλω, exorno, superbio. **Cicadellae.**
- Agapophyta** Guér. Voy. Coqu. 1830. ἀγαπάω, amo; φυτόν, planta. **Pentatomides.**

- Agonoscelis** Spin. Essai s. l. Hém. 1837. ἀ, priv.; γωνία, genu; σκέλος, femur. **Pentatomides.**
- Agonosoma** Lap. Essai Cl. syst. Hém. 1833. ἀ, priv.; γωνία, genu; σῶμα, corpus. **Pentatomides.**
- Agramma** Westw. in Steph. Syst. Cat. 1829. ἀ, priv.; γραμμή, linea. **Tingidites.**
- Aleyrodes** Latr. Gen. Cr. et Ins. III, 1807. ἄλευρον, pollen. **Aleyrodidae.**
- Aleyrodidae** Westw. Mod. Cl. Ins. 1840. Aleyrodes. **Homoptera.**
- Alphocoris** Germ. Zeitschr. f. Ent. I, 1839. ἀλφός, albomaculatus; κόρις, cimex. **Pentatomides.**
- Alydus** Fabr. Syst. Rhyng. 1803. ἀλύω, vagor. **Coreides.**
- Amarus** Burm. N. Act. Nat. Cur. XVI, 1835. ἀμαυρός, obscurus. **Pentatomides.**
- Amblycephalus** Curt. Entom. Mag. 1832. ἀμβλῦς, obtusus; κεφαλή, caput. **Cicadellae.**
- Amblythyreus** Westw. Trans. Ent. Soc. III, 1841. ἀμβλῦς, obtusus; θυρεός, scutum. **Phymalites.**
- Amphibicorisa** L. Duf. Rech. anat. et phys. 1833. ἀμφιβίος, amphibius; κόρις, cimex. **Heteroptera.**
- Amphiscepa** Germ. in Thon Arch. 1830. ἀμφί, circum; σκέπη, tegmen. **Fulgorellae.**
- Aneurus** Curt. Brit. Entom. II, 1825. ἀ, priv.; νεῦρον, nervus. **Aradites.**
- Anisoscelis** Latr. R. anim. IV, 1829. ἀνισος, inæqualis; σκέλις, perna. **Coreides.**
- Anisoscélites** Lap. Essai Cl. syst. Hém. 1833. Anisoscelis. **Coreides.**
- Anotia** Kirby Trans. Linn. Soc. XIII, 1823. ἀ, priv.; οὖς, auris. **Fulgorellae.**
- Anthocoris** Fall. Specim. nov. 1814. ἄνθος, flos; κόρις, cimex. **Lygaeites.**
- Anthothelgii** Lap. Essai Cl. syst. Hém. 1833. ἄνθος, flos; θέλγω, mulceo. **Hemiptera.**
- Aphaena** Guér. Voy. Coqu. 1830. ἀ, priv.; φαίνω, appareo. **Fulgorellae.**
- Aphana** Burm. Handb. Entom. II, 1835. ἀ, priv.; φαίνω, appareo. **Fulgorellae.**
- Aphanosoma** Costa in Guér. Rev. zool. 1841. ἀ, priv.; φαίνω, appareo; σῶμα, corpus. **Lygaeites.**
- Aphanus** Lap. Essai Cl. syst. Hém. 1833. ἀ, priv.; φαίνω, appareo. **Lygaeites.**
- Aphelocheirus** Westw. Mod. Cl. Ins. 1840. ἀφελής, planus; χεῖρ, manus. **Galgulites.**
- Aphides** Leach Edinb. Encycl. 1810. Aphis. **Aphidii.**
- Aphidii** Latr. Gen. Cr. et Ins. III, 1807. Aphis. **Homoptera.**
- Aphidina** Burm. Handb. Entom. II, 1835. Aphis. = **Aphidii.**
- Aphis** Linn. Syst. Nat. 1748. ἀφύω, haurio. **Aphidii.**
- Aphrodes** Curt. Entom. Mag. 1832. ἀφρός, spuma. **Cicadellae.**
- Aphrophora** Germ. Mag. d. Entom. IV, 1821. ἀφρός, spuma; φορέω, fero. **Cicadellae.**
- Apiomerus** Hahn Wanzenart. Ins. I, 1833. ἄπιον, apium; μηρός, lumbus. **Reduvini.**
- Aplosterna** Hope Cat. of Hem. 1837. ἀπλόος, simplex; σῆρον, pectus. **Pentatomides.**
- Apodiphus** Spin. Essai s. l. Hém. 1837. ἀπό; διαφύω, investigo. **Pentatomides.**
- Aptus** Hahn Wanzenart. Ins. I, 1833. ἀπτός, adprehensus. **Reduvini.**
- Aradites** Spin. Essai s. l. Hém. 1837, Aradus. **Heteroptera.**
- Aradus** Fabr. Syst. Rhyng. 1803. ἄραδος, hirritus. **Aradites.**
- Aracopus** Spin. in Guér. Rev. zool. 1834. ἀραιός, tenuis; πῆς, pes. **Fulgorellae.**

- Archimerus** *Burm.* Handb. Entom. II, 1835. ἀρχή, principium; μηρός, lumbus. **Coreides.**
- Arctocoris** *Germ.* Zeitschr. f. Ent. I, 1839. ἄρκτος, ursus; κόρις, cimex. **Pentatomides.**
- Arenocoris** *Hahn* Wanzenart. Ins. II, 1835. *Arena*; κόρις, cimex (*vox hybr.*). **Coreides.**
- Arilus** *Hahn* Wanzenart. Ins. I, 1833. *Nom. propr.* **Reduvini.**
- Arma** *Hahn* Wanzenart. Ins. I, 1833. ἄρμος, armus. **Pentatomides.**
- Arocatus** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Lygaeites.**
- Arocera** *Spin.* Essai s. I. Hém. 1837. ἄρω, tollo; κέρας, cornu. **Pentatomides.**
- Artheneis** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Coreides.**
- Arvelius** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Pentatomides.**
- Asiraca** *Latr.* Gen. Crust. et Ins. III, 1807. ? **Fulgorellae.**
- Asopus** *Burm.* Handb. Entom. II, 1835. *Nom. propr.* **Pentatomides.**
- Aspidiotus** *Bouché* Naturg. d. Ins. I, 1834. ἀσπιδιώτης, scutatus. **Coccides.**
- Aspidotoma** *Curt.* Entom. Mag. 1832. ἀσπίς, scutum; τομή, segmen. **Tingidites.**
- Aspongopus** *Lap.* Essai Cl. syst. Hém. 1833. ἀ, priv.; σπόγγος, fungus; πῆς, pes. **Pentatomides.**
- Astemma** *Serv.* Encycl. méth. X, 1825. ἀ, priv.; ζέμμα, infula. **Lygaeites.**
- Astemmiles** *Lap.* Essai Cl. syst. Hém. 1833. *Astemma.* **Heteroptera.**
- Atelocera** *Lap.* Essai Cl. syst. Hém. 1833. ἀτελής, imperfectus; κέρας, cornu. **Pentatomides.**
- Atheroides** *Halid.* Ann. of N. Hist. II, 1839. ἀθήρη, arista. **Aphidii.**
- Athysanus** *Burm.* Gen. Insect. II, 1838. ἀ, priv.; θύσανος, fimbria. **Cicadellae.**
- Atractus** *Lap.* Essai Cl. syst. Hém. 1833. ἀτρακτος, fusus. **Coreides.**
- Attus** *Hahn* Wanzenart. Ins. I, 1832. *Nom. propr.* **Capsini.**
- Atypa** *Lap.* Ann. Soc. Entom. I, 1832. ἀ, priv.; τύπος, typus. **Membracides.**
- Auchenorhynchii** *Dumér.* Zool. anal. 1806. ἀυχίην, fauces; ῥύγχος, rostrum. **Homoptera.**
- Augocoris** *Burm.* Handb. Entom. II, 1835. ἀύγη, splendor; κόρις, cimex. **Pentatomides.**
- Aurocorisa** *Westw.* Mod. Cl. Ins. 1840. αὐρον, aurum; κόρις, cimex. **Heteroptera.**
- Azinecera** *Steph.* Syst. Cat. Br. Ins. II, 1829. ἄκινος, acinus (?); κέρας, cornu. **Capsini.**
- Batracomorphus** *Lewis* Trans. Ent. Soc. I, 1836. βάτραχος, rana; μορφή, forma. **Cicadellae.**
- Bellocoris** *Hahn* Wanzenart. Ins. II, 1834. *Bellus*; κόρις (*vox hybr.*). **Pentatomides.**
- Belostoma** *Latr.* Gen. Crust. et Ins. III, 1807. βέλος, telum; σόμα, os. **Nepides.**
- Belostomida** *Leach* Edinb. Encycl. 1818. *Belostoma.* **Belostomides.**
- Belostomides** *Leach* Edinb. Encycl. 1818. *Belostoma.* **Heteroptera.**
- Belostomum** *Burm.* Handb. Entom. II, 1835. βέλος, telum; σόμα, os. **Nepides.**
- Berytus** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Coreides.**
- Blissus** *Klug* Symb. phys. Ins. 1834. βλίξω, sugo. **Lygaeites.**
- Boeydium** *Latr.* R. anim. V, 1829. ? **Membracides.**
- Bothriocera** *Burm.* Handb. Entom. II, 1835. βοθριον, fovea; κέρας, cornu. **Fulgorellae.**

- Brachyrhynchus** *Lap.* Essai Cl. syst. Hém. 1833. βραχὺς, brevis; ῥύγχος, rostrum. **Aradites.**
- Brachystethus** *Lap.* Essai Cl. syst. Hém. 1833. βραχὺς, brevis; στήθος, pectus. **Pentatomides.**
- Bryocoris** *Fall.* Hemipt. Suec. 1829. βρύον, muscus; κόρις, cimex. **Capsini.**
- Byrsocrypta** *Halid.* Ann. of N. Hist. 1838. βύρσα, pellis; κρύπτη, crypta. **Aphidii.**
- Byrsoptera** *Spin.* Essai s. l. Hém. 1837. βύρσα, pellis; πτερόν, ala. **Lygaeites.**
- Bythoscopus** *Germ.* in *Silb.* Rev. ent. i, 1833. βυθός, altum; σκοπεύω, exploro. **Cicadellae.**
- Calidea** *Lap.* Essai Cl. syst. Hém. 1833. καλός, pulcher; εἶδος, aspectus. **Pentatomides.**
- Caliprepes** *White* Mag. of N. Hist. 1839. καλός, pulcher; πρόπω, fulgeo. **Coreides.**
- Caliscelis** *Lap.* Ann. Soc. Ent. ii, 1833. καλός, pulcher; σκελὶς, perna. **Fulgorellae.**
- Callidea** *Burm.* Handb. Entom. ii, 1835. καλός, pulcher; εἶδος, aspectus. = Calidea.
- Callipappus** *Guér.* Rev. zool. 1841. καλός, pulcher; πάππος, pappus. **Coccides.**
- Calliphara** *Germ.* Zeitschr. f. Ent. i, 1839. καλός, pulcher; φᾶρος, pannulus. **Pentatomides.**
- Caloscelis** *Burm.* Handb. Entom. ii, 1835. καλός, pulcher; σκελὶς, perna. **Fulgorellae.**
- Calypticus** *Costa* Faun. di Nap. 1836. καλύπτο, tego. **Coccides.**
- Calyptoproctus** *Spin.* in *Guér.* Rév. zool. 1839. καλυπτός, tectus; προκτός, podex. **Fulgorellae.**
- Canopus** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Pentatomides.**
- Capsidae** *Westw.* Mod. Cl. Ins. 1840. *Capsus.* **Capsini.**
- Capsini** *Burm.* Handb. Entom. ii, 1835. *Capsus.* **Heteroptera.**
- Capsoides** *Spin.* Essai s. l. Hém. 1837. *Capsus.* **Heteroptera.**
- Capsus** *Fabr.* Syst. Rhyng. 1803. κάπτω, capto. **Capsini.**
- Catacanthus** *Spin.* Essai s. l. Hém. 1837. κατὰ, deorsum; ἄκανθα, aculeus. **Pentatomides.**
- Cataulax** *Spin.* Essai s. l. Hém. 1837. κατὰ, deorsum; ἄλλαξ, sulcus. **Pentatomides.**
- Catoplatus** *Spin.* Essai s. l. Hém. 1837. κατὰ, deorsum; πλατύς, latus. **Tingidites.**
- Cenchraca** *Westw.* Mag. of N. Hist. iv, 1840. κέγκρος, milium. **Fulgorellae.**
- Centrotus** *Fabr.* Syst. Rhyng. 1803. κεντροτός, aculeatus. **Cicadellae.**
- Cephalelus** *Perch.* in *Guér.* Mag. Zool. 1834. κεφαλή, caput; εἶλω, volvo. **Cicadellae.**
- Cephalocteus** *L. Duf.* Ann. Soc. Entom. iii, 1834. κεφαλή, caput; κτεῖς, pecten. **Pentatomides.**
- Cerascopus** *Heinek.* Zool. Journ. xvii, 1829. κέρως, cornu; σκοπεύω, exploro. **Reduvini.**
- Cerbus** *Hahn* Wanzenart. Ins. i, 1833. *Nom. propr.* **Coreides.**
- Cercopidae** *Leach* Edinb. Encycl. 1818. *Cercopis.* **Cicadellae.**
- Cercopis** *Fabr.* Gen. Insect. 1776. κερκόπη (*nom. propr.*) **Cicadellae.**
- Chariesterus** *Lap.* Essai Cl. syst. Hém. 1833. χαρίεστος, gratior. **Coreides.**
- Cheirochela** *Hope* Trans. Linn. Soc. xviii, 1840. χεῖρ, manus; χηλή, ungula. **Nepides.**
- Chelochirus** *Spin.* Syst. d. Hém. 1839. χηλή, ungula; χεῖρ, manus. **Aradites.**
- Chermes** *Linn.* Syst. Nat. 1748. *Vox arab.* **Psyllidae.**
- Chermides** *Fall.* Specim. nov. 1814. *Chermes.* **Homoptera.**

- Chiroleptes** Kirby Faun. bor. Amer. 1837. χείρ, manus; λεπτός, gracilis. **Reduvini.**
- Chlaenocoris** Burm. Handb. Entom. 1835. χλαῖνα, tunica; κόρις, cimex. **Pentatomides.**
- Chlamydatus** Curt. Entom. Mag. 1832. χλαμύς, chlamys. **Capsini.**
- Chlorocoris** Spin. Essai s. l. Hém. 1837. χλωρός, viridis; κόρις, cimex. **Pentatomides.**
- Cherocydnus** White in Grey's Trav. App. 1841. χοῖρος, porcus; Cydnus. **Pentatomides.**
- Cherosoma** Curt. Brit. Entom. vii, 1830. χοῖρος, porcus; σῶμα, corpus. **Coreides.**
- Chondrocera** Lap. Essai Cl. syst. Hém. 1833. χονδρός, cartilago; κέρας, cornu. **Coreides.**
- Chrysocoris** Hahn Wanzenart. Ins. ii, 1834. χρυσός, aurum; κόρις, cimex. **Pentatomides.**
- Cicada** Linn. Syst. Nat. 1748. Nom. propr. **Stridulantes.**
- Cicadae** Latr. Gen. Cr. et Ins. iii, 1807. Cicada. **Homoptera.**
- Cicadariae** Latr. Gen. Cr. et Ins. iii, 1807. Cicada. **Homoptera.**
- Cicadellae** Latr. Gen. Cr. et Ins. iii, 1807. Cicada. **Homoptera.**
- Cicadellina** Burm. Handb. Entom. ii, 1835. Cicada. **Cicadellae.**
- Cicadida** Leach Edinb. Encycl. 1818. Cicada. **Homoptera.**
- Cicadidae** Westw. Mod. Cl. Ins. 1840. Cicada. **Stridulantes.**
- Cicadina** Burm. Handb. Entom. ii, 1835. Cicada. **Homoptera.**
- Cicadula** Zetterst. Ins. Lappon. 1840. Cicada. **Cicadellae.**
- Ciccus** Latr. R. anim. v, 1829. κίκυς, alacer. = Tettigonia.
- Cimbus** Hahn Wanzenart. Ins. i, 1831. κύμβη, cymba. **Reduvini.**
- Cimex** Linn. Syst. Nat. 1748. Nom. propr. **Heteroptera.**
- Cimicida** Leach Edinb. Encycl. 1817. Cimex. **Heteroptera.**
- Cimicides** Latr. Gen. Cr. et Ins. iii, 1807. Cimex. **Heteroptera.**
- Cimicites** Lap. Essai Cl. syst. Hém. 1833. Cimex. **Heteroptera.**
- Cinara** Curt. Brit. Entom. xii, 1835. Nom. propr. **Aphidii.**
- Cionops** Leach Edinb. Encycl. ix, 1817. κίων, columna; ὄψ, facies. **Coccides.**
- Cixia** Burm. Handb. Entom. ii, 1835. κίκυς, alacer. **Fulgorellae.**
- Cixius** Latr. Gen. Cr. et Ins. 1807. κίκυς, alacer. **Fulgorellae.**
- Cladodiptera** Spin. in Guér. Rev. zool. . . . κλάδος, ramus; δίπτερος, dipterus. **Fulgorellae.**
- Clastoptera** Germ. Zeitschr. f. Entom. 1839. κλασάω, frango; πτερόν, ala. **Cicadellae.**
- Clavigralla** Spin. Essai s. l. Hém. 1837. Clavus; gralla. **Coreides.**
- Clinocoris** Hahn Wanzenart. Ins. ii, 1834. κλίνω, inclino; κόρις, cimex. **Pentatomides.**
- Cobax** Germ. Mag. d. Entom. iv, 1821. ? **Fulgorellae.**
- Coccides** Fall. Specim. nov. 1814. Coccus. **Homoptera.**
- Coccina** Burm. Handb. Entom. ii, 1835. Coccus. **Coccides.**
- Coccus** Linn. Syst. Nat. 1748. Nom. propr. (κόκκος). **Coccides.**
- Coelidia** Germ. Mag. d. Entom. iv, 1821. κοιλίδιον, ventriculus. **Cicadellae.**

- Coeloglossa** *Germ.* Zeitschr. f. Entom. i, 1839. κοῖλος, cavus; γλῶσσα, lingua. **Pentatomides.**
- Colliocoris** *Hahn* Wanzenart. Ins. ii, 1834. κολλάω, glutino; κόρις, cimex. **Reduvini.**
- Collirostres** *Dumér.* Zool. anal. 1806. Collum; rostrum. **Hemiptera.**
- Colobathristes** *Burm.* Handb. Entom. ii, 1835. κωλοβαθρισιῆς, grallator. **Coreides.**
- Colpoptera** *Burm.* Handb. Entom. ii, 1835. κόλπος, sinus; πτερόν, ala. **Fulgorellae.**
- Combophora** *Germ.* in *Silb.* Rev. ent. i, 1833. κόμβος, fascia; φορέω, fero. **Membracides.**
- Conorhinus** *Lap.* Essai Cl. syst. Hém. 1833. Conus; ῥίν, nasus (*vox hybr.*). **Reduvini.**
- Copius** *Thunb.* Dissert. Insect. 1825. κωπίον, remulus. **Coreides.**
- Coptosoma** *Lap.* Essai Cl. syst. Hém. 1833. κόπτω, seco; σῶμα, corpus. **Pentatomides.**
- Coranus** *Curt.* Brit. Entom. x, 1834. ? **Reduvini.**
- Coreidae** *Steph.* Syst. Cat. Br. Ins. ii, 1829. Coreus. = **Coreides.**
- Coreides** *Leach* Edinb. Encycl. 1818. Coreus. **Heteroptera.**
- Coreites** *Lap.* Essai Cl. syst. Hém. 1833. Coreus. = **Coreides.**
- Coreocoris** *Hahn* Wanzenart. Ins. ii, 1834. Coreus; κόρις. **Coreides.**
- Coreodes** *Burm.* Handb. Entom. ii, 1835. Coreus. **Coreides.**
- Coreus** *Fabr.* Syst. Rhyng. 1803. κόρις, cimex. **Coreides.**
- Coriscus** *Schrank* Faun. Boic. ii, 1801. κορίσκη, puellula.
- Corisiae** *Latr.* Gen. Cr. et Ins. 1807. κόρις, cimex. **Heteroptera.**
- Corixa** *Geoffr.* Hist. abr. Ins. 1762. κόρις, cimex. **Notonectides.**
- Corixida** *Leach* Edinb. Encycl. 1818. Corixa. **Notonectides.**
- Corizus** *Fall.* Specim. nov. 1814. κόρις, cimex. **Coreides.**
- Corynomerus** *Spin.* Essai s. l. Hém. 1837. κορύνη, clava; μηρός, lumbus. **Coreides.**
- Coryzoplatus** *Spin.* Essai s. l. Hém. 1837. κόρυς, crista; πλατύς, latus. **Coreides.**
- Coryzorhaphis** *Spin.* Essai s. l. Hém. 1837. κόρυς, crista; ῥαφίς, acus. **Pentatomides.**
- Craspedum** *Ramb.* Faun. Andal. 1840. κράσπεδον, limbus. **Coreides.**
- Crinocerus** *Burm.* Handb. Entom. ii, 1835. κρίνω, sejungo; κέρας, cornu. **Coreides.**
- Criomorphus** *Curt.* Entom. Mag. 1832. κριός, aries; μορφή, forma. **Cicadellae.**
- Cryptostemma** *Herrich Sch.* in *Panz.* Faun. . . . κρυπτός, occultus; σέμμα, infula. **Capsini.**
- Cyclogaster** *Westw.* Trans. Ent. Soc. ii, 1837. κύκλος, circulus; γαστήρ, venter. **Pentatomides.**
- Cydnus** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Pentatomides.**
- Cyllecoris** *Hahn* Wanzenart. Ins. ii, 1834. κυλλός, curvus; κόρις, cimex. **Capsini.**
- Cymbidus** *Spin.* Essai s. l. Hém. 1837. κύμβη, cymba. **Reduvini.**
- Cymodema** *Spin.* Essai s. l. Hém. 1837. κῦμα, unda; δέμα, fasciculus. **Coreides.**
- Cymus** *Hahn* Wanzenart. Ins. i. 1831. κῦμα, unda. **Lygaeites.**
- Cyphonia** *Lap.* Ann. Soc. Entom. i, 1832. κῦφος, gibba. **Membracides.**
- Cyphotes** *Burm.* Handb. Entom. ii, 1835. κυφότης, gibbosus. **Membracides.**

- Cyrtocoris** *Burm. Handb. Entom. II, 1835.* κυρτός, inclinatus; κόρις, cimex. **Pentatomides.**
- Cystosoma** *Westw. Ann. of N. Hist. 1842.* κύστις, vesica; σῶμα, corpus. **Stridulantes.**
- Dactylopius** *Costa Faun. di Nap. 1836.* δάκτυλος, digitus; ποιέω, facio. **Coccides.**
- Darnis** *Fabr. Syst. Rhyng. 1803. Nom. propr.* **Membracides.**
- Dasynus** *Burm. Handb. Entom. II, 1835.* δασύνω, aspero. = *Spartocerus.*
- Delphasida** *Leach Edinb. Encycl. 1818. Delphax.* **Homoptera.**
- Delphax** *Fabr. Syst. Rhyng. 1803.* δέλφαξ, porcellus. **Fulgorellae.**
- Deltocephalus** *Burm. Gen. Insect. II, 1838.* δέλτα, delta; κεφαλή, caput. **Cicadellae.**
- Derbe** *Fabr. Syst. Rhyng. 1803. Nom. propr.* **Fulgorellae.**
- Derephysia** *Spin. Essai s. I. Hém. 1837.* δέρη, collum; φύσα, pustula. **Tingidites.**
- Derepteryx** *White Mag. of N. Hist. 1839.* δέρη, collum; πτέρυξ, ala. **Coreides.**
- Deroploa** *Westw. Zool. Journ. V, 1835.* δέρη, collum; πλώω, nato. **Pentatomides.**
- Diactor** *Perty Delect. An. artic. 1832.* διάκτωρ (nom. mythol.) **Coreides.**
- Diaspis** *Costa Faun. di Nap. 1836.* διά, per; ασπίς, scutum. **Coccides.**
- Dichelops** *Spin. Essai s. I. Hém. 1837.* δίχηλος, fissipes, ὄψ, facies. **Pentatomides.**
- Dichoptera** *Spin. in Guér. Rev. zool. 1839.* δίχα, bipartitò; πτερόν, ala. **Fulgorellae.**
- Dicranomerus** *Hahn Wanzenart. Ins. I, 1831.* δίκρανος, biceps; μηρός, lumbus. **Coreides.**
- Dictyonota** *Curt. Brit. Entom. IV, 1827.* δίκτυον, reticulum; νῶτος, dorsum. **Tingidites.**
- Dictyophora** *Germ. in Silb. Rev. ent. I, 1833.* δίκτυον, reticulum; φορέω, fero. **Fulgorellae.**
- Dilobura** *Spin. in Guér. Rev. zool. 1839.* δις, bis; λοβός, lobus; ἔρα, cauda. **Fulgorellae.**
- Dimera** *Westw. Mod. Cl. Ins. 1840.* δις, bis; μηρός, lumbus. **Hemiptera.**
- Dinidor** *Lap. Essai Cl. syst. Hém. 1833.* δινέω, rotor. **Pentatomides.**
- Dinocoris** *Burm. Handb. Entom. II, 1835.* δίνος, rotatio; κόρις, cimex. **Pentatomides.**
- Diospolis** *Westw. Trans. Linn. Soc. XIX, 1842. Nom. mythol.* **Fulgorellae.**
- Diplonychus** *Lap. Essai Cl. syst. Hém. 1833.* διπλόος, duplex; ὄνυξ, unguis. **Nepides.**
- Diraphia** *Illig. Mag. f. Ins. II, 1803.* δις, bis; ῥαφίς, acus. **Psyllidae.**
- Discocephala** *Lap. Essai Cl. syst. Hém. 1833.* δίσκος, discus; κεφαλή, caput. **Pentatomides.**
- Discocera** *Lap. Essai. Cl. syst. Hém. 1833.* δίσκος, discus; κέρας, cornu. **Pentatomides.**
- Discogaster** *Burm. Handb. Entom. II, 1835.* δίσκος, discus; γαστήρ, venter. **Coreides.**
- Discomerus** *Lap. Essai Cl. syst. Hém. 1833.* δίσκος, discus; μηρός, lumbus.
- Ditomoptera** *Germ. N. Act. Nat. Cur. XIX, 1839.* δις, bis; τέμνω, seco; πτερόν, ala. **Cicadellae.**
- Doralis** (*Leach*) *Risso Eur. mérid. 1825.* δόρας, hasta. **Aphidii.**
- Dorthesia** *Bosc Journ. de Phys. 1784. Dic. DORTHÈS.* **Coccides.**
- Dorydium** *Burm. Handb. Entom. II, 1835.* δόρυ, hasta. **Cicadellae.**
- Dryptocephalus** *Lap. Essai Cl. syst. Hém. 1833.* δρύπτω, scalpo; κεφαλή, caput. **Pentatomides.**
- Dyroderes** *Spin. Essai s. I. Hém. 1837.* δύρομαι ? δέρος, corium.

- Dysodius** *Serv.* Enc. méth. x, 1825. δύσοδία, iter difficile. **Aradites.**
- Ectrichodia** *Serv.* Enc. méth. x, 1825. ἐκ, ex; τριχώδης, comatus. **Reduwini.**
- Ectrychotes** *Burm.* Handb. Entom. II, 1835. ἐκτρούχω, fatigo. = Ectrichodia.
- Edessa** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Pentatomides.**
- Elasmocelis** *Spin.* in *Guér.* Rev. zool. 1839. ἔλασμα, lamina; σκελῖς, perna. **Fulgorellae.**
- Elidiptera** *Spin.* in *Guér.* Rev. zool. 1839. ? **Fulgorellae.**
- Eloisura** *Spin.* Essai s. I. Hém. 1837. ? **Pentatomides.**
- Emesa** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Reduwini.**
- Emesodema** *Spin.* Essai s. I. Hém. 1837. *Emesa*; δέμας, corpus. **Reduwini.**
- Empicoris** *Hahn* Wanzenart. Ins. II, 1834. ἐμπῖς, musca; κόρις, cimex. **Pentatomides.**
- Enicocephalus** *Westw.* Trans. Ent. Soc. II, 1837. ἐνικός, unicus; κεφαλή, caput. **Reduwini.**
- Enithures** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Notonectides.**
- Entylia** *Germ.* in *Silb.* Rev. ent. I, 1833. ἐντυλίσσω, involvo. **Membracides.**
- Epipedus** *Spin.* Essai s. I. Hém. 1837. ἐπιπέδος, humilis. **Pentatomides.**
- Episcius** *Spin.* in *Guér.* Rev. zool. 1839. ἐπίσκιος, umbratilis. **Fulgorellae.**
- Eriosoma** *Leach* in *Steph.* Syst. Cat. 1829. ἔριον, lanosus; σῶμα, corpus. **Aphidii.**
- Erthesina** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Pentatomides.**
- Euagoras** *Burm.* Handb. Entom. II, 1835. εὐαγορέω, laudo. **Reduwini.**
- Eucerochoris** *Westw.* Trans. Ent. Soc. II, 1837. εὐ, benè; κέρας, cornu; κόρις, cimex. **Capsini.**
- Eucophora** *Spin.* in *Guér.* Rev. zool. 1839. εὐ, benè, κῶος, vellus; φορέω, fero. **Fulgorellae.**
- Eumallia** *Guér.* Voy. Ind. orient. 1834. εὐ, benè; μαλλός, villus. **Fulgorellae.**
- Eumerus** *Klug* Symb. phys. Dec. II, 1832. εὐ, benè; μηρός, lumbus. **Reduwini.**
- Eumetopia** *Westw.* in *Hope* Cat. Hem. 1837. εὐ, benè; μέτωπον, frons. **Pentatomides.**
- Eupelix** *Germ.* Mag. d. Ent. IV, 1821. εὐπήληξ, benè galeatus. **Cicadellae.**
- Eupteryx** *Curt.* Entom. Mag. 1832. εὐ, benè; πτέρυξ, ala. **Cicadellae.**
- Eurybrachis** *Guér.* Voy. Ind. orient. 1834. εὐρύς, latus; βραχίων, brachium. **Fulgorellae.**
- Eurycephala** *Lap.* Essai Cl. syst. Hém. 1833. εὐρύς, latus; κεφαλή, caput. **Capsini.**
- Eurycera** *Lap.* Essai Cl. syst. Hém. 1833. εὐρύς, latus; κέρας, cornu. **Tingidites.**
- Eurydema** *Lap.* Essai Cl. syst. Hém. 1833. εὐρύς, latus; δέμας, corpus. **Pentatomides.**
- Eurygaster** *Lap.* Essai Cl. syst. Hém. 1833. εὐρύς, latus; γαστήρ, venter. **Pentatomides.**
- Eurymela** *Hoffmg.* Encycl. méth. x, 1825. εὐρύς, latus; μῆλον, mala. **Cicadellae.**
- Euryophthalmus** *Lap.* Essai Cl. syst. Hém. 1833. εὐρύς, latus; ὀφθαλμός, oculus. **Lygaeites.**
- Eusarcoris** *Hahn* Wanzenart. Ins. II, 1834. εὐσαρκος, carnosus; κόρις, cimex. **Pentatomides.**
- Eusthenes** *Lap.* Essai Cl. syst. Hém. 1833. εὐςθενής, fortis. **Pentatomides.**
- Evacanthus** *Lepell. et Serv.* Enc. méth. x, 1825. εὐ, benè; ἄκανθα, aculeus. **Cicadellae.**
- Eysarcoris** *Hahn* Wanzenart. Ins. II, 1834. (Vid. **Eusarcoris.**) — **Pentatomides.**

HEMIPTERA.

9

- Flata** *Fabr. Syst. Rhyng.* 1803. *Nom. propr.* **Fulgorellae.**
- Forda** *Heyd. Mus. Senckenb.* II, 1837. *Nom. propr.* **Aphidii.**
- Fulgora** *Linn. Syst. Nat.* 1748. *Fulgor.* **Fulgorellae.**
- Fulgorellae** *Latr. Gen. Cr. et Ins.* III, 1807. *Fulgora.* **Homoptera.**
- Fulgorida** *Leach Edinb. Encycl.* IX, 1817. *Fulgora.* **Homoptera.**
- Fulgorina** *Burm. Handb. Entom.* II, 1835. *Fulgora.* = **Fulgorellae.**
- Galeatus** *Curt. Entom. Mag.* 1832. *Galea.* **Tingidites.**
- Galgulidae** *Westw. Mod. Cl. Ins.* 1840. *Galgulus.* **Galgulites.**
- Galgulini** *Burm. Handb. Entom.* II, 1835. *Galgulus.* = **Galgulites.**
- Galgulites** *Lap. Essai Cl. syst. Hém.* 1833. *Galgulus.* **Heteroptera.**
- Galgulus** *Latr. Gen. Cr. et Ins.* III, 1807. *Nom. propr.* **Galgulites.**
- Gallinsecta** *Latr. Gen. Cr. et Ins.* III, 1807. *Galla; insectum.* **Hemiptera.**
- Gallinsecta** *De Geer Mém. Ins.* VI, 1752. *Galla; insectum.* **Hemiptera.**
- Gastrodes** *Westw. Mod. Cl. Ins.* 1839. *γαστροῶδης, ventriosus.* **Lygaeites.**
- Geocores** *Burm. Handb. Entom.* II, 1835. *Geocoris.* **Heteroptera.**
- Geocoris** *Fall. Specim. nov.* 1814. *γέα, terra; κόρις, cimex.* **Lygaeites.**
- Geocorisae** *Latr. R. anim.* III, 1827. *Geocoris.* **Heteroptera.**
- Germaria** *Lap. Ann. Soc. Ent.* I, 1832. *Dic. GERMAR.* **Homoptera.**
- Gerrida** *Leach Edinb. Encycl.* 1818. *Gerris.* **Ploteres.**
- Gerris** (*Latr.*) *Fabr. Entom. Syst.* IV, 1794. *Nom. propr.* **Ploteres.**
- Globiceps** *Lepell. et Serv. Enc. méth.* X, 1825. *Globus; caput.* **Capsini.**
- Globocoris** *Hahn Wanzenart. Ins.* II, 1834. *Globus; κόρις, cimex (vox hybr.).* **Pentatomides.**
- Gonocerus** *Latr. Fam. natur.* 1825. *γωνία, angulus; κέρασ, cornu.* **Coreides.**
- Graphosoma** *Lap. Essai Cl. syst. Hém.* 1833. *γράφω, scribo; σῶμα, corpus.* **Pentatomides.**
- Gypona** *Germ. Mag. d. Ent.* IV, 1821. ? **Cicadellae.**
- Haemathelges** *Lap. Essai Cl. syst. Hém.* 1833. *αἷμα, sanguis; ἀθέλγω, mulgeo.* **Hemiptera.**
- Halobates** *Esch. Dorp. Nat. Abh.* 1823. *ἅλς, mare; βαίνω, incedo.* **Ploteres.**
- Halticus** *Hahn Wanzenart. Ins.* I, 1831. *ἄλτικὸς, salticus.* **Capsini.**
- Halys** *Fabr. Syst. Rhyng.* 1803. *Nom. propr.* **Pentatomides.**
- Hammacerus** *Lap. Essai Cl. syst. Hém.* 1833. *ἄμμα, nodus; κέρασ, cornu.* **Reduvini.**
- Hammatocerus** *Burm. Handb. Entom.* II, 1835. *ἄμμα, nodus; κέρασ, cornu.* **Reduvini.**
- Harmostes** *Burm. Handb. Entom.* II, 1835. *ἀρμοστής, gubernator.* **Coreides.**
- Harpactor** *Lap. Essai Cl. syst. Hém.* 1833. *ἀρπάζω, rapio.* **Reduvini.**
- Harpocera** *Curt. Brit. Entom.* 1838. *ἄρπη, falx; κέρασ, cornu.* **Coreides.**
- Hebrus** *Curt. Entom. Mag.* 1833. *Nom. propr.* **Ploteres.**
- Hemidictya** *Burm. Handb. Entom.* II, 1835. *ἥμι, semi; δίχτυον, reticulum.* **Stridulantes.**

- Hemimeroptera** Clairv. Helvet. Entom. 1798. ἥμι, semi; μέρος, pars; πτερόν, ala. **Hemiptera.**
- Hemiptera** Linn. Syst. Nat. 1742. ἥμι, semi; πτερόν, ala. **Insecta.**
- Hemiptycha** Germ. in Silb. Rev. ent. 1833. ἥμι, semi; πτυξ, sinus. **Membracides.**
- Hemityphlus** Hoffmg. in Wied. Zool. Mag. i, 1817. ἥμι, semi; τυφλός, cæcus. **Lygaeites.**
- Henestaris** Spin. Essai s. l. Hém. 1837. *Nom. propr.*
- Heniartes** Spin. Essai s. l. Hém. 1837. *Nom. propr.* **Reduvini.**
- Hepa** Geoffr. Hist. abr. Ins. 1762. ? **Nepides.**
- Heterogaster** Schill. Beitr. z. Ent. 1829. ἕτερος, alter; γαστήρ, venter. **Lygaeites.**
- Heteronotus** Lap. Ann. Soc. Ent. i, 1832. ἕτερος, alter; νῶτος, dorsum. **Membracides.**
- Heteroptera** Latr. R. anim. iii, 1817. ἕτερος, alter; πτερόν, ala. **Hemiptera.**
- Heteropus** Spin. Essai s. l. Hém. 1837. ἕτερος, alter; πῆξ, pes **Pentatomides.**
- Heteroscelis** Latr. Fam. natur. 1825. ἕτερος, alter; σκελίς, perna. **Pentatomides.**
- Heterotoma** Latr. R. anim. v, 1829. ἕτερος, alter; τομή, sectio. **Capsini.**
- Hexatoma** Lap. Essai Cl. syst. Hém. 1833. ἕξ, sex; τομή, sectio. **Reduvini.**
- Hipporhynchus** Eversm. Bull. Soc. Imp. Mosc. i, 1837. ἵππος, equus; ῥύγχος, rostrum. **Capsini.**
- Hiranetis** Spin. Essai s. l. Hém. 1837. *Nom. propr.* **Reduvini.**
- Holhymenia** Lepell. et Serv. Enc. méth. x, 1825. ὅλος, solus; ὑμῆν, operculum. **Coreides.**
- Holoptilus** Lepell. et Serv. Enc. méth. x, 1825. ὅλος, solus; πτερόν, ala. **Reduvini.**
- Holotrichius** Burm. Handb. Entom. ii, 1835. ὅλος, solus; τριχίον, capillus. **Reduvini.**
- Homocercus** Burm. Handb. Entom. ii, 1835. ὁμοίος, similis; κέρας, cornu. **Coreides.**
- Homoptera** Latr. R. anim. iii, 1817. ὁμός, conjunctus; πτερόν, ala. **Hemiptera.**
- Hoplistodera** Westw. in Hope Cat. Hem. 1837. ὀπλιστής, armatus; δέρον, collum. **Pentatomides.**
- Hoplophora** Germ. in Silb. Rev. ent. i, 1833. ὄπλον, arma; φορέω, fero. **Membracides.**
- Hydrocorides** Fall. Specim. nov. 1814. ὕδωρ, aqua; κόρις, cimex. **Heteroptera.**
- Hydrocorisae** Latr. Gen. Cr. et Ins. iii, 1807. ὕδωρ, aqua; κόρις, cimex. **Heteroptera.**
- Hydrodromici** Burm. Handb. Entom. ii, 1835. ὕδωρ, aqua; δρομικός, velox. **Ploteres.**
- Hydroessa** Burm. Handb. Entom. ii, 1835. ὑδροεῖς, aquaticus. **Ploteres.**
- Hydrometra** Fabr. Entom. syst. iv, 1796. ὕδωρ, aqua; μέτρον, mensura. **Ploteres.**
- Hydrometra** Latr. Gen. Cr. et Ins. iii, 1807. ὕδωρ, aqua; μέτρον, mensura. **Ploteres.**
- Hydrometridae** (Leach) Steph. Syst. Cat. 1829. *Hydrometra.* **Ploteres.**
- Hydrometrites** Lap. Essai Cl. syst. Hém. 1833. *Hydrometra.* **Heteroptera.**
- Hylophila** Kirby in Steph. Syst. Cat. 1829. ὕλη, sylvia; φιλέω, amo. **Lygaeites.**
- Hymenelytra** Latr. Fam. natur. 1825. ὑμῆν, membrana; ἐλυτρον, operculum. **Homoptera.**
- Hymeniphera** Lap. Essai Cl. syst. Hém. 1833. ὑμῆν, membrana; φέρω, fero. **Coreides.**
- Hynniss** Burm. Handb. Entom. ii, 1835. ὕννις, vomer. **Fulgorellae.**
- Hyponomeutes** Hartig in Germ. Zeitschr. 1841. ὑπονομεύω, suffodio. **Aphidii.**

- Hypselonotus** *Hahn* Wanzenart. Ins. 1, 1831. ὑψηλόνωτος, altum dorsum habens. **Coreides.**
- Hypselophus** *Burm.* Handb. Entom. II, 1835. ὑψηλοφός, altam cristam habens. **Coreides.**
- Ialla** *Hahn* Wanzenart. Ins. 1, 1831. ἰάλλω, mitto. **Pentatomides.**
- Massus** *Fabr.* Syst. Rhyng. 1803. Nom. propr. **Cicadellae.**
- Idiocerus** *Lewis* Trans. Ent. Soc. 1, 1836. ἴδιος, proprius; κέρας, cornu. **Cicadellae.**
- Issites** *Spin.* in *Guér.* Rev. zool. 1839. Issus. **Fulgorellae.**
- Issus** *Fabr.* Syst. Rhyng. 1803. Nom. propr. **Fulgorellae.**
- Kleidocerys** *Westw.* in *Steph.* Syst. Cat. 1829. κλείς, clavis; κέρας, cornu. **Coreides.**
- Labops** *Burm.* Handb. Entom. II, 1835. λαβή, ansa; ὄψ, facies. **Capsini.**
- Lachnus** (*Illig.*) *Burm.* Handb. Entom. II, 1835. λάχνος, lanuginosus. **Aphidii.**
- Lamproptera** *Germ.* in *Silb.* Rev. ent. 1, 1833. λάμπρος, splendens; πτερόν, ala. **Membracides.**
- Largus** *Hahn* Wanzenart. Ins. 1, 1831. Nom. propr. **Lygaeites.**
- Lecanium** (*Illig.*) *Burm.* Handb. Entom. II, 1835. λεκάνη, patina. **Coccides.**
- Ledra** *Fabr.* Syst. Rhyng. 1803. Nom. propr. **Cicadellae.**
- Leptocoris** *Hahn* Wanzenart. Ins. 1, 1831. λεπτός, gracilis; κόρις, cimex. **Coreides.**
- Leptocorisa** *Latr.* R. anim. v, 1829. λεπτός, gracilis; κόρις, cimex. **Coreides.**
- Leptoglossus** *Guér.* Voy. Coqu. 1830. λεπτός, gracilis; γλῶσσα, lingua. **Coreides.**
- Leptomeres** *Lap.* Essai Cl. syst. Hém. 1833. λεπτός, tenuis; μέρος, pars. **Reduvini.**
- Leptopus** *Latr.* Gen. Cr. et Ins. IV, 1809. λεπτός, tenuis; πῆς, pes. **Riparii.**
- Leptoscelis** *Lap.* Essai Cl. syst. Hém. 1833. λεπτός, tenuis; σκελίς, perna. **Coreides.**
- Limnobates** *Burm.* Handb. Entom. II, 1835. λίμνη, æstuarium; βαίνω, incedo. **Ploteres.**
- Livia** *Latr.* Gen. Cr. et Ins. IV, 1809. Nom. propr. **Psyllidae.**
- Livilla** *Curt.* Brit. Entom. XIII, 1836. *Livia.* **Psyllidae.**
- Longilabra** *Latr.* Fam. natur. 1825. Longus; labrum. **Heteroptera.**
- Lophocephala** *Lap.* Essai Cl. syst. Hém. 1833. λόφος, crista; κεφαλή, caput. **Reduvini.**
- Lophops** *Spin.* in *Guér.* Rev. zool. 1839. λόφος, crista; ὄψ, facies.
- Lopus** *Hahn* Wanzenart. Ins. 1, 1831. λοπός, cortex. **Capsini.**
- Loricerus** *Hahn* Wanzenart. Ins. 1, 1831. λῶρον, lorum; κέρας, cornu. **Reduvini.**
- Loricula** *Curt.* Entom. Mag. 1833. *Lorica.* **Coreides.**
- Lyctocoris** *Hahn* Wanzenart. Ins. III, 1835. λύγη, lucus; κόρις, cimex. **Lygaeites.**
- Lydda** *Westw.* Mag. of N. Hist. 1840. λύζω, singulto (?) **Fulgorellae.**
- Lygaeidae** *Westw.* Mod. Cl. Ins. 1840. *Lygæus.* **Heteroptera.**
- Lygaeites** *Lap.* Essai Cl. syst. Hém. 1833. *Lygæus.* **Heteroptera.**
- Lygaeodes** *Burm.* Handb. Entom. II, 1835. *Lygæus.* **Heteroptera.**
- Lygaeomorphus** *Blanch.* Hist. nat. Ins. 1840. λυγαῖος, (lygæus); μορφή, forma. **Coreides.**
- Lygaeosoma** *Spin.* Essai s. l. Hém. 1837. λυγαῖος, (lygæus); σῶμα, corpus. **Lygaeites.**

- Lygaeus** *Fabr.* Entom. syst. iv, 1794. λυγαῖος, obscurus. **Lygaeites.**
- Lygus** *Hahn* Wanzenart. Ins. i, 1831. λύγη, lucus. **Capsini.**
- Lyramorpha** *Hope* Cat. of Hem. 1837. λύρα, lyra; μορφή, forma. **Pentatomides.**
- Lystra** *Fabr.* Syst. Rhyng. 1803. *Nom. propr.* **Fulgorellae.**
- Machaerota** *Burm.* Handb. Entom. ii, 1835. μαχαιρωτός, ensiformis. **Membracides.**
- Macrocephalus** *Latr.* Gen. Cr. et Ins. iii, 1807. μακρός, longus; κεφαλή, caput. **Phymatides.**
- Macroceroca** *Lefeb.* in *Spin.* Essai etc. 1837. μακρός, longus; κερόεις, cornutus. **Lygaeites.**
- Macrophthalmus** *Lap.* Essai Cl. syst. Hém. 1833. μακρός, longus; ὀφθαλμός, oculus. **Reduvini.**
- Macrops** *Burm.* Handb. Entom. ii, 1835. μακρός, longus; ὄψ, facies. **Reduvini.**
- Macropsis** *Lewis* Trans. Ent. Soc. i, 1836. μακρός, longus; ὄψ, facies. **Cicadellae.**
- Macropygium** *Spin.* Essai s. l. Hém. 1838. μακρός, longus; πύγη, podex. **Pentatomides.**
- Manniferae** *Linn.* Syst. Nat. 1766. Manna; fero. **Cicadae.**
- Margarodes** *Guild.* Linn. Trans. xv, . . . μαργαρώδης, margaritaceus. **Coccides.**
- Meganotus** *Lap.* Essai Cl. syst. Hém. 1833. μέγας, magnus; νῶτος, dorsum. **Lygaeidae.**
- Megarhynchus** *Lap.* Essai Cl. syst. Hém. 1833. μέγας, magnus; ῥύγχος, rostrum. **Pentatomides.**
- Megophthalmus** *Curt.* Entom. Mag. 1833. μέγας, magnus; ὀφθαλμός, oculus. **Cicadellae.**
- Megymenum** *Guér.* Voy. Coqu. 1830. μέγας, magnus; ὑμῖν, operculum. **Pentatomides.**
- Membracides** *Latr.* Fam. natur. 1825. *Membracis.* **Homoptera.**
- Membracina** *Burm.* Handb. Entom. ii, 1835. *Membracis.* = **Membracides.**
- Membracis** *Fabr.* Gen. Insect. 1776. μεμβράς, pisciculi species. **Membracides.**
- Membranacei** *Latr.* Fam. natur. 1825. *Membranaceus.* **Heteroptera.**
- Menenotus** *Lap.* Essai Cl. syst. Hém. 1833. μήνη, luna; νῶτος, dorsum. **Coreides.**
- Merocoris** *Hahn* Wanzenart. Ins. ii, 1834. μηρός, lumbus; κόρις, cimex. **Coreides.**
- Merocoris** *Burm.* in *Silb.* Rev. ent. ii, 1834. μηρός, lumbus; κόρις, cimex. **Coreides.**
- Merocoris** *Perty* Delect. An. art. 1832. μηρός, lumbus; κόρις, cimex. **Pentatomides.**
- Meropachys** *Lap.* Essai Cl. syst. Hém. 1833. μηρός, lumbus; παχὺς, crassus. **Coreides.**
- Micrelytra** *Lap.* Essai Cl. syst. Hém. 1833. μικρός, parvus; ἔλυτρον, tegmen. **Coreides.**
- Microphysa** *Westw.* Ann. Soc. Ent. iii, 1834. μικρός, parvus; φύσα, pustula. **Lygaeites.**
- Micropus** *Spin.* Essai s. l. Hém. 1837. μικρός, parvus; πῆς, pes. **Lygaeites.**
- Microtoma** *Lap.* Essai Cl. syst. Hém. 1833. μικρός, parvus; τομή, segmen. **Lygaeites.**
- Microvelia** *Westw.* Ann. Soc. Ent. iii, 1834. μικρός, parvus; *Velia.* **Ploteres.**
- Miris** *Fabr.* Syst. Rhyng. 1803. ? **Capsini.**
- Monanthia** *St. Farg.* Encycl. méth. x, 1825. μόνος, solus; ἀκανθα, aculeus. **Tingidites.**
- Monomera** *Westw.* Mod. Cl. Ins. 1840. μόνος, solus; μέρος, pars. **Hemiptera.**
- Mononyx** *Lap.* Essai Cl. syst. Hém. 1837. μόνος, solus; ὄνυξ, unguis. **Galgulites.**
- Monophlebus** *Leach* Probosc. Ins. 1817. μόνος, solus; φλέψ, vena. **Coccides.**

- Monopsis** Spin. in Guér. Rev. zool. 1839. *μόνος*, solus; *ᾠψ*, facies. **Fulgorellae.**
- Mycterodus** Spin. in Guér. Rev. zool. 1839. *μυκτῆρ*, nasus. **Fulgorellae.**
- Myctis** Leach Zool. Misc. 1814. *μύκης*, fungus. **Coreides.**
- Myocoris** Burm. Handb. Entom. II, 1835. *μῦς*, mus; *κόρις*, cimex. **Reduvini.**
- Myodocha** Latr. Gen. Cr. et Ins. III, 1807. *μυοδόχος*, mures occultans. **Lygaeites.**
- Myodochus** Burm. Handb. Entom. II, 1835. *μυοδόχος*, mures occultans. **Coreides.**
- Myrmus** Hahn Wanzenart. Ins. I, 1831. *μύρμος*, formica. **Coreides.**
- Mysidia** Westw. Mag. of N. Hist. IV, 1840. *μύσις*, obstructio. **Fulgorellae.**
- Myzoxyle** Blot Mém. Soc. Linn. Caen 1824. *μυζάω*, sugo; *ξύλον*, lignum. **Aphidii.**
- Nabicula** Kirby Faun. bor. Amer. 1837. *Nabis*. **Reduvini.**
- Nabis** Latr. Gen. Cr. et Ins. III, 1807. *Nom. propr.* **Reduvini.**
- Naeogeus** Lap. Essai Cl. syst. Hém. 1833. *ναίω*, habito; *γῆ*, terra. **Lygaeites.**
- Naucorida** Leach Edinb. Encycl. 1818. *Naucoris*. **Nepides.**
- Naucoridei** Fall. Specim. nov. 1814. *Naucoris*. **Heteroptera.**
- Naucoris** Geoffr. Hist. abr. Ins. 1762. *ναῦς*, navis; *κόρις*, cimex. **Nepides.**
- Neides** Latr. Gen. Cr. et Ins. III, 1807. *νηΐς*, nescius? **Coreides.**
- Nematopus** Latr. Fam. natur. 1825. *νήμα*, filum; *πῆς*, pes. **Coreides.**
- Nepa** Linn. Syst. Natur. 1748. *Nom. propr.* **Nepides.**
- Nepida** Leach Edinb. Encycl. 1818. *Nepa*. = **Nepides.**
- Nepidae** Leach Linn. Trans. XII, 1818. *Nepa*. **Heteroptera.**
- Nepides** Leach Edinb. Encycl. 1818. *Nepa*. **Heteroptera.**
- Nepini** Burm. Handb. Entom. II, 1835. *Nepa*. **Heteroptera.**
- Nerthra** Say Descr. het. Hem. 1831. ? **Naucoridei.**
- Niesthrea** Spin. Essai s. I. Hém. 1837. ? **Coreides.**
- Notocyrtus** (Hoffmg.) Burm. Handb. II, 1835. *νωτός*, dorsum; *κυρτός*, curvus. **Reduvini.**
- Notonecta** Linn. Syst. Nat. 1748. *νωτός*, dorsum; *νηκτός*, natans. **Notonectides.**
- Notonectici** Burm. Handb. Entom. II, 1835. *Notonecta*. = **Notonectides.**
- Notonectida** Leach Edinb. Encycl. 1818. *Notonecta*. = **Notonectides.**
- Notonectidae** Steph. Syst. Cat. Br. Ins. 1829. *Notonecta*. = **Notonectides.**
- Notonectidea** Leach Linn. Trans. XII, 1818. *Notonecta*. = **Notonectides.**
- Notonectides** Latr. R. anim. 1817. *Notonecta*. **Heteroptera.**
- Notonectites** Lap. Essai Cl. syst. Hém. 1833. *Notonecta*. = **Notonectides.**
- Nudicolles** Latr. Fam. natur. 1821. *Nudus*; *collis*. **Heteroptera.**
- Nyttum** Spin. Essai s. I. Hém. 1837. *νύσσω*, pungo. **Coreides.**
- Ochetopus** Hahn Wanzenart. Ins. I, 1831. *όχετός*, canalis; *πῆς*, pes. **Reduvini.**
- Ochlerus** Spin. Essai s. I. Hém. 1837. *όχληρός*, molestus. **Pentatomides.**

- Ochterus** Latr. Gen. Cr. et Ins. III, 1807. ὄχθηρός, clivosus. = **Pelogonus**.
- Odontopus** Lap. Essai Cl. syst. Hém. 1833. ὀδὸς, dens; πῆς, pes. **Lygaeites**.
- Odontoscelis** Lap. Essai Cl. syst. Hém. 1833. ὀδὸς, dens; σκελῖς, perna. **Pentatomides**.
- Odontotarsus** Lap. Essai Cl. syst. Hém. 1833. ὀδὸς, dens; τάρσος, tarsus.
- Omalocephala** Spin. in Guér. Rev. zool. 1839. ὀμαλὸς, æqualis; κεφαλῆ, caput. **Fulgorellae**.
- Ommatidiotus** Spin. in Guér. Rev. zool. 1839. ὀμματίδιον, ocellus. **Fulgorellae**.
- Omoptera** Leach Edinb. Encycl. 1818. ὀμός, conjunctus; πτερὸν, ala. = **Homoptera**.
- Oncocephalus** Klug Symb. phys. II, 1832. ὄγκος, uncus; κεφαλῆ, caput. **Reduvini**.
- Oncomeris** Lap. Essai Cl. syst. Hém. 1833. ὄγκος, uncus; μηρὸς, lumbus. **Pentatomides**.
- Oncomerus** Burm. Handb. Entom. II, 1835. ὄγκος, uncus; μηρὸς, lumbus. **Pentatomides**.
- Oncopsis** Burm. Gen. Insect. I, 1833. ὄγκος, uncus; ὤψ, facies. **Cicadellae**.
- Oncoscelis** Westw. Trans. Ent. Soc. II, 1837. ὄγκος, uncus; σκελῖς, perna. **Pentatomides**.
- Ophthalmicus** Hahn Wanzenart. Ins. I, 1831. ὀφθαλμικός. **Lygaeites**.
- Ophthalmocoris** Zetterst. Ins. Lapp. 1840. ὀφθαλμός, oculus; κόρις, cimex. **Capsini**.
- Oplonus** Spin. Essai s. I. Hém. 1837. ὄπλον, arma; ὄμος, ferus. **Pentatomides**.
- Opsicoetus** Klug Symb. phys. II, 1832. ὀψίκοιτος, serè dormiens. **Reduvini**.
- Oriteres** Hahn Wanzenart. Ins. I, 1831. ὠραῖα, fructus horæi; τερέω, terebro. **Coreides**.
- Orthonotus** Westw. in Steph. Syst. Cat. 1829. ὀρθός, rectus; νῶτος, dorsum. **Capsini**.
- Orthorapha** Westw. in Griff. An. Kingd. XV, 1832. ὀρθός, rectus; ῥαφή, sutura. **Membracides**.
- Otiocerus** Kirby Linn. Trans. XIII, 1823. ὠτίον, auricula; κέρας, cornu. **Fulgorellae**.
- Oxynotus** Lap. Essai Cl. syst. Hém. 1833. ὀξύς, acutus; νῶτος, dorsum.
- Oxyrrhachis** Germ. in Silb. Rev. ent. I, 1833. ὀξύς, acutus; ῥάχις, spina dorsi. **Membracides**.
- Pachycoris** Burm. Handb. Entom. II, 1835. παχὺς, crassus; κόρις, cimex. **Pentatomides**.
- Pachylis** Lepell. et Serv. Encycl. méth. X, 1825. παχυλός, pinguis. **Coreides**.
- Pachymeria** Lap. Essai Cl. syst. Hém. 1833. παχὺς, crassus; μηρὸς, lumbus. **Coreides**.
- Pachymerus** Lepell. et Serv. Encycl. méth. X, 1825. παχὺς, crassus; μηρὸς, lumbus. **Lygaeites**.
- Pachynomus** Klug Symb. phys. II, 1832. παχὺς, crassus; νομός, pabulum. **Reduvini**.
- Pachytoma** Costa in Guér. Rev. zool. 1841. παχὺς, crassus; τομή, segmen. **Capsini**.
- Pantilius** Curt. Entom. Mag. 1833. παντέλειος, perfectus? **Coreides**.
- Paracletus** Heyd. Mus. Senckenb. II, 1837. παράκλητος, adjutor. **Aphidii**.
- Paracoris** Hahn Wanzenart. Ins. II, 1834. πάρος, antea; κόρις, cimex. **Pentatomides**.
- Paropia** Germ. in Silb. Rev. ent. I, 1833. πάρος, antea; ὀπή, foramen. **Cicadellae**.
- Paryphes** Burm. Handb. Entom. II, 1835. παρυφής, prætextatus. **Coreides**.
- Patara** Westw. Mag. of N. Hist. IV, 1840. Nom. propr. **Fulgorellae**.
- Pedeticus** Lap. Essai Cl. syst. Hém. 1833. πεδήτης, vinctus. **Lygaeites**.
- Pediopsis** Burm. Gen. Insect. I, 1833. πεδίον, pedica; ὤψ, facies. **Cicadellae**.

- Peirates** Serv. Ann. Sc. n. 1831. πειρατής, pirata. **Reduwini.**
- Pelagonida** Leach Edinb. Encycl. 1818. Pelogonus. **Belostomides.**
- Pelogonus** Latr. Gen. Cr. et Ins. iv, 1809. πηλόγονος, è cæno natus. **Galgulini.**
- Peltophora** Burm. Handb. Entom. ii, 1835. πέλτη, scutum; φορέω, fero. **Pentatomides.**
- Pemphigus** Hartig in Germ. Zeitschr. iii, 1841. πέμφιξ, pustula. **Aphidii.**
- Pentatoma** (Oliv.) Lam. An. s. vert. iii, 1816. πέντε, quinque; τομή, segmen. **Pentatomides.**
- Pentatomida** Leach Edinb. Encycl. 1818. Pentatoma. = **Pentatomides.**
- Pentatomidae** Steph. Syst. Cat. Br. Ins. 1829. Pentatoma. = **Pentatomides.**
- Pentatomides** Leach Edinb. Encycl. 1818. Pentatoma. **Heteroptera.**
- Pentatomites** Lap. Essai Cl. syst. Hém. 1833. Pentatoma. **Pentatomides.**
- Penthicus** Blanch. Hist. nat. Ins. 1840. πενθικός, lugens. **Fulgorellae.**
- Penthimia** Germ. Mag. d. Entom. iv, 1821. πένθιμος, lugens. **Cicadellae.**
- Petalochirus** Pal. Beauv. Ins. Afr. et Am. 1801. πέταλον, folium; χεῖρ, manus. **Reduwini.**
- Phalaris** (Leach) Risso Eur. mérid. 1826. φαλαρός, lucens. **Aphidii.**
- Phenax** Germ. in Silb. Rev. ent. i, 1833. φέναξ, mendax. **Fulgorellae.**
- Phenice** Westw. Mag. of N. Hist. iv, 1840. ? **Fulgorellae.**
- Phimodera** Germ. Zeitschr. f. Ent. i, 1839. φῦμα, tuber; δέρος, corium. **Pentatomides.**
- Phlegmatoptera** Spin. in Guér. Rev. zool. 1839. φλέγμα, phlegma; πτερόν, ala. **Fulgorellae.**
- Phlœa** Lepell. et Serv. Encycl. méth. x, 1825. φλοιός, cortex. **Pentatomides.**
- Phlœocoris** Burm. Handb. Entom. ii, 1835. φλοιός, cortex; κόρις, cimex. **Phlœa.**
- Pholetaera** Zetterst. Ins. Lapp. 1840. φολῖς, squama; ἑταῖρα, meretrix. **Cicadellae.**
- Phricodus** Spin. in Guér. Mag. Zool. 1839. φρικώω, horrifico. **Aradites.**
- Phrictus** Spin. in Guér. Mag. Zool. 1839. φρικτός, horribilis. **Fulgorellae.**
- Phrynomorphus** Curt. Entom. Mag. 1833. φρύνη, bufo; μορφή, forma. **Cicadellae.**
- Phyllocephala** Lap. Essai Cl. syst. Hém. 1833. φύλλον, folium; κεφαλή, caput. **Pentatomides.**
- Phyllocheirus** Spin. Essai s. l. Hém. 1837. φύλλον, folium; χεῖρ, manus. **Pentatomides.**
- Phyllomorpha** Lap. Essai. Cl. syst. Hém. 1833. φύλλον, folium; μορφή, forma. **Coreides.**
- Phyllomorphus** Burm. Handb. Entom. ii, 1835. φύλλον, folium; μορφή, forma. **Coreides.**
- Phylloscelis** Germ. Zeitschr. f. Ent. i, 1839. φύλλον, folium; σκελίς, perna. **Fulgorellae.**
- Phylloxera** Fonscol. Ann. Soc. Ent. 1834. φύλλον, folium; ξηραίνω, sicco. **Aphidii.**
- Phylus** Hahn Wanzenart. Ins. i, 1831. φυλή, genus. **Capsini.**
- Phymata** Latr. Gen. Cr. et Ins. iii, 1807. φυματόω, tumeo. **Phymatites.**
- Phymatites** Lap. Essai Cl. syst. Hém. 1833. Phymata. **Heteroptera.**
- Physomerus** Burm. Handb. Entom. ii, 1835. φύσα, pustula; μηρός, lumbus. **Coreides.**
- Physomerus** Spin. Essai s. l. Hém. 1837. φύσα, pustula, μηρός, lumbus. **Coreides.**
- Phytadelges** Dumér. Zool. anal. 1806. φυτόν, planta; αθελγω, mulgeo. **Capsini.**


- Phytocoris** Fall. Specim. nov. 1814. φυτὸν, planta; κόρις, cimex. **Capsini.**
- Phytophthires** Burm. Hand. Entom. II, 1835. φυτὸν, planta; φθείρ, pediculus. **Homoptera.**
- Piesma** Lepell. et Serv. Encycl. méth. X, 1825. πίεσμα, vinacea. **Tingidites.**
- Piestosoma** Lap. Essai Cl. syst. Hém. 1833. πιέζω, premo; σῶμα, os. **Tingidites.**
- Pilophorus** Hahn Icon. Cimic. I, 1825. πῖλος, pilus; φορέω, fero. **Capsini.**
- Pirates** Burm. Handb. Entom. II, 1835. πειρατής, pirata. **Peirates.**
- Plataspis** Westw. in Hope Cat. 1837. πλατὺς, latus; ασπίς, scutum. **Pentatomides.**
- Platycephala** Lap. Essai Cl. syst. Hém. 1833. πλατὺς, latus; κεφαλή, caput. **Pentatomides.**
- Platycoris** Guér. Voy. Coqu. 1830. πλατὺς, latus; κόρις, cimex. **Pentatomides.**
- Platygaster** Schill. Beitr. z. Entom. 1829. πλατὺς, latus; γαστήρ, venter. **Lygaeites.**
- Platymeris** Lap. Essai Cl. syst. Hém. 1833. πλατὺς, latus; μηρός, lumbus. **Reduvini.**
- Platymetopius** Burm. Gen. Insect. II, 1838. πλατὺς, latus; μετώπιον, frontalis. **Cicadellae.**
- Platynotus** Schill. Beitr. z. Entom. 1829. πλατὺς, latus; νῶτος, dorsum. **Lygaeites.**
- Plaxiscelis** Spin. Essai s. I. Hém. 1837. πλάξ, planities; σκελίς, perna. **Coreides.**
- Plea** Leach Linn. Trans. XII, 1818. πλέω, navigo. **Notonectides.**
- Plectoderes** Spin. in Guér. Rev. zool. 1839. πλεκτός, amplexus; δέρη, collum. **Fulgorellae.**
- Plinthisus** Westw. in Steph. Cat. I, 1829. πλίνθος, later; ἴσος, similis. **Lygaeites.**
- Ploa** Steph. Syst. Cat. Br. Ins. 1829. πλόος, navigatio. **Notonectides.**
- Ploiaria** (Scop.) Latr. Crust. et Ins. XII, 1804. πλοιάριον, scapha. **Reduvini.**
- Ploteres** Latr. Gen. Cr. et Ins. III, 1807. πλωτήρ, nauta. **Heteroptera.**
- Podicerus** Dumér. Zool. anal. 1806. πῆς, pes; κέρας, cornu. **Rhinostomes.**
- Podops** Lap. Essai. Cl. syst. Hém. 1833. πῆς, pes; ὄψ, facies. **Pentatomides.**
- Pocilloptera** Latr. R. anim. V, 1829. ποικίλος, variegatus; πτερόν, ala. **Fulgorellae.**
- Pocilosoma** Steph. Syst. Cat. Br. Ins. 1829. ποικίλος, variegatus; σῶμα, corpus. **Coreides.**
- Poecocera** Burm. Handb. Entom. II, 1835. ποῖος, qualis; κέρας, cornu. **Fulgorellae.**
- Poiocera** Lap. Ann. Soc. Ent. I, 1832. ποῖος, qualis; κέρας, cornu. **Fulgorellae.**
- Polyacanthus** Lap. Essai Cl. syst. Hém. 1833. πολὺς, multus; ἄκανθα, aculeus. **Lygaeites.**
- Polyglypta** Burm. Handb. Entom. II, 1835. πολὺς, multus; γλυπτός, sculptus. **Membracides.**
- Polyneura** Westw. Natur. Libr. I, 1840. πολὺς, multus; νεῦρον, nervus. **Stridulantes.**
- Porphyrophora** Brandt Mém. Ac. Pét. 1833. πορφύρα, purpura; φορέω, fero. **Coccides.**
- Prionotus** Lap. Essai Cl. syst. Hém. 1833. πρίων, serra; νῶτος, dorsum. **Reduvini.**
- Progallinsecte** Réaum. Mém. Ins. IV, 1740. Pro; galla; insectum. **Hemiptera.**
- Promecopsis** Dumér. Zool. anal. 1806. προμήκης, procerus; ὄψ, facies. **Rhinostomata.**
- Prostemma** Lap. Essai Cl. syst. Hém. 1833. πρὸ, antè; σέμμα, infula. **Reduvini.**
- Proxis** Spin. Essai s. I. Hém. 1837. πρόξ, capreolus. **Pentatomides.**
- Psacasta** Germ. Zeitschr. f. Ent. I, 1839. ψακάζω, stillo. **Pentatomides.**

- Pseudaradus** *Burm.* in *Silb.* Rev. ent. II, 1834. ψεῦδος, falsus; *Aradus*. **Amaurus.**
- Pseudococcus** *Westw.* Mod. Cl. Ins. 1840. ψεῦδος, falsus; *Coccus*. **Coccides.**
- Pseudophana** *Burm.* Handb. Entom. II, 1835. ψεῦδος, falsus; φανός, splendens. **Fulgorellae.**
- Pseudophlæus** *Burm.* Handb. Entom. II, 1835. ψεῦδος, falsus; φλοιός, cortex. **Coreides.**
- Psylla** *Geoffr.* Hist. abr. Ins. 1764. ψύλλα, pulex. **Psyllidae.**
- Psyllidae** *Latr.* Gen. Cr. et Ins. III, 1807. *Psylla*. **Homoptera.**
- Psyllides** *Leach* Edinb. Encycl. 1818. *Psylla*. = **Psyllidae.**
- Psyllodes** *Burm.* Handb. Entom. II, 1835. *Psylla*. = **Psyllidae.**
- Pterodictya** *Burm.* Handb. Entom. II, 1835. πτερόν, ala; δίκτυον, reticulum. **Fulgorellae.**
- Pterygia** *Lap.* Ann. Soc. Ent. II, 1832. πτέρυξ, ala. **Membracides.**
- Ptilocerus** *Gray* in *Griff.* An. Kingd. 1832. πτίλον, ala; κέρασ, cornu. **Reduvini.**
- Ptilocnemus** *Westw.* Trans. Ent. Soc. II, 1840. πτίλον, ala; κνήμη, crus. **Reduvini.**
- Ptochiomera** *Say* Descr. het. Hem. 1831. πτωχός, mendicans; μηρός, lumbus. **Coreides.**
- Ptyela** *Lepell.* et *Serv.* Encycl. méth. X, 1825. πτίελον, sputum. **Cicadellae.**
- Pygolampis** *Germ.* Reise nach Dalm. 1817. πυγολαμπίς, cicindela. **Reduvini.**
- Pyrops** *Silb.* in *Guér.* Rev. zool. 1839. πῦρ, ignis; ὄψ, facies. **Fulgorellae.**
- Pyrrhocoris** *Fall.* Specim. nov. 1841. πυρόρος, igneus; κόρις, cimex. **Lygaeites.**
- Ranatra** *Fabr.* Entom. syst. IV, 1794. ραντήρ, irrigator. **Nepides.**
- Ranatrae** *Linn.* Syst. Nat. 1766. *Ranatra*. **Nepides.**
- Reduviidae** *Steph.* Syst. Cat. Br. Ins. 1829. *Reduvius*. **Heteroptera.**
- Reduvini** *Latr.* Gen. Cr. et Ins. 1807. *Reduvius*. **Heteroptera.**
- Reduviolus** *Kirby* Faun. bor. Am. 1837. *Reduvius*. **Reduvini.**
- Reduvius** *Fabr.* Gen. Insect. 1776. *Reduvia*. **Reduvini.**
- Resthenia** *Spin.* Essai s. I. Hém. 1837. ? **Capsini.**
- Rhaphigaster** *Lap.* Essai Cl. syst. Hém. 1833. ραφή, sutura; γαστήρ, venter. **Pentatomides.**
- Rhinostomes** *Dumér.* Zool. anal. 1806. ῥίν, nasus; σόμα, os. **Hemiptera.**
- Rhinuchus** *Kirby* Intr. to Entom. III, 1826. ῥίν, nasus; ἔχω, habeo. **Lygaeites.**
- Rhizobius** *Burm.* Handb. Entom. II, 1835. ῥίζα, radix; βιώω, vivo. **Aphidii.**
- Rhizoterus** *Hartig* in *Germ.* Zeitschr. III, 1841. ῥίζα, radix; τερέω, terebro. **Aphidii.**
- Rhopalus** *Schill.* Beitr. z. Entom. 1829. ῥόπαλον, clava. **Coreides.**
- Rhynarius** *Hahn* Wanzenart. Ins. I, 1831. ῥίν, nasus? **Lygaeites.**
- Rhynchocoris** *Westw.* in *Hope* Cat. 1837. ῥύγχος, rostrum; κόρις, cimex. **Pentatomides.**
- Rhynchota** *Burm.* Hand. Entom. II, 1835. ῥύγχος, rostrum. = **Hemiptera.**
- Rhyngota** *Fabr.* Gen. Insect. 1776. ῥύγχος, rostrum. = **Hemiptera.**
- Rhynocoris** *Hahn* Wanzenart. Ins. II, 1834. ῥίν, nasus; κόρις, cimex. **Reduvini.**
- Rhyparochromus** *Curt.* Brit. Ins. XIII, 1836. ῥυπαρός, squalidus; χροῶμα, color. **Lygaeites.**

- Ricania** Germ. Mag. d. Entom. III, 1818. ῥυκάνη, runcina. **Fulgorellae.**
- Riparii** Burm. Handb. Entom. II, 1835. Riparius. **Heteroptera.**
- Saccoderes** Spin. Essai s. I. Hém. 1837. σάκκος, saccus; δέση, collum. **Reduvini.**
- Salda** Fabr. Syst. Rhyng. 1803. Nom. propr. **Riparii.**
- Scaptocoris** Perty Delect. An. art. 1834. σκαπτός, fossus; κόρις, cimex. **Pentatomides.**
- Scaris** Serv. Encycl. méth. X, 1825. σκαρίς, ascaris. **Cicadellae.**
- Schizia** Lap. Ann. Soc. Ent. I, 1832. σχίζω, findo. **Cicadellae.**
- Schizoneura** Hartig in Germ. Zeitschr. III, 1841. σχίζω, findo; νεῦρον, nervus. **Aphidii.**
- Sciocoris** Fall. Hemipt. Suec. 1829. σκιὰ, umbra; κόρις, cimex. **Pentatomides.**
- Scutati** Burm. Handb. Entom. II, 1835. Scutum. = **Pentatomides.**
- Scutellera** Lam. Anim. s. vert. 1801. Scutella. **Pentatomides.**
- Scutellerida** Leach Edinb. Encycl. 1818. Scutellera. **Pentatomides.**
- Scutelleridae** Westw. Mod. Cl. Ins. II, 1840. Scutellera. **Pentatomides.**
- Scutellerides** Westw. Mod. Cl. Ins. II, 1840. Scutellera. **Scutelleridae.**
- Scutellerites** Lap. Essai Cl. syst. Hém. 1833. Scutellera. **Pentatomides.**
- Scutiphora** Guér. Voy. Coqu. 1830. Scutum; φορέω, fero. **Pentatomides.**
- Selenocephalus** Germ. in Silb. Rev. ent. I, 1833. σελήνις, lunula; κεφαλή, caput. **Cicadellae.**
- Serenthia** Spin. Essai s. I. Hém. 1837. Nom. propr. **Tingidites.**
- Serinetha** Spin. Essai s. I. Hém. 1837. Nom. propr. **Lygaeites.**
- Sethenira** Spin. Essai s. I. Hém. 1837. Nom. propr. **Coreides.**
- Sigara** Fabr. Gen. Insect. 1776. σιγηρός, taciturnus. **Notonectides.**
- Sirthenea** Spin. Essai s. I. Hém. 1837. Nom. propr. **Reduvini.**
- Smilia** Germ. in Silb. Rev. ent. I, 1833. σμλλη, scalprum. **Membracides.**
- Solenosthedium** Spin. Essai s. I. Hém. 1837. σωλήν, canalis; ζηθίδιον, mammilla. **Pentatomides.**
- Spartocera** Lap. Essai Cl. syst. Hém. 1833. σπάρτον, spartum; κέρας, cornu. **Coreides.**
- Spartocerus** Burm. Handb. Entom. II, 1835. σπάρτον, spartum; κέρας, cornu. **Coreides.**
- Sphaerocoris** Burm. Handb. Entom. II, 1835. σφαῖρα, sphaera; κόρις, cimex. **Pentatomides.**
- Sphaerodema** Lap. Essai Cl. syst. Hém. 1833. σφαῖρα, sphaera; δέμας, corpus. **Nepides.**
- Spiniger** Burm. Handb. Entom. II, 1835. Spina; γερο. **Reduvini.**
- Spongopodium** Spin. Essai s. I. 1837. σπόγγος, spongia; πόδιον, pediculus. **Pentatomides.**
- Stegaspis** Germ. in Silb. Rev. ent. I, 1833. σέγω, tego; άσπις, scutum. **Membracides.**
- Stenocephalus** Latr. Fam. natur. 1825. στενός, angustus; κεφαλή, caput. **Coreides.**
- Stenocoris** Burm. Handb. Entom. II, 1835. στενός, angustus; κόρις, cimex. **Coreides.**
- Stenodema** Lap. Essai Cl. syst. Hém. 1833. στενός, angustus; δέμας, corpus. **Capsini.**
- Stenogaster** Hahn Wanzenart. Ins. III, 1835. στενός, angustus; γαστήρ, venter. **Lygaeites.**
- Stenopoda** Lap. Essai Cl. syst. Hém. 1833. στενός, angustus; πᾶς, pes. **Reduvini.**

- Sthienera** Spin. Essai s. l. Hém. 1837. *Nom. propr.* **Reduvini.**
- Stiretrosoma** Spin. Essai s. l. Hém. 1837. *Stiretrus*; σῶμα, corpus. **Pentatomides.**
- Stiretrus** Lap. Essai Cl. syst. Hém. 1833. *σεῖρα*, carina; ἤτρον, abdomen. **Pentatomides.**
- Storthia** Perty Delect. An. art. 1832. *ζόρθη*, ramus. **Pentatomides.**
- Strachia** Hahn Wanzenart. Ins. I, 1831. . . . ? **Pentatomides.**
- Stridulantes** Latr. Fam. natur. 1825. *Stridulo.* **Homoptera.**
- Stridulantia** Burm. Handb. Entom. II, 1835. *Stridulo.* **Homoptera.**
- Strongylocoris** Blanch. Hist. nat. Ins. 1840. *στρογγύλος*, rotundus; κόρις, cimex. **Capsini.**
- Sympiezorhinus** Spin. Essai s. l. Hém. 1837. *συμπιέζο*, comprimo; ῥίν, nasus. **Pentatomides.**
- Syromastes** Latr. Fam. natur. 1825. *σύρα*, pellis; μαξεύω, peto. **Coreides.**
- Syrtis** Fabr. Syst. Rhyng. 1803. *Nom. propr.* (σύρτις). **Phymatiles.**
- Tapinus** Lap. Essai Cl. syst. Hém. 1833. *ταπεινός*, exilis. **Reduvini.**
- Tectocoris** Hahn Wanzenart. Ins. II, 1834. *τέκτων*, artifex; κόρις, cimex. **Pentatomides.**
- Tessaratoma** Lepell. et Serv. Encycl. méth. X, 1825. *τέσσαρα*, quatuor; τομή, segmen. **Pentatomides.**
- Tetraneura** Hartig in Germ. Zeitschr. III, 1841. *τέτρα*, quatuor; νεῦρον, nervus. **Aphidii.**
- Tettigometra** Latr. Gen. Cr. et Ins. III, 1807. *τεττιγομήτρα*, larva cicadae. **Fulgorellae.**
- Tettigonia** Fabr. Gen. Insect. 1774. *Nom. propr.* (τέττιξ, cicada). **Cicadellae.**
- Tettigonia** Latr. R. anim. III, 1817. *Nom. propr.* (τέττιξ, cicada). **Cicadellae.**
- Tettigonides** Fall. Specim. nov. 1814. *Tettigonia.* **Homoptera.**
- Tetyra** Fabr. Syst. Rhyng. 1803. *Nom. propr.* **Pentatomides.**
- Thamnotettix** Zetterst. Ins. Lapp. 1840. *θάμνος*, frutex; τέττιξ, cicada. **Cicadellae.**
- Thelaxes** Westw. Mod. Cl. Ins. 1840. *θηλάζω*, lacto. **Aphidii.**
- Therenais** Spin. Essai s. l. Hém. 1837. *Nom. propr.* **Lygaeites.**
- Thracia** Westw. Mag. of N. Hist. IV, 1840. *Nom. propr.* **Fulgorellae.**
- Thyreocoris** Schrank Faun. Boic. II, 1801. *θυρεός*, scutum; κόρις, cimex. **Pentatomides.**
- Tiarodes** Burm. Handb. Entom. II, 1835, *τιαρσειδής*, tiaræ similis. **Reduvini.**
- Tibicen** Latr. R. anim. III, 1817. *Nom. propr.* **Stridulantes.**
- Tingidae** Westw. Mod. Cl. Ins. 1840. *Tingis.* = **Tingidites.**
- Tingidites** Lap. Essai Cl. syst. Hém. 1833. *Tingis.* **Heteroptera.**
- Tingis** Fabr. Syst. Rhyng. 1803. *Nom. propr.* **Tingidites.**
- Tragopa** Latr. R. anim. V, 1829. *τραγόπας*, hircipes. **Membracides.**
- Trama** Heyd. Mus. Senckenb. II, 1837. *Nom. propr.* **Aphidii.**
- Triatoma** Lap. Essai Cl. syst. Hém. 1833. *τρία*, tres; τομή, segmen.
- Trigonosoma** Lap. Essai Cl. syst. Hém. 1833. *τρίγωνος*, trigonus; σῶμα, corpus. **Pentatomides.**
- Trimera** Westw. Mod. Cl. Ins. II, 1840. *τρεις*, tres; μέρος, pars. **Hemiptera.**
- Tritomacera** Costa in Guér. Rev. zool. 1841. *τρεις*, ter; τομή, segmen; κέρας, cornu. **Capsini.**

- Tropicoris** *Hahn* Wanzenart. Ins. II, 1834. *τρόπις*, carina; *κόρις*, cimex. **Pentatomides.**
- Typhlocoris** (*Germ.*) *Hahn* Wanz. Ins. V, 1839. *τυφλός*, cæcus; *κόρις*, cimex. **Coreides.**
- Typhlocyba** *Germ.* in *Silb.* Rev. ent. I, 1833. *τυφλός*, cæcus; *κυβή*, cupa. **Cicadellæ.**
- Ugyops** *Guér.* Voy. Ind. orient. 1834. *οὐχί*, non; *ὤψ*, facies. **Fulgorellæ.**
- Ulopa** *Fall.* Act. Acad. Holm. 1805. *οὐλή*, cicatrix; *ὤψ*, facies. **Cicadellæ.**
- Umbonia** *Burm.* Handb. Entom. II, 1835. *Umbo*. **Membracides.**
- Urolabida** *Westw.* in *Hope* Cat. 1837. *ἐρὰ*, cauda; *λαβίς*, fibula. **Pentatomides.**
- Urophora** *Gray* in *Griff.* An. Kingd. XV, 1832. *ἐρὰ*, cauda; *φορέω*, fero. **Cicadellæ.**
- Urostylis** *Westw.* in *Hope* Cat. 1837. *ἐρὰ*, cauda; *σῦλος*, stylus. **Pentatomides.**
- Ursocoris** *Hahn* Wanzenart. Ins. I, 1832. *Ursus*; *κόρις* (*vox hybr.*). **Pentatomides.**
- Vacuna** *Heyd.* Mus. Senckenb. II, 1837. *Nom. mythol.* **Aphidii.**
- Velia** *Latr.* Gen. Cr. et Ins. IV, 1807. *Nom. propr.* **Ploteres.**
- Ventocoris** *Hahn* Wanzenart. Ins. II, 1834. ? — *κόρις*, cimex. **Pentatomides.**
- Verlusia** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Coreides.**
- Vulsirea** *Spin.* Essai s. I. Hém. 1837. *Nom. propr.* **Pentatomides.**
- Xerophloea** *Germ.* Zeitschr. f. Entom. I, 1839. *ξηρός*, siccus; *φλοιός*, cortex. **Cicadellæ.**
- Xylocoris** *L. Duf.* Ann. Sc. nat. 1831. *ξύλον*, lignum; *κόρις*, cimex. **Lygaeites.**
- Zelus** *Fabr.* Syst. Rhyng. 1803. (*ζῆλος*) *nom. propr.* **Reduvini.**
- Zeugma** *Westw.* Mag. of N. Hist. IV, 1840. *ζεῦγμα*, adligatio. **Fulgorellæ.**
- Zoadelges** *Dumér.* Zool. anal. 1806. *ζῶον*, animal; *ἀθελγω*, mulgeo. **Hemiptera.**
- Zosmerus** *Lap.* Essai Cl. syst. Hém. 1833. *ζῶμα*, cingulum. **Tingidites.**



HEMIPTERA.

(ADDENDA ET CORRIGENDA.)

- Acanonia** *Am. et A. Serv. Hém. 1843. α priv.; κανών, regula. Fulgorellae.*
- Acanonides** *Am. et A. Serv. Hém. 1843. Acanonia. Fulgorellae.*
- Acanthaspis** *Am. et A. Serv. Hém. 1843. ἄκανθα, spina; ἄσπις, scutum. Reduwini.*
- Acanthischium** *Am. et A. Serv. Hém. 1843. ἄκανθα, spina; ἰσχίον, ischion. Reduwini.*
- Acanthocorides** *Am. et A. Serv. Hém. 1843. Acanthocoris. Coreides.*
- Acanthocoris** *Am. et A. Serv. Hém. 1843. ἄκανθα, spina; κόρις, cimex. Coreides.*
- Aceratodes** *Am. et A. Serv. Hém. 1843. α priv.; κερατώδης, cornutus. Pentatomides.*
- Achilius** *Spin. Ann. Soc. Ent. VIII, 1839. (Vid. Achilus). — Fulgorellae.*
- Achillus** *Am. et A. Serv. Hém. 1843. (Vid. Achilus). — Fulgorellae.*
- Acocephalus** *Germ. — Etym. ἀκῆ, acies; κεφαλή, caput. — Cicadellae.*
- Acopsis** *Am. et A. Serv. Hém. 1843. ἀκῆ, acies; ὄψις, facies. Cicadellae.*
- Adrisa** *Am. et A. Serv. Hém. 1843. α priv. dris, oculus (sanscr.) Pentatomides.*
- Actalion** *Latr. — Etym. αἰθαλίων, urens. (Cognomen Cicadarum). — Cicadellae.*
- Aethalia** *Germ. — Etym. αἰθαλίων, urens. — Cicadellae.*
- Aglena** *Am. et A. Serv. Hém. 1843. α priv.; γλήνη, oculus. Cicadellae.*
- Agonoscelis** *Spin. — Etym. α priv.; γωνία, angulus; σκέλος, femur. — Pentatomides.*
- Agonosoma** *Lap. — Etym. α priv.; γωνία, angulus; σῶμα, corpus. — Pentatomides.*
- Aleurodes** *Am. et A. Serv. Hém. 1833. (Vid. Aleyrodes). — Aleyrodidae.*
- Aleurodides** *Am. et A. Serv. Hém. 1843. Aleurodes. Aleyrodidae.*
- Alydides** *Am. et A. Serv. Hém. 1843. Alydus. Coreides.*
- Amaurus** *Burm. — (Non Amarus). — ἀμαυρός, obscurus. — Pentatomides.*
- Amblyottus** *Am. et A. Serv. Hém. 1843. ἀμβλυόπτω, cæcutio. Pentatomides.*

- Amphibicorizes** Spin. Essai Hém. 1837. ἀμφιβίος, amphibius; κόρις, cimex. = **Amphibicorisa**.
- Anasa** Am. et A. Serv. Hém. 1843. α priv.; nasa, nasus (sanscr.). **Coreides**.
- Ancyrosoma** Am. et A. Serv. Hém. 1843. ἄγκυρα, anchora; σῶμα, corpus. **Pentatomides**.
- Angulosi** Am. et A. Serv. Hém. 1843. Angulus. **Pentatomides**.
- Anisops** Spin. Essai s. I. Hém. 1837. ἄνισος, inæqualis; ὄψ, oculus. **Notonectides**.
- Anisoscelides** Spin. Essai s. I. Hém. 1837. Anisoscelis. **Coreides**.
- Anomaloptera** (Perris) Am. et A. Serv. Hém. 1843. ἀνώμαλος, anomalus; πτερόν, ala. **Tingidites**.
- Antericornes** Am. et A. Serv. Hém. 1843. Anterior; cornu. **Cicadellae**.
- Anthocorides** Am. et A. Serv. Hém. 1843. Anthocoris. **Lygaeites**.
- Aphina** Newm. Ent. Mag. II, 1834. Aphis. **Aphidii**.
- Aphrophorides** Am. et A. Serv. Hém. 1843. Aphrophora. **Cicadellae**.
- Apiomerides** Am. et A. Serv. Hém. 1843. Apiomerus. **Reduvini**.
- Apodiphya** Am. et A. Serv. Hém. 1843. ἀπό, ab; διαφύης, duplicis naturæ. = **Apodiphus**. — **Pentat.**
- Appasus** Am. et A. Serv. Hém. 1843. ap, aqua; pasu, bestia (sanscr.). **Nepides**.
- Aradides** Am. et A. Serv. Hém. 1843. Aradus. = **Aradites**.
- Araeopus** Spin. in Guér. Rev. Zool. 1839 (non 1834). — **Fulgorellae**.
- Arvelius** Spin. — Etym. Valerius (Anagramma). — **Pentatomides**.
- Asiraca** Latr. — Etym. ἀσίρακος, Cicadæ species. — **Fulgorellae**.
- Asopides** Am. et A. Serv. Hém. 1843. Asopus. **Pentatomides**.
- Astemmides** Am. et A. Serv. Hém. 1843. Astemma. **Lygaeites**.
- Atrachelus** Am. et A. Serv. Hém. 1843. α priv.; τράχηλος, collum. **Reduvini**.
- Aulacizes** Am. et A. Serv. Hém. 1843. αὐλακίζω, sulco. **Cicadellae**.
- Bathycoelia** Am. et A. Serv. Hém. 1843. βαθύς, profundus; κοιλία, venter. **Pentatomid**
- Beharus** Am. et A. Serv. Hém. 1843. bahar, stupidus (hebr.). **Reduvini**.
- Beosus** Am. et A. Serv. Hém. 1843. beosh, puens (hebr.). **Lygaeites**.
- Bicelluli** Am. et A. Serv. Hém. 1843. Bis; cellula. **Capsini**.
- Bigemmi** Am. et A. Serv. Hém. 1843. Bis; gemma. **Galgulites**.
- Bocydides** Am. et A. Serv. Hém. 1843. Bocydium. **Membracides**.
- Bocydium** Latr. — Etym. βοῦς, bos; κῦδος, ornamentum. — **Membracides**.
- Bolbocoris** Am. et A. Serv. Hém. 1843. βολβός, bulbus; κόρις, cimex. **Pentatomides**.
- Bolbonota** Am. et A. Serv. Hém. 1843. βολβός, bulbus; νῶτος, dorsum. **Membracides**.
- Brachypelta** Am. et A. Serv. Hém. 1843. βραχύς, brevis; πέλτη, scutum. **Pentatomides**.
- Brachyrhynquides** Am. et A. Serv. Hém. 1843. Brachyrhynchus. **Aradites**.
- Brevicipites** Am. et A. Serv. Hém. 1843. Brevis; caput. **Reduvini**.
- Brevicornes** Am. et A. Serv. Hém. 1843. Brevis; cornu. **Galgulites**.
- Brevirostri** Am. et A. Serv. Hém. 1843. Brevis; rostrum. **Pentatomides**.

- Brochymena** *Am. et A. Serv.* Hém. 1843. βρόχος, laqueus; ὑμῆν, membrana. **Pentatomides.**
- Bruchomorpha** *Newm. Ent. Mag. v.* . . . βροῦχος, locusta; μορφή, forma. **Cicadellae.**
- Bythoscopus** *Germ.* — Etym. βυθός, altum; σκοπέω, aspicio. — **Cicadellae.**
- Caecigenae** *Am. et A. Serv.* Hém. 1843. Cæcus; gena. **Lygaeites.**
- Calidea** *Lap.* — Etym. καλός, pulcher; ἰδέα, aspectus. — **Pentatomides.**
- Caloscelides** *Am. et A. Serv.* Hém. 1843. Caloscelis. **Fulgorellae.**
- Camptischium** *Am. et A. Serv.* Hém. 1843. κάμπτω, curvo; ἰσχίον, ischion. **Coreides.**
- Camptopus** *Am. et A. Serv.* Hém. 1843. κάμπτω, curvo; ποῦς, pes. **Coreides.**
- Canalirostri** *Am. et A. Serv.* Hém. 1843. Canalis; rostrum. **Pentatomides.**
- Canopides** *Am. et A. Serv.* Hém. 1843. Canopus. **Pentatomides.**
- Cantacader** *Am. et A. Serv.* Hém. 1843. cantaca, spina; dri, fero (*sanscr.*). **Tingidites.**
- Cantao** *Am. et A. Serv.* Hém. 1843. kan, scutum; tao, testa (*sin.*). **Pentatomides.**
- Canthecona** *Am. et A. Serv.* Hém. 1843. cantha, collum; cona, angulus (*sanscr.*). **Pentatomides.**
- Canthesancus** *Am. et A. Serv.* Hém. 1843. cantha, collum; sancu, clavis (*sanscr.*). **Reduvini.**
- Carineta** *Am. et A. Serv.* Hém. 1843. carinet, cantatrix (*arab.*). **Cicadellae.**
- Catamiarus** *Am. et A. Serv.* Hém. 1843. κατὰ, infra; μαρός, pollutus. **Reduvini.**
- Catostyrax** *Am. et A. Serv.* Hém. 1843. κάτω, infra; στύραξ, lanceæ. **Pentatomides.**
- Cavigeni** *Am. et A. Serv.* Hém. 1843. Cavus; gena. **Fulgorellae.**
- Cazira** *Am. et A. Serv.* Hém. 1843. cazir, puens (*arab.*). **Pentatomides.**
- Centrolides** *Am. et A. Serv.* Hém. 1843. Centrotus. **Cicadellae.**
- Cephalelides** *Am. et A. Serv.* Hém. 1843. Cephalelus. **Cicadellae.**
- Cephalelus** *Perch.* — Etym. κεφαλή, caput; ἦλος, clavis. — **Cicadellae.**
- Cercopides** *Am. et A. Serv.* Hém. 1843. Cercopis. **Cicadellae.**
- Cercopis** *Fabr.* — Etym. κέρκωψ, caudatus. — **Cicadellae.**
- Cercotmetus** *Am. et A. Serv.* Hém. 1843. κέρκος, cauda; τμάω, seco. **Nepides.**
- Ceresa** *Am. et A. Serv.* Hém. 1843. keres, uncinus (*hebr.*). **Membracides.**
- Cethera** *Am. et A. Serv.* Hém. 1843. cether, diadema (*hebr.*). **Reduvini.**
- Choerommatus** *Am. et A. Serv.* Hém. 1843. χοῖρος, porcus; ὄμμα, oculus. **Coreides.**
- Chorosoma** (*Curt.*) *Am. et A. Serv.* Hém. 1843. — (Vid. **Choerosoma**). — **Coreides.**
- Cicada** *Linn.* — Etym. κικκός, gallus; ἄδew, canto. — **Cicadellae.**
- Cicadides** *Am. et A. Serv.* Hém. 1843. Cicada. **Cicadellae.**
- Ciccus** *Latr. R. anim. v, 1829. Nom. propr.* (κίκκος). **Cicadellae.**
- Cidora** *Am. et A. Serv.* Hém. 1843. cidor, orbis (*hebr.*). **Reduvini.**
- Cimicina** *Newm. Ent. Mag. II, 1834. Cimex.* **Heteroptera.**
- Cladodiptera** *Spin. in Guér. Rev. Zool. 1839.* κλάδος, ramus; δίπτερον, dipterum. **Fulgorellae.**
- Cladypha** *Am. et A. Serv.* Hém. 1843. κλάδος, ramus; ὑφάω, texo. **Fulgorellae.**

- Cobax** *Germ.* — Etym. κώβαξ, cicada. — **Fulgorellae.**
- Coleotrichus** *White Trans. Entom. Soc. Lond. III, 1842.* κωλέα, femur; τρέχω, curro. **Pentat.**
- Colobesthes** *Am. et A. Serv. Hém. 1843.* κολοβός, mutilus; ἐσθής, toga. **Fulgorellae.**
- Coloborrhis** *Germ. in Silb. Rev. ent. IV, 1836.* κολοβός, mutilus; ῥίς, nasus. **Cicadellae.**
- Combophorides** *Am. et A. Serv. Hém. 1843.* Combophora. **Membracides.**
- Conicipites** *Am. et A. Serv. Hém. 1843.* Conus; caput. **Reduvini.**
- Coniscuti** *Am. et A. Serv. Hém. 1843.* Conus; scutum. **Pentatomides.**
- Conorhinides** *Am. et A. Serv. Hém. 1843.* Conorhinus. **Reduvini.**
- Conorhinus** *Lap.* — Etym. κώνος, conus; ῥίς, nasus. — **Reduvini.**
- Coptochilus** *Am. et A. Serv. Hém. 1843.* κόπτω, seco; χεῖλος, labrum. **Pentatomides.**
- Coreomelas** *White Mag. of Nat. H. 1839.* κόρις, cimex; μέλας, niger. **Pentatomides.**
- Corethura** *Hope Trans. Linn. Soc. Lond. XIX, . . .* κορέω, orno; θοῦρος, vehemens. **Fulgorellae.**
- Coriplatus** *White Trans. Ent. Soc. Lond. III, 1842.* κόρις, cimex; πλατύς, latus. **Pentatomides.**
- Corisa** *Am. et A. Serv. Hém. 1843.* (Vid. **Corixa**). — **Notonectides.**
- Corisides** *Am. et A. Serv. Hém. 1843.* Corisa. **Notonectides.**
- Cornidorsi** *Am. et A. Serv. Hém. 1843.* Cornu; dorsum. **Membracides.**
- Corticicolae** *Am. et A. Serv. Hém. 1843.* Cortex; colo. **Aradites.**
- Coryssorhaphis** *Am. et A. Serv. Hém. 1843.* κορύσσω, armo; ῥαφίς, acus. = **Coryzorhaphis.** — **Pent.**
- Crimia** *Am. et A. Serv. Hém. 1843.* Crimi, insectum (*sanscr.*). **Aradites.**
- Cyclochila** *Am. et A. Serv. Hém. 1843.* κύκλος, circulus; χεῖλος, labrum. **Cicadellae.**
- Cyclopelta** *Am. et A. Serv. Hém. 1843.* κύκλος, orbis; πέλις, pelta. **Pentatomides.**
- Cydnides** *Am. et A. Serv. Hém. 1843.* Cydnus. **Pentatomides.**
- Cydnus** *Fabr.* — Etym. κυδνός, famosus. — **Pentatomides.**
- Cylindricipites** *Am. et A. Serv. Hém. 1843.* Cylindrus; caput. **Reduvini.**
- Cymodera** *Spin. Essai s. I. Hém. 1837.* κῦμα, unda; δέση, collum. **Coreides.**
- Cyphonia** *Lap.* — Etym. κύφων, furcifer. — **Membracides.**
- Cyrene** *Westw. Arcan. entomol. 1657. Nom. propr.* **Fulgorellae.**
- Cyrtomenus** *Am. et A. Serv. Hém. 1843.* κυρτόμοι, curvor. **Pentatomides.**
- Dalader** *Am. et A. Serv. Hém. 1843.* dala, folium; dri, fera (*sanscr.*). **Coreides.**
- Dalapax** *Am. et A. Serv. Hém. 1843.* dala, folium; paksh, ala (*sanscr.*). **Fulgorellae.**
- Dalcantha** *Am. et A. Serv. Hém. 1843.* dala, folium; cantha, collum (*sanscr.*). **Pentatomides.**
- Dalpada** *Am. et A. Serv. Hém. 1843.* dala, folium; peda, pes (*sanscr.*). **Pentatomides.**
- Dalsira** *Am. et A. Serv. Hém. 1843.* dala, folium; sira, caput (*sanscr.*). **Pentatomides.**
- Darbanus** *Am. et A. Serv. Hém. 1843.* darban, aculeus (*hebr.*). **Reduvini.**
- Darnides** *Am. et A. Serv. Hém. 1843.* Darnis. **Membracides.**
- Delphacides** *Am. et A. Serv. Hém. 1843.* Delphax. **Fulgorellae.**

- Derbides** *Am. et A. Serv.* Hém. 1843. *Derbe*. **Fulgorellae.**
- Deribia** *Westw.* Trans. Linn. Soc. Lond. XIX, 1842. *Derbe?* **Fulgorellae.**
- Dicrotelus** *Erichs.* Arch. f. Naturg. VIII, 1842. *δικρούς*, furca; *τέλεω*, termino. **Reduwini.**
- Diestostemma** *Am. et A. Serv.* Hém. 1843. *διεστῶς*, distans; *στέμμα*, ocellus. **Cicadellae.**
- Diplodus** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ὄδους*, dens. **Reduwini.**
- Diplorhinus** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ῥιν*, nasus. **Pentatomides.**
- Diploxys** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ὄξυς*, acutus. **Pentatomides.**
- Dismegistus** *Am. et A. Serv.* Hém. 1843. *δις*, bis; *μέγιστος*, maximus. **Pentatomides.**
- Doryderes** *Am. et A. Serv.* Hém. 1843. *δόρυ*, hasta; *δέρη*, collum. **Pentatomides.**
- Dorypleura** *Am. et A. Serv.* Hém. 1843. *δόρυ*, hasta; *πλευρά*, latus. **Pentatomides.**
- Dryptocephala** (*Lap.*) *Am. et A. Serv.* Hém. 1843. = **Dryptocephalus.** — **Pentatomides.**
- Ductirostri** *Am. et A. Serv.* Hém. 1843. *Ductus*; *rostrum*. **Heteroptera.**
- Dundubia** *Am. et A. Serv.* Hém. 1843. *dundubhi*, tympanum (*sanscr.*). **Cicadellae.**
- Durganda** *Am. et A. Serv.* Hém. 1843. *durganda*, putor (*sanscr.*). **Reduwini.**
- Dyroderes** *Spin.* Essai s. I. Hém. 1837. (Vid. **Doryderes**). — **Pentatomides.**
- Dysdercus** *A. Serv. Boisd.* Voy. Astrol. II, *δύς*, malè; *δέροω*, video. **Lygaeites.**
- Dysodius** *A. Serv.* Enc. méth. X, 1825. *δυσωδία*, putor. **Aradites.**
- Ectatops** *Am. et A. Serv.* Hém. 1843. *ἐκτατός*, extensus; *ὄψ*, oculus. **Lygaeites.**
- Ectrichodides** *Am. et A. Serv.* Hém. 1843. *Ectrichodia*. **Reduwini.**
- Edessides** *Am. et A. Serv.* Hém. 1843. *Edessa*. **Pentatomides.**
- Elasmoscelis** *Spin.* in *Guér.* Rev. zool. 1839. (Vid. **Elasmocelis**). — **Fulgorellae.**
- Elidiptera** *Spin.* in *Guér.* Rev. zool. 1839. (Vid. **Elydiptera**). — **Fulgorellae.**
- Eloisura** *Spin.* Essai s. I. Hém. 1837. (Vid. **Elvisura**). — **Pentatomides.**
- Elvisura** *Spin.* Essai s. I. Hém. 1837. *Valerius* (Anagramma). **Pentatomides.**
- Elydiptera** *Spin.* Ann. Soc. Ent. Fr. 1834. *ἐλυω*, insolvo; *δίπτερος*, dipterus. **Fulgorellae.**
- Emesides** *Am. et A. Serv.* Hém. 1843. *Emesa*. **Reduwini.**
- Enchenopa** *Am. et A. Serv.* Hém. 1843. *ἐγχος*, ensis; *ἐνοπή*, facies. **Membracides.**
- Enchophora** *Spin.* Ann. Soc. Ent. Fr. VIII, 1839. *ἐγχος*, ensis; *φορός*, ferens. **Fulgorellae.**
- Enchophyllum** *Am. et A. Serv.* Hém. 1843. *ἐγχος*, ensis; *φύλλον*, folium. **Membracides.**
- Enoplops** *Am. et A. Serv.* Hém. 1843. *ἐνοπλος*, armatus; *ὄψ*, facies. **Coreides.**
- Entilia** *Am. et A. Serv.* Hém. 1843. (Vid. **Entylia**). — **Membracides.**
- Epiclinae** *Am. et A. Serv.* Hém. 1843. *ἐπικλινής*, inclinatus. **Cicadellae.**
- Erthesina** *Spin.* Essai s. I. Hém. 1837. *Theresina* (Anagramma). **Pentatomides.**
- Eucoryssus** *Am. et A. Serv.* Hém. 1843. *εὖ*, benè; *κορυῖσσω*, armo. **Pentatomides.**
- Eulyes** *Am. et A. Serv.* Hém. 1843. *eul*, duplex; *ye*, alatus (*sin.*). **Reduwini.**
- Eurybrachys** (*Guér.*) *Am. et A. Serv.* Hém. 1843. *εὐρύς*, latus; *βραχὺς*, brevis. **Fulgorellae.**

- Eurygastrides** *Am. et A. Serv. Hém. 1843. Eurygaster. Pentatomides.*
- Eurymela** *Hoffmsg. — Etym. εὐρύς, latus; μέλος, membrum. — Cicadellae.*
- Eurymelides** *Am. et A. Serv. Hém. 1843. Eurymela. Cicadellae.*
- Eurypleura** *Am. et A. Serv. Hém. 1843. εὐρύς, latus; πλευρά, costa. Pentatomides.*
- Euryptera** *Guér. in Bélang. Voy. Ind. Orient. 1834. εὐρύς, latus; πτερόν, ala. Fulgorellae.*
- Evagoras** (*Burm.*) *Am. et A. Serv. Hém. 1843. (Vid. Euagoras). — Reduvini.*
- Evoplitus** *Am. et A. Serv. Hém. 1843. εὖ, benè; ὀπλίτης, armatus. Pentatomides.*
- Fidicina** *Am. et A. Serv. Hém. 1843. Fidicinus. Cicadellae.*
- Flata** *Fabr. — Etym. Flatus. — Fulgorellae.*
- Flatides** *Am. et A. Serv. Hém. 1843. Flata. Fulgorellae.*
- Fulgorides** *Am. et A. Serv. Hém. 1843. Fulgora. Fulgorellae.*
- Gaeana** *Am. et A. Serv. Hém. 1843. gayana, cantator (sanscr.). Cicadellae.*
- Galedanta** *Am. et A. Serv. Hém. 1843. gala, collum; danta, dens (sanscr.). Pentatomides.*
- Galgulides** *Am. et A. Serv. Hém. 1843. Galgulus. = Galgulites.*
- Galgupha** *Am. et A. Serv. Hém. 1843. gal, acerva; guph, corpus (hebr.). Pentatomides.*
- Galostha** *Am. et A. Serv. Hém. 1843. gala, collum; oshtha, labrum. (sanscr.). Pentatomides.*
- Gargara** *Am. et A. Serv. Hém. 1843. gargar, granum (hebr.). Membracides.*
- Geocorizes** *Spin. Essai s. I. Hém. 1837. Geocoris. = Geocorisae.*
- Germaria** *Lap. Ann. Soc. Ent. Fr. I, 1832. Dic. GERMAR. Cicadellae.*
- Gerrides** *Am. et A. Serv. Hém. 1843. Gerris. Ploteres.*
- Globulosi** *Am. et A. Serv. Hém. 1843. Globulosus. Pentatomides.*
- Golema** *Am. et A. Serv. Hém. 1843. golem, clava impolita (hebr.). Coreides.*
- Gonopsis** *Am. et A. Serv. Hém. 1843. γωνία, angulus; ὄψις, facies. Pentatomides.*
- Gradipedes** *Am. et A. Serv. Hém. 1843. Gradus; pes. Aphidii.*
- Gypona** *Germ. Mag. d. Ent. IV, 1821. γύπωνες, saltatores. Cicadellae.*
- Halyses** *Am. et A. Serv. Hém. 1843. Halys. Pentatomides.*
- Harpactor** *Lap. — Etym. ἄρπακτῆρ, raptor. — Reduvini.*
- Harpactorides** *Am. et A. Serv. Hém. 1843. Harpactor. Reduvini.*
- Hebrides** *Am. et A. Serv. Hém. 1843. Hebrus. Ploteres.*
- Helicoptera** *Am. et A. Serv. Hém. 1843. ἑλιξ, helix; πτερόν, ala. Fulgorellae.*
- Helonotus** *Am. et A. Serv. Hém. 1843. ἥλος, clavus; νῶτος, dorsum. Reduvini.*
- Hemisciara** *Am. et A. Serv. Hém. 1843. ἥμισυς, semi; σκιερὸς, opacus. Cicadellae.*
- Henetaris** *Spin. Essai s. I. Hém. 1837. (Vid. Henestaris). — Theresina (Anagramma). Lygaeites.*
- Heniartes** *Spin. Essai. s. I. Hém. 1837. Theresina (Anagramma). Reduvini.*
- Herega** *Am. et A. Serv. Hém. 1843. hereg, homicidium (hebr.). Reduvini.*
- Heterocrates** *Am. et A. Serv. Hém. 1843. ἕτερος, diversus; κράς, caput. Pentatomides.*

- Meza** *Am. et A. Serv. Hém. 1843. hez, hircus. (hebr.). Reduvini.*
- Hiverus** *Am. et A. Serv. Hém. 1843. hiver, cæcus (hebr.). Pentatomides.*
- Holoptilides** *Am. et A. Serv. Hém. 1843. Holoptilus. Reduvini.*
- Holotrichides** *Am. et A. Serv. Hém. 1843. Holotrichius. Reduvini.*
- Homæocerus** (*Burm.*) *Am. et A. Serv. Hém. 1843. = Homœocerus. — Coreides.*
- Homalocephala** *Am. et A. Serv. Hém. 1843. ὁμαλὸς, planus; κεφαλή, caput. Fulgorellae.*
- Homalocoris** *Perty Del. An. Art. 1830. ὁμαλὸς, planus; κόρις, cimex. Pentatomides.*
- Homéocérides** *Am. et A. Serv. Hém. 1843. Homæocerus. Coreides.*
- Homœocerus** *Burm. Handb. Entom. II, 1835. ὁμοιος, similis; κέρας, cornu. Coreides.*
- Hoplophorides** *Am. et A. Serv. Hém. 1843. Hoplophora. Membracides.*
- Hotea** *Am. et A. Serv. Hém. 1843. hote, chlamys (hebr.). Pentatomides.*
- Hotinus** *Am. et A. Serv. Hém. 1843. ho, ignis; ting, vertex (sin.). Fulgorellae.*
- Huechys** *Am. et A. Serv. Hém. 1843. hue, sanguis; ky, cicada (sin.). Cicadellae.*
- Hyalymenus** *Am. et A. Serv. Hém. 1843. ὑάλος, vitrum; ὑμῆν, membrana. Coreides.*
- Hydrocorizes** *Spin. Essai s. I. Hém. 1837. = Hydrocorisae.*
- Hydrometrices** *Am. et A. Serv. Hém. 1843. Hydrometra. Ploteres.*
- Hydrometrina** *Newm. Ent. Mag. II, . . . Hydrometra. Ploteres.*
- Hygiops** *Am. et A. Serv. Hém. 1843. ὑγιής, sanus; ὄψ, oculus. Fulgorellae.*
- Hymenarcys** *Am. et A. Serv. Hém. 1843. ὑμῆν, membrana; ἄρκυς, rete. Pentatomides.*
- Hymenophora** *Am. et A. Serv. Hém. 1843. ὑμῆν, membrana; φορὸς, ferens. = Hymeniphora. — Cor.*
- Hypencha** *Am. et A. Serv. Hém. 1843. ὑπὸ, sub; ἔγχος, ensis. Pentatomides.*
- Hypoxys** *Am. et A. Serv. Hém. 1843. ὑπὸ, sub; ὀξύς, acutus. Pentatomides.*
- Hypsauchenia** *Germ. in Silb. Rev. ent. III, . . . ὑψος, elevatio; ἀρχήν, cervix. Membracides.*
- Hypselopus** *Burm. Handb. Entom. II, 1835. (Vid. Hypselophus). — ὑψηλὸς, altus; πῆς, pes. Coreid.*
- Hysteropterum** *Am. et A. Serv. Hém. 1843. ὑστερος, posterior; περὸν, ala. Fulgorellae.*
- Jassides** *Am. et A. Serv. Hém. 1843. Jassus. Cicadellae.*
- Infericornes** *Am. et A. Serv. Hém. 1843. Inferus; cornu. Lygaeites.*
- Irochrotus** *Am. et A. Serv. Hém. 1843. εἶρος, lana; χροῦς, corpus. Pentatomides.*
- Isodermus** *Erichs. Arch. f. Naturg. VIII, 1842. ἴσος, æqualis; δέρμα, cutis. Reduvini.*
- Isocondylus** *Am. et A. Serv. Hém. 1843. ἴσος, æqualis; κόνδυλος, articulatio. Reduvini.*
- Issides** *Am. et A. Serv. Hém. 1843. Issus. Fulgorellae.*
- Laevipedes** *Am. et A. Serv. Hém. 1843. Lævis; pes. Cicadellae.*
- Laninsecta** *Am. et A. Serv. Hém. 1843. Lana; insectum. Capsini.*
- Lappida** *Am. et A. Serv. Hém. 1843. lappida, lucerna (hebr.). Fulgorellae.*
- Largides** *Am. et A. Serv. Hém. 1843. Largus. Lygaeites.*
- Laternaria** *Linn. Mus. L. Ulr. 1764. Laterna. Fulgorellae.*

- Lecticolae** *Am. et A. Serv. Hém. 1843. Lectum; colo. Cimicites.*
- Leptopides** *Am. et A. Serv. Hém. 1843. Leptopus. Riparii.*
- Lepyronia** *Am. et A. Serv. Hém. 1843. λεπύρον, concha ovi. Cicadellae.*
- Lestomerus** *Am. et A. Serv. Hém. 1843. λεστής, latro; μηρός, femur. Reduwini.*
- Linicornes** *Am. et A. Serv. Hém. 1843. Linum; cornu. Coreides.*
- Lobostoma** *Am. et A. Serv. Hém. 1843. λοβός, lobus, στόμα, os. Pentatomides.*
- Lohita** *Am. et A. Serv. Hém. 1843. lohita, ruber. (sanscr.). Lygaeites.*
- Longicoxi** *Am. et A. Serv. Hém. 1843. Longus; coxa. Reduwini.*
- Longiscuti** *Am. et A. Serv. Hém. 1843. Longus; scutum. Pentatomides.*
- Lophops** *Spin. in Guér. Rev. zool. 1839. λόφος, crista; ὄψ, facies. Fulgorellae.*
- Loxa** *Am. et A. Serv. Hém. 1843. λοξός, obliquus. Pentatomides.*
- Lycoderes** *Germ. in Silb. Rev. . . . λύκος, lupus, δέση, collum. Membracides.*
- Machtima** *Am. et A. Serv. Hém. 1843. chatam, produco (hebr.). Coreides.*
- Macrina** *Am. et A. Serv. Hém. 1843. macrin, cornutus (hebr.). Pentatomides.*
- Macrocephalides** *Am. et A. Serv. Hém. 1843. Macrocephalus. Phymatites.*
- Macrocheraia** *Guér. Icon. R. an. . . . = Macroceraea. — Lygaeites.*
- Macropides** *Am. et A. Serv. Hém. 1843. Macrops. Reduwini.*
- Macropsis** *Lewis Trans. Ent. Soc. Lond. I, 1836. μακρός, longus; ὄψις, facies. Cicadellae.*
- Maotys** *Am. et A. Serv. Hém. 1843. mao, pila; ty, corpus (sin.). Reduwini.*
- Mattiphus** *Am. et A. Serv. Hém. 1843. mattiph, distillator (hebr.). Pentatomides.*
- Megyménides** *Am. et A. Serv. Hém. 1843. Megymentum. Pentatomides.*
- Meloza** *Am. et A. Serv. Hém. 1843. luz, amoveo (hebr.). Coreides.*
- Melucha** *Am. et A. Serv. Hém. 1843. lucha, axis (hebr.). Coreides.*
- Membracis** *Fabr. — Etym. Membrana? — Membracides.*
- Menaccarus** *Am. et A. Serv. Hém. 1843. nacar, fodere (hebr.). Pentatomides.*
- Menipha** *Am. et A. Serv. Hém. 1843. nuph, ungere (hebr.). Pentatomides.*
- Metapodius** *Westw. in Hope Catal. II, 1837. = Metopodus. — Coreides.*
- Metastemma** *Am. et A. Serv. Hém. 1843. μετά, retrorsum; στέμμα, ocellus. Reduwini.*
- Metopodus** *Am. et A. Serv. Hém. 1843. μέτωπον, frons; ὄδους, dens. Coreides.*
- Mezira** *Am. et A. Serv. Hém. 1843. zara, nausea (hebr.). Aradites.*
- Micrauchenus** *Am. et A. Serv. Hém. 1843. μικρός, parvus; ἀντήν, collum. Reduwini.*
- Mictides** *Am. et A. Serv. Hém. 1843. Mictis. Coreides.*
- Mictis** *Leach Zool. Misc. I, 1814. = Myctis. — Coreides.*
- Mirides** *Am. et A. Serv. Hém. 1843. Miris. Capsini.*
- Mogannia** *Am. et A. Serv. Hém. 1843. mogannia, cantatrix (arab.). Cicadellae.*
- Molchina** *Am. et A. Serv. Hém. 1843. Lachina, putere (arab.). Coreides.*

- Monanthia** *St. Farg.* — Etym. *μονή*, habitaculum; *άνθος*, flos. — **Tingidites.**
- Monecphora** *Am. et A. Serv.* Hém. 1843. *μόνος*, solus; *έκχορά*, eminentia. **Cicadellae.**
- Monopsis** *Spin.* — Etym. *μόνος*, solus; *όψις*, facies. — **Fulgorellae.**
- Montina** *Am. et A. Serv.* Hém. 1843. *muntin*, putens (*arab.*) **Reduvini.**
- Mormidea** *Am. et A. Serv.* Hém. 1843. *μορμώ*, strix; *ιδέα*, aspectus. **Pentatomides.**
- Mozena** *Am. et A. Serv.* Hém. 1843. *ozen*, auris (*hebr.*) **Coreides.**
- Mucanum** *Am. et A. Serv.* Hém. 1843. *meou*, lancea; *kan*, scutum (*sin.*) **Pentatomides.**
- Mustha** *Am. et A. Serv.* Hém. 1843. *Mushuth*, pecten (*arab.*) **Pentatomides.**
- Mycterodes** *Spin.* Ann. Soc. Ent. VIII, 1839. — (Vid. **Mycterodus**). — **Fulgorellae.**
- Myocoris** *Burm.* — Etym. *μυῖα*, musca; *κόρις*, cimex. — **Reduvini.**
- Myrochea** *Am. et A. Serv.* Hém. 1843. *μύρον*, unguentum; *χεώ*, fundo. **Pentatomides.**
- Myzoxylides** *Am. et A. Serv.* Hém. 1843. *Myzoxylus*. **Aphidii.**
- Myzoxylus** *Am. et A. Serv.* Hém. 1843. — (Vid. **Myzoxyle**). — **Aphidii.**
- Namacus** *Am. et A. Serv.* Hém. 1843. *namac*, puo (*hebr.*) **Coreides.**
- Naucorides** *Am. et A. Serv.* Hém. 1843. *Naucoris*. **Nepides.**
- Nematopides** *Am. et A. Serv.* Hém. 1843. *Nematopus*. **Coreides.**
- Nephesa** *Am. et A. Serv.* Hém. 1843. *nephas*, flatus. (*arab.*) **Fulgorellae.**
- Nepina** *Newm.* Ent. Mag. II, . . . *Nepa*. **Nepides.**
- Nevroscia** *Am. et A. Serv.* Hém. 1843. *νεῦρον*, nervus; *σκιά*, umbra. **Pentatomides.**
- Nezara** *Am. et A. Serv.* Hém. 1843. *nezar*, cinctus cingulo (*hebr.*) **Pentatomides.**
- Nodicornes** *Am. et A. Serv.* Hém. 1843. *Nodus*; *cornu*. **Coreides.**
- Notocera** *Am. et A. Serv.* Hém. 1843. *νότος*, dorsum; *κέρας*, cornu. **Membracides.**
- Notonectina** *Newm.* Ent. Mag. II, . . . *Notonecta*. **Notonectides.**
- Nudimargines** *Am. et A. Serv.* Hém. 1843. *Nudus*; *margo*. **Fulgorellae.**
- Nudipedes** *Am. et A. Serv.* Hém. 1843. *Nudus*; *pes*. **Pentatomides.**
- Nudirostri** *Am. et A. Serv.* Hém. 1843. *Nudus*; *rostrum*. **Heteroptera.**
- Nudiscuti** *Am. et A. Serv.* Hém. 1843. *Nudus*; *scutum*. **Cicadellae.**
- Octicelli** *Am. et A. Serv.* Hém. 1843. *Octo*; *cella*. **Stridulantes.**
- Oculati** *Am. et A. Serv.* Hém. 1843. *Oculus*. **Riparii.**
- Odontoscelides** *Am. et A. Serv.* Hém. 1843. *Odontoscelis*. **Pentatomides.**
- Oeda** *Am. et A. Serv.* Hém. 1843. *οιδέω*, inflo. **Membracides.**
- Oedancala** *Am. et A. Serv.* Hém. 1843. *οιδέω*, inflo; *άγκάλη*, brachium. **Lygaeites.**
- Oedosoma** *Am. et A. Serv.* Hém. 1843. *ώοειδής*, oviformis; *σώμα*, corpus. **Pentatomides.**
- Opinus** *Lap.* Essai Cl. syst. Hém. 1833. *Nom. propr.* **Reduvini.**
- Orbiscuti** *Am. et A. Serv.* Hém. 1843. *Orbis*; *scutum*. **Pentatomides.**
- Orthezia** *Am. et A. Serv.* Hém. 1843. *Dic.* ORTHEZ. **Coccides.**


- Orthézides** *Am. et A. Serv. Hém. 1843. Orthezia. Coccides.*
- Orthorhaphia** (*Westw.*) *Am. et A. Serv. Hém. 1843. — (Vid. Orthorapha). — Cicadellae.*
- Oxynotides** *Am. et A. Serv. Hém. 1843. Oxynotus. Pentatomides.*
- Oxypleura** *Am. et A. Serv. Hém. 1843. ὀξύς, acutus; πλευρά, latus. Stridulantes.*
- Oxyrhinus** *Am. et A. Serv. Hém. 1843. ὀξύς, acutus; ῥιν, nasus. Pentatomides.*
- Oxythyreus** *Westw. Trans. Ent. Soc. III, 18. . . ὀξύς, acutus; θυρεός, scutum. Phymatites.*
- Pachycorides** *Am. et A. Serv. Hém. 1843. Pachycoris. Pentatomides.*
- Passaleutus** *Am. et A. Serv. Hém. 1843. πασσαλευτός, clavatus. Reduvini.*
- Pediopsis** *Burm. — Etym. πεδίον, pedica; ὄψις, facies. — Cicadellae.*
- Pedirapti** *Am. et A. Serv. Hém. 1843. Pes; raptus. Nepides.*
- Pediremi** *Am. et A. Serv. Hém. 1843. Pes; remus. Notonectides.*
- Pelogonides** *Am. et A. Serv. Hém. 1843. Pelogonus. Galgolini.*
- Peltophora** *Burm. — Etym. πέλτη, scutum; φορός, ferens. — Pentatomides.*
- Pephricus** *Am. et A. Serv. Hém. 1843. πεφρικώς, echinatus. Coreides.*
- Peromatus** *Am. et A. Serv. Hém. 1843. πήρωμα, mutilatio. Pentatomides.*
- Petalops** *Am. et A. Serv. Hém. 1843. πέταλον, folium; ὄψ, facies. Coreides.*
- Phalaenomorpha** *Am. et A. Serv. Hém. 1843. φάλαινα, phalæna; μορφή, forma. Fulgorellae.*
- Philia** *Schiödt in Kröyer Naturh. Tidsk. IV, 1842. φιλέω, amo. Pentatomides.*
- Phimodera** *Germ. — Etym. φιμός, frenum; δέρη, collum. — Pentatomides.*
- Phléides** *Am. et A. Serv. Hém. 1843. Phloea. Pentatomides.*
- Phrictus** *Spin. in Guér. Rev. Zool. 1839 — (non Mag.) — Fulgorellae.*
- Phyllocephalides** *Am. et A. Serv. Hém. 1843. Phyllocephala. Pentatomides.*
- Phyllochirus** *Am. et A. Serv. Hém. 1843. — (Vid. Phyllocheirus). — Pentatomides.*
- Phyllyphanta** *Am. et A. Serv. Hém. 1843. φύλλον, folium; ύφαντός, textus. Fulgorellae.*
- Phymatides** *Am. et A. Serv. Hém. 1843. Phymata. Phymatites.*
- Physopelta** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; πέλτη, scutum. Lygaeites.*
- Physoplia** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; ὄπλον, arma. Membracides.*
- Physorhynchus** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; ῥύγχος, rostrum. Reduvini.*
- Phytathelgi** *Am. et A. Serv. Hém. 1843. φυτὸν, planta; ἀθέλγω, mulgeo. Capsini.*
- Picromerus** *Am. et A. Serv. Hém. 1843. πικρός, amarus; μηρός, lumbus. Pentatomides.*
- Piesmides** *Am. et A. Serv. Hém. 1843. Piesma. Tingidites.*
- Piestosoma** *Lap. — Etym. πιεστός, depressus; σῶμα, corpus. — Tingidites.*
- Piezogaster** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; γαστήρ, venter. Coreides.*
- Piezopleura** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; πλευρά, latus. Reduvini.*
- Piezosternum** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; στέρον, sternum. Pentatomides.*
- Piratides** *Am. et A. Serv. Hém. 1843. Pirates. Reduvini.*

- Placosternum** *Am. et A. Serv.* Hém. 1843. πλάξ, lamina; στέρονον, sternum. **Pentatomides.**
- Planidorsi** *Am. et A. Serv.* Hém. 1843. Planus; dorsum. **Cicadellae.**
- Planigeni** *Am. et A. Serv.* Hém. 1843. Planus; gena. **Fulgorellae.**
- Platymerus** *Am. et A. Serv.* Hém. 1843. — (Vid. **Platymeris**). — **Reduvini.**
- Platynopus** *Am. et A. Serv.* Hém. 1843. πλατύνω, dilato; ποῦς, pes. **Pentatomides.**
- Platypleura** *Am. et A. Serv.* Hém. 1843. πλατύς, planus; πλευρά, latus. **Stridulantes.**
- Plenifrontes** *Am. et A. Serv.* Hém. 1843. Plenus; frons. **Coreides.**
- Plociomerus** *Say Descr. Het. Hem.* 1831. πλόκιος, astrictus; μηρός, lumbus. **Lygaeites.**
- Plocaria** *Am. et A. Serv.* Hém. 1843. — (Vid. **Ploiaria**). — **Reduvini.**
- Plocogaster** *Am. et A. Serv.* Hém. 1843. πλοῖον, navis; γαστήρ, venter. **Reduvini.**
- Pochazia** *Am. et A. Serv.* Hém. 1843. pochaz, levis (*hebr.*) **Fulgorellae.**
- Pododides** *Am. et A. Serv.* Hém. 1843. Pododus. **Pentatomides.**
- Pododus** *Am. et A. Serv.* Hém. 1843. ποῦς, pes; ὄδους, dens. **Pentatomides.**
- Poecilochroma** *White Trans. Entom. Soc. L. III,* 1842. ποικίλος, variegatus; χροῶμα, color. **Pentatom.**
- Polynévrides** *Am. et A. Serv.* Hém. 1843. Polyneura. **Stridulantes.**
- Ponerobia** *Am. et A. Serv.* Hém. 1843. πονηρός, perversus; βίος, vita. **Reduvini.**
- Pothea** *Am. et A. Serv.* Hém. 1843. pothe, bardus (*hebr.*) **Reduvini.**
- Prismatocerus** *Am. et A. Serv.* Hém. 1843. πρίσμα, prisma; κέρας, cornu. **Coreides.**
- Pristhesancus** *Am. et A. Serv.* Hém. 1843. prishtha, dorsum; sancu, clavus (*sanscr.*) **Reduvini.**
- Pristhevarma** *Am. et A. Serv.* Hém. 1843. prishtha, dorsum; varma, scutum (*sanscr.*) **Reduvini.**
- Probaenops** *White in Entomologist,* 1842. προβαίνω, procedo; ὄψ, facies. **Pentatomides.**
- Proconia** *Lep. et A. Serv. Ann. Soc. Ent. Fr. I,* 1832. πρό, antè; κῶνος, conus. **Cicadellae.**
- Prooxys** *Am. et A. Serv.* Hém. 1843. τρὸ, antè; ὄξυς, acutus. — (Vid. **Proxys**). — **Pentatomid.**
- Pseudophanides** *Am. et A. Serv.* Hém. 1843. Pseudophana. **Fulgorellae.**
- Pterotmetus** *Am. et A. Serv.* Hém. 1843. πτερόν, ala; τμύω, seco. **Lygaeites.**
- Ptilomera** *Am. et A. Serv.* Hém. 1843. πτιλον, ala; μηρός, crus. **Ploteres.**
- Pycanum** *Am. et A. Serv.* Hém. 1843. py, cochlear; kan, scutum (*sin.*) **Pentatomides.**
- Pycnos** *Am. et A. Serv.* Hém. 1843. πυκνός, spissus. **Stridulantes.**
- Pygoda** *Am. et A. Serv.* Hém. 1843. πυγή, anus; ὄδους, dens. **Pentatomides.**
- Pygolampis** *Germ.* — Etym. πυγή, anus; λαμπάς, lucerna. — **Reduvini.**
- Pyrrhocorides** *Am. et A. Serv.* Hém. 1843. Pyrrhocoris. **Lygaeites.**
- Rachava** *Am. et A. Serv.* Hém. 1843. rachav, largus (*hebr.*) **Pentatomides.**
- Ramicornes** *Am. et A. Serv.* Hém. 1843. Ramus; cornu. **Reduvini.**
- Raphirhinus** *Lap. Ann. Soc. Ent. Fr. I,* 1832. ῥαφίς, acus; ῥίς, nasus. **Homoptera.**
- Rasahus** *Am. et A. Serv.* Hém. 1843. rashah, sceleratus (*hebr.*) **Reduvini.**
- Reduvides** *Am. et A. Serv.* Hém. 1843. Reduvius. **Reduvini.**

- Reduvites** Spin. Essai. s. l. Hém. 1837. *Reduvius*. **Reduvini.**
- Resthenia** Spin. — Etym. *Theresina* (Anagramma). — **Capsini.**
- Reticelli** Am. et A. Serv. Hém. 1843. *Rete; cella*. **Stridulantes.**
- Rhaphidosoma** Am. et A. Serv. Hém. 1843. *ῥαφίς, acus; σῶμα, corpus*. **Reduvini.**
- Rhaphigaster** Lap. Essai Cl. syst. Hém. 1833. *ῥαφίς, acus; γαστήρ, venter*. **Pentatomides.**
- Rhaphigastrides** Am. et A. Serv. Hém. 1843. *Rhaphigaster*. **Pentatomides.**
- Rhaphirhinus** Lap. Ann. Soc. Ent. Fr. I, 1832. *ῥαφίς, acus; ῥίν, nasus*. **Cicadellae.**
- Rhinaulax** Am. et A. Serv. Hém. 1843. *ῥίν, nasus; αὐλάξ, sulcus*. **Cicadellae.**
- Rhopalides** Am. et A. Serv. Hém. 1843. *Rhopalus*. **Coreides.**
- Rhyparochromides** Am. et A. Serv. Hém. 1843. *Rhyparochromus*. **Lygaeites.**
- Ricania** (**Rycania**) Germ. Mag. d. Ent. III, 1818. *ῥυκάνη, runcina*. **Fulgorellae.**
- Ricanides** Am. et A. Serv. Hém. 1843. *Ricania*. **Fulgorellae.**
- Ripicolae** Am. et A. Serv. Hém. 1843. *Ripa; colo*. **Phymatites.**
- Saccoderides** Am. et A. Serv. Hém. 1843. *Saccoderes*. **Reduvini.**
- Sachana** Am. et A. Serv. Hém. 1843. *tsachana, putor (hebr.)* **Pentatomides.**
- Saica** Am. et A. Serv. Hém. 1843. *shaica, spinosus (arab.)* **Reduvini.**
- Sallipedes** Am. et A. Serv. Hém. 1843. *Saltus; pes*. **Homoptera.**
- Salyavata** Am. et A. Serv. Hém. 1843. *salya, hystrix; vata, custos (sanscr.)* **Reduvini.**
- Salyavatides** Am. et A. Serv. Hém. 1843. *Salyavata*. **Reduvini.**
- Sastragala** Am. et A. Serv. Hém. 1843. *sastra, arma; gala, collum (sanscr.)* **Pentatomides.**
- Sastrapada** Am. et A. Serv. Hém. 1843. *sastra, arma; pada, pes (sanscr.)* **Reduvini.**
- Sava** Am. et A. Serv. Hém. 1843. *tsava, inflatus (hebr.)* **Reduvini.**
- Scarides** Am. et A. Serv. Hém. 1843. *Scaris*. **Cicadellae.**
- Scaris** A. Serv. — Etym. *σκαίρω, salio*. — **Cicadellae.**
- Schizops** Spin. Essai s. l. Hém. 1837. *σχίζω, findo; ὤψ, facies*. **Pentatomides.**
- Sciocorides** Am. et A. Serv. Hém. 1843. *Sciocoris*. **Pentatomides.**
- Sciodopterus** Am. et A. Serv. Hém. 1843. *σκιώδης, opacus; πτερὸν, ala*. **Riparii.**
- Scytinelytra** Am. et A. Serv. Hém. 1843. *σχύτινος, coriaceus; ἔλυτρον, elytrum*. **Homoptera.**
- Sectifrontes** Am. et A. Serv. Hém. 1843. *Sectus; frons*. **Pentatomides.**
- Shirides** Am. et A. Serv. Hém. 1843. *Shirus*. **Pentatomides.**
- Shirus** Am. et A. Serv. Hém. 1843. *shir, echinatus (hebr.)* **Pentatomides.**
- Sephela** Am. et A. Serv. Hém. 1843. *shephela, complanatio (hebr.)* **Pentatomides.**
- Sephina** Am. et A. Serv. Hém. 1843. *sephina, cymba (hebr.)* **Coreides.**
- Serenthia** Spin. — Etym. *Theresina* (Anagramma). — **Tingidites.**
- Serripedes** Am. et A. Serv. Hém. 1843. *Serra; pes*. **Cicadellae.**
- Sinea** Am. et A. Serv. Hém. 1843. *sene, sentis (hebr.)* **Reduvini.**

- Solenostethium** *Am. et S. Hém.* 1843. σωλήν, canalis; στῆθος, pectus. = **Solenosthedium**. — **Pent.**
- Spartocerides** *Am. et A. Serv.* Hém. 1843. *Spartocera*. **Coreides**.
- Spathophora** *Am. et A. Serv.* Hém. 1843. σπάθη, spathula; φορὸς, ferens. **Coreides**.
- Sphaeridops** *Am. et A. Serv.* Hém. 1843. σφαῖρα, sphaera; ὄψ, oculus. **Reduvini**.
- Sphaeronotus** *Lap. Ann. Soc. Ent. Fr.* 1, 1832. σφαῖρα, sphaera; νῶτος, dorsum. **Membracides**.
- Sphenorhina** *Am. et A. Serv.* Hém. 1843. σφήν, cuneus; ῥίν, nasus. **Cicadellae**.
- Sphéridopides** *Am. et A. Serv.* Hém. 1843. *Sphaeridops*. **Reduvini**.
- Spinifrontes** *Am. et A. Serv.* Hém. 1843. *Spina*; *frons*. **Coreides**.
- Spinipedes** *Am. et A. Serv.* Hém. 1843. *Spina*; *pes*. **Pentatomides**.
- Spissipedes** *Am. et A. Serv.* Hém. 1843. *Spissus*; *pes*. **Phymatites**.
- Spissirostri** *Am. et A. Serv.* Hém. 1843. *Spissus*; *rostrum*. **Pentatomides**.
- Spongipedes** *Am. et A. Serv.* Hém. 1843. *Spongus*; *pes*. **Reduvini**.
- Stagnigradi** *Am. et A. Serv.* Hém. 1843. *Stagnum*; *gradus*. **Ploteres**.
- Stenopodides** *Am. et A. Serv.* Hém. 1843. *Stenopoda*. **Reduvini**.
- Sternorhynchi** *Am. et A. Serv.* Hém. 1843. στέρον, sternum; ῥύγχος, rostrum. **Homoptera**.
- Stiretrides** *Am. et A. Serv.* Hém. 1843. *Stiretrus*. **Pentatomides**.
- Strachia** *Hahn.* — Etym. στραγγεῦω, stillo. — **Pentatomides**.
- Strigimargines** *Am. et A. Serv.* Hém. 1843. *Striga*; *margo*. **Fulgorellae**.
- Strombosoma** *Am. et A. Serv.* Hém. 1843. στρόμβος, turbo; σῶμα, corpus. **Pentatomides**.
- Subtericornes** *Am. et A. Serv.* Hém. 1843. *Subterus*; *cornu*. **Fulgorellae**.
- Sundarus** *Am. et A. Serv.* Hém. 1843. *sundara*, elegancia (*sanscr.*) **Coreides**.
- Supericornes** *Am. et A. Serv.* Hém. 1843. *Superus*; *cornu*. **Coreides**.
- Sycanus** *Am. et A. Serv.* Hém. 1843. *chy*, hastula; *kan*, scutum (*sin.*) **Reduvini**.
- Syromastes** *Latr.* — Etym. σύρω, traho; μαστός, mamma. — **Coreides**.
- Syromastides** *Am. et A. Serv.* Hém. 1843. *Syromastes*. **Coreides**.
- Tacua** *Am. et A. Serv.* Hém. 1843. *ta*, magnus; *kou*, tympanum (*sin.*) **Stridulantes**.
- Tarisa** *Am. et A. Serv.* Hém. 1843. *taris*, scuto tectus (*arab.*) **Pentatomides**.
- Taurocerus** *Am. et A. Serv.* Hém. 1843. ταῦρος, taurus; κέρας, cornu. **Pentatomides**.
- Tectiscuti** *Am. et A. Serv.* Hém. 1843. *Tectus*; *scutum*. **Membracides**.
- Tesseratoma** *Am. et A. Serv.* Hém. 1843. — (Vid. **Tessaratomy**). — **Pentatomides**.
- Tetragonocephali** *Am. et A. Serv.* Hém. 1843. τετράγωνος, quadrangulus; κεφαλή, caput. **Coreid.**
- Tetroda** *Am. et A. Serv.* Hém. 1843. τέτρα, quatuor; ὀδοῦς, dens. **Pentatomides**.
- Tetroxia** *Am. et A. Serv.* Hém. 1843. τέτρα, quatuor; ὄξυ, acus. **Reduvini**.
- Tettigades** *Am. et A. Serv.* Hém. 1843. τέττιξ, cicada; ἄδης, inferi. **Stridulantes**.
- Tettigometrides** *Am. et A. Serv.* Hém. 1843. *Tettigometra*. **Fulgorellae**.
- Tettigomyia** *Am. et A. Serv.* Hém. 1843. τέττιξ, cicada; μῦια, musca. **Stridulantes**.

- Tetyrides** *Am. et A. Serv. Hém. 1843. Tetyra. Pentatomides.*
- Thelia** *Am. et A. Serv. Hém. 1843. theli, culter (hebr.) Membracides.*
- Thelima** *Am. et A. Serv. Hém. 1843. thelem, sulcus (hebr.) Pentatomides.*
- Therava** *Am. et A. Serv. Hém. 1843. tharaph, unde Theraphim, nomen idoli (hebr.) Coreides.*
- Thopha** *Am. et A. Serv. Hém. 1843. thoph, tympanum (hebr.) Stridulantes.*
- Thyreocorides** *Am. et A. Serv. Hém. 1843. Thyreocoris. Pentatomides.*
- Tingides** *Am. et A. Serv. Hém. 1843. Tingis. Tingidites.*
- Tlasia** *Germ. in Silb. Rev. iv, 1836. τλάω, patior. Cicadellae.*
- Tomaspis** *Am. et A. Serv. Hém. 1843. τέμνω, emargino; άσπίς, scutum. Cicadellae.*
- Tosena** *Am. et A. Serv. Hém. 1843. to, crassus; chen, cicada (sin.) Stridulantes.*
- Tosenides** *Am. et A. Serv. Hém. 1843. Tosena. Stridulantes.*
- Trichoscelis** *Am. et A. Serv. Hém. 1843. θροῖξ, pilum; σκελῖς, perna. Reduvini.*
- Tricephora** *Am. et A. Serv. Hém. 1843. τρεῖς, tres; έκφορά, eminentia. Cicadellae.*
- Trigonocephali** *Am. et A. Serv. Hém. 1843. τρίγωνος, triangulus; κεφαλή, caput. Coreides.*
- Tritomegas** *Am. et A. Serv. Hém. 1843. τρίτος, tertius; μέγας, magnus. Pentatomides.*
- Tynotoma** *Am. et A. Serv. Hém. 1843. τύνος, parvus; τομή, segmen. Coreides.*
- Ugyops** *Guér. Voy. Ind. orient. 1834. — (Vid. Hygiops). — Fulgorellae.*
- Ulopides** *Am. et A. Serv. Hém. 1843. Ulopa. Cicadellae.*
- Uroxiphus** *Am. et A. Serv. Hém. 1843. ούρα, cauda; ξιφός, ensis. Cicadellae.*
- Velides** *Am. et A. Serv. Hém. 1843. Velia. Ploteres.*
- Verlusia** *Spin. — Etym. Valerius (Anagramma). — Coreides.*
- Vulsirea** *Spin. — Etym. Valerius (Anagramma). — Pentatomides.*
- Yolinus** *Am. et A. Serv. Hém. 1843. yo, pretiosus; ling, cælatura perlucida (sin.) Reduvini.*
- Zaitha** *Am. et A. Serv. Hém. 1843. zaith, oliva (hebr.) Nepides.*
- Zalega** *Am. et A. Serv. Hém. 1843. zalag, unde nomen fuscina est deductum (hebr.) Pentatomides.*
- Zammara** *Am. et A. Serv. Hém. 1843. zammar, cantator (hebr.) Stridulantes.*
- Zélides** *Am. et A. Serv. Hém. 1843. Zelus. Reduvini.*
- Zicca** *Am. et A. Serv. Hém. 1843. zacac, stillo (hebr.) Coreides.*
- Zicrona** *Am. et A. Serv. Hém. 1843. zicron, odorans (hebr.) Pentatomides.*
- Zinneca** *Am. et A. Serv. Hém. 1843. zanac, salio (hebr.) Cicadellae.*
- Zoreva** *Am. et A. Serv. Hém. 1843. zarav, fluo (hebr.) Coreides.*



CONSPECTUS FAMILIARUM
HEMIPTERORUM.

Heteroptera.

Pentatomides.
Coreides.
Lygæites.
Capsini.
Tingidites.
Aradites.
Reduvini.
Phymatites.
Acanthillæ s. Riparii.
Nepidæ.
Galgulites.
Ploteres.
Notonectides.

Homoptera.

Fulgorellæ.
Membracides.
Cicadellæ.
Stridulantes.
Psyllidæ.
Aphidii.
Aleyrodides.
Coccides.

Genera sequentia: Carineta, Cicada, *Cicadides*, Cyclochila, Dundubia, Fidicina, Gæana, Hemisciera, Huechys et Mogannia, non ad **Cicadellas** sed ad **Stridulantes** pertinent.

Adde:

Ancyra White in Mag. of N. Hist. 1845. ἀγκυρα, ancora. **Cicadellæ.**

Ledropsis White in Mag. of N. Hist. 1845. Le dra; ὄψις, facies. **Cicadellæ.**

HEMIPTERA.

LIBRI IN ADDENDIS CITATI.

- Am. et A. Serv.* Hém. — *Amyot et Audinet Serville*, Histoire naturelle des Insectes Hémiptères.
- Erichs.* Arch. f. Naturg. — *Erichson's Archiv für Naturgeschichte.*
- Guér.* Icon. R. An. — *Guérin*, Iconographie du Règne animal.
- Hope* Trans. Linn. Soc. Lond. — *Hope* in Transactions of the Linnean Society of London.
- Linn.* Mus. L. Ulr. — *Linné*, Museum S. R. M. Ludovicæ Ulricæ Reginae, etc.
- Newm.* Ent. Mag. — *Newman* in Entomological Magazine.
- Schiödte* in *Kröyer Naturh. Tidsk.* — *Schiödte* in *Kröyer Tijdschrift voor Natuurhiike Geschiednis.*
- Serv. et Boisd.* Voy. Astrol. — *Audinet Serville et Boisduval* in Voyage de l'Astrolabe.
- » Enc. méth. — *Audinet Serville* in Encyclopédie méthodique.
- Spin.* Ann. Soc. Ent. Fr. — *Spinola* in Annales de la Société entomologique de France.
- Westw.* Arcan. Entomol. — *Westwood* Arcana entomologica.
- » Trans. Linn. Soc. Lond. — *Westwood* in Transaction of the Linnean Society of London.
- White* Trans. ent. Soc. — *White* in Transactions of the entomological Society.
- » in Entomologist. — *White* in the Entomologist.

