



<http://www.biodiversitylibrary.org/>

**Nomenclator zoologicus : continens nomina systematica generum animalium tam viventium quam fossilium, secundum ordinem alphabeticum disposita, adjectis auctoribus, libris, in quibus reperiuntur, anno editionis, etymologia et familiis, ad quas pertinent, in singulis classibus /**

Soloduri :Jent et Gassmann,1842-1846 [i.e., 1847].

<http://www.biodiversitylibrary.org/bibliography/49761>

**v.1-4 (1842-1847):** <http://www.biodiversitylibrary.org/item/105020>

Article/Chapter Title: 982

Author(s): Agassiz, Erichson & Germar

Subject(s): Nomina systematica generum...addenda et corrigenda

Page(s): Text, Page 2, Page 3, Page 4, Page 5, Page 6, Page 7, Page 8, Page 9, Page 10, Page 11, Page 12, Page 13, Page 14, Text, Text

Contributed by: Harvard University, MCZ, Ernst Mayr Library

Sponsored by: Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Generated 11 February 2014 3:33 AM

<http://www.biodiversitylibrary.org/pdf4/024342400105020>

This page intentionally left blank.

# HEMIPTERA.

(ADDENDA ET CORRIGENDA.)

---

- Acanonia** *Am. et A. Serv.* Hém. 1843. *α* priv.; *κανών*, regula. **Fulgorellae.**
- Acanonides** *Am. et A. Serv.* Hém. 1843. *Acanonia*. **Fulgorellae.**
- Acanthaspis** *Am. et A. Serv.* Hém. 1843. *ἀκανθα*, spina; *ἀσπίς*, scutum. **Reduwini.**
- Acanthischium** *Am. et A. Serv.* Hém. 1843. *ἀκανθα*, spina; *ἰσχίον*, ischion. **Reduwini.**
- Acanthocorides** *Am. et A. Serv.* Hém. 1843. *Acanthocoris*. **Coreides.**
- Acanthocoris** *Am. et A. Serv.* Hém. 1843. *ἀκανθα*, spina; *κόρις*, cimex. **Coreides.**
- Aceratodes** *Am. et A. Serv.* Hém. 1843. *α* priv.; *κερατώδης*, cornutus. **Pentatomides.**
- Achilius** *Spin.* Ann. Soc. Ent. VIII, 1839. (Vid. **Achilus**). — **Fulgorellae.**
- Achillus** *Am. et A. Serv.* Hém. 1843. (Vid. **Achilus**). — **Fulgorellae.**
- Acocephalus** *Germ.* — Etym. *ἀκῆ*, acies; *κεφαλή*, caput. — **Cicadellae.**
- Acopsis** *Am. et A. Serv.* Hém. 1843. *ἀκῆ*, acies; *ὄψις*, facies. **Cicadellae.**
- Adrisa** *Am. et A. Serv.* Hém. 1843. *α* priv. *dris*, oculus (*sanscr.*) **Pentatomides.**
- Actalion** *Latr.* — Etym. *αἰθαλίων*, urens. (Cognomen Cicadarum). — **Cicadellae.**
- Aethalia** *Germ.* — Etym. *αἰθαλίων*, urens. — **Cicadellae.**
- Aglena** *Am. et A. Serv.* Hém. 1843. *α* priv.; *γλήνη*, oculus. **Cicadellae.**
- Agonoscelis** *Spin.* — Etym. *α* priv.; *γωνία*, angulus; *σκέλος*, femur. — **Pentatomides.**
- Agonosoma** *Lap.* — Etym. *α* priv.; *γωνία*, angulus; *σῶμα*, corpus. — **Pentatomides.**
- Aleurodes** *Am. et A. Serv.* Hém. 1833. (Vid. **Aleyrodes**). — **Aleyrodidae.**
- Aleurodides** *Am. et A. Serv.* Hém. 1843. *Aleurodes*. **Aleyrodidae.**
- Alydides** *Am. et A. Serv.* Hém. 1843. *Alydus*. **Coreides.**
- Amaurus** *Burm.* — (Non **Amarus**). — *ἀμαυρός*, obscurus. — **Pentatomides.**
- Amblyottus** *Am. et A. Serv.* Hém. 1843. *ἀμβλυόπτω*, cæcutio. **Pentatomides.**

- Amphibicorizes** Spin. Essai Hém. 1837. ἀμφιβίος, amphibius; κόρις, cimex. = **Amphibicorisa**.
- Anasa** Am. et A. Serv. Hém. 1843. α priv.; nasa, nasus (sanscr.). **Coreides**.
- Ancyrosoma** Am. et A. Serv. Hém. 1843. ἄγκυρα, anchora; σῶμα, corpus. **Pentatomides**.
- Angulosi** Am. et A. Serv. Hém. 1843. Angulus. **Pentatomides**.
- Anisops** Spin. Essai s. l. Hém. 1837. ἄνισος, inæqualis; ὄψ, oculus. **Notonectides**.
- Anisoscelides** Spin. Essai s. l. Hém. 1837. Anisoscelis. **Coreides**.
- Anomaloptera** (Perris) Am. et A. Serv. Hém. 1843. ἀνώμαλος, anomalus; πτερόν, ala. **Tingidites**.
- Antericornes** Am. et A. Serv. Hém. 1843. Anterior; cornu. **Cicadellae**.
- Anthocorides** Am. et A. Serv. Hém. 1843. Anthocoris. **Lygaeites**.
- Aphina** Newm. Ent. Mag. II, 1834. Aphis. **Aphidii**.
- Aphrophorides** Am. et A. Serv. Hém. 1843. Aphrophora. **Cicadellae**.
- Apiomerides** Am. et A. Serv. Hém. 1843. Apiomerus. **Reduvini**.
- Apodiphya** Am. et A. Serv. Hém. 1843. ἀπό, ab; διαφύης, duplicis naturæ. = **Apodiphus**. — **Pentat.**
- Appasus** Am. et A. Serv. Hém. 1843. ap, aqua; pasu, bestia (sanscr.). **Nepides**.
- Aradides** Am. et A. Serv. Hém. 1843. Aradus. = **Aradites**.
- Araeopus** Spin. in Guér. Rev. Zool. 1839 (non 1834). — **Fulgorellae**.
- Arvelius** Spin. — Etym. Valerius (Anagramma). — **Pentatomides**.
- Asiraca** Latr. — Etym. ἀσίρακος, Cicadæ species. — **Fulgorellae**.
- Asopides** Am. et A. Serv. Hém. 1843. Asopus. **Pentatomides**.
- Astemmides** Am. et A. Serv. Hém. 1843. Astemma. **Lygaeites**.
- Atrachelus** Am. et A. Serv. Hém. 1843. α priv.; τράχηλος, collum. **Reduvini**.
- Aulacizes** Am. et A. Serv. Hém. 1843. αὐλακίζω, sulco. **Cicadellae**.
- Bathycoelia** Am. et A. Serv. Hém. 1843. βαθύς, profundus; κοιλία, venter. **Pentatomid**
- Beharus** Am. et A. Serv. Hém. 1843. bahar, stupidus (hebr.). **Reduvini**.
- Beosus** Am. et A. Serv. Hém. 1843. beosh, puens (hebr.). **Lygaeites**.
- Bicelluli** Am. et A. Serv. Hém. 1843. Bis; cellula. **Capsini**.
- Bigemmi** Am. et A. Serv. Hém. 1843. Bis; gemma. **Galgulites**.
- Bocydides** Am. et A. Serv. Hém. 1843. Bocydium. **Membracides**.
- Bocydium** Latr. — Etym. βοῦς, bos; κῦδος, ornamentum. — **Membracides**.
- Bolbocoris** Am. et A. Serv. Hém. 1843. βολβός, bulbus; κόρις, cimex. **Pentatomides**.
- Bolbonota** Am. et A. Serv. Hém. 1843. βολβός, bulbus; νῶτος, dorsum. **Membracides**.
- Brachypelta** Am. et A. Serv. Hém. 1843. βραχύς, brevis; πέλτη, scutum. **Pentatomides**.
- Brachyrhynquides** Am. et A. Serv. Hém. 1843. Brachyrhynchus. **Aradites**.
- Brevicipites** Am. et A. Serv. Hém. 1843. Brevis; caput. **Reduvini**.
- Brevicornes** Am. et A. Serv. Hém. 1843. Brevis; cornu. **Galgulites**.
- Brevirostri** Am. et A. Serv. Hém. 1843. Brevis; rostrum. **Pentatomides**.

- Brochymena** *Am. et A. Serv.* Hém. 1843. βρόχος, laqueus; ὑμῆν, membrana. **Pentatomides.**
- Bruchomorpha** *Newm. Ent. Mag. v.* . . . βροῦχος, locusta; μορφή, forma. **Cicadellae.**
- Bythoscopus** *Germ.* — Etym. βυθός, altum; σκοπέω, aspicio. — **Cicadellae.**
- Caecigenae** *Am. et A. Serv.* Hém. 1843. Cæcus; gena. **Lygaeites.**
- Calidea** *Lap.* — Etym. καλός, pulcher; ιδέα, aspectus. — **Pentatomides.**
- Caloscelides** *Am. et A. Serv.* Hém. 1843. Caloscelis. **Fulgorellae.**
- Camptischium** *Am. et A. Serv.* Hém. 1843. κάμπτω, curvo; ισχίον, ischion. **Coreides.**
- Camptopus** *Am. et A. Serv.* Hém. 1843. κάμπτω, curvo; ποῦς, pes. **Coreides.**
- Canalirostri** *Am. et A. Serv.* Hém. 1843. Canalis; rostrum. **Pentatomides.**
- Canopides** *Am. et A. Serv.* Hém. 1843. Canopus. **Pentatomides.**
- Cantacader** *Am. et A. Serv.* Hém. 1843. cantaca, spina; dri, fero (*sanscr.*). **Tingidites.**
- Cantao** *Am. et A. Serv.* Hém. 1843. kan, scutum; tao, testa (*sin.*). **Pentatomides.**
- Canthecona** *Am. et A. Serv.* Hém. 1843. cantha, collum; cona, angulus (*sanscr.*). **Pentatomides.**
- Canthesancus** *Am. et A. Serv.* Hém. 1843. cantha, collum; sancu, clavis (*sanscr.*). **Reduvini.**
- Carineta** *Am. et A. Serv.* Hém. 1843. carinet, cantatrix (*arab.*). **Cicadellae.**
- Catamiarus** *Am. et A. Serv.* Hém. 1843. κατὰ, infra; μαρός, pollutus. **Reduvini.**
- Catostyrax** *Am. et A. Serv.* Hém. 1843. κάτω, infra; στύραξ, lanceæ. **Pentatomides.**
- Cavigeni** *Am. et A. Serv.* Hém. 1843. Cavus; gena. **Fulgorellae.**
- Cazira** *Am. et A. Serv.* Hém. 1843. cazir, puens (*arab.*). **Pentatomides.**
- Centrolides** *Am. et A. Serv.* Hém. 1843. Centrotus. **Cicadellae.**
- Cephalelides** *Am. et A. Serv.* Hém. 1843. Cephalelus. **Cicadellae.**
- Cephalelus** *Perch.* — Etym. κεφαλή, caput; ἦλος, clavis. — **Cicadellae.**
- Cercopides** *Am. et A. Serv.* Hém. 1843. Cercopis. **Cicadellae.**
- Cercopis** *Fabr.* — Etym. κέρκωψ, caudatus. — **Cicadellae.**
- Cercotmetus** *Am. et A. Serv.* Hém. 1843. κέρκος, cauda; τμάω, seco. **Nepides.**
- Ceresa** *Am. et A. Serv.* Hém. 1843. keres, uncinus (*hebr.*). **Membracides.**
- Cethera** *Am. et A. Serv.* Hém. 1843. cether, diadema (*hebr.*). **Reduvini.**
- Choerommatus** *Am. et A. Serv.* Hém. 1843. χοῖρος, porcus; ὄμμα, oculus. **Coreides.**
- Chorosoma** (*Curt.*) *Am. et A. Serv.* Hém. 1843. — (Vid. **Choerosoma**). — **Coreides.**
- Cicada** *Linn.* — Etym. κικκός, gallus; ἄδew, canto. — **Cicadellae.**
- Cicadides** *Am. et A. Serv.* Hém. 1843. Cicada. **Cicadellae.**
- Ciccus** *Latr. R. anim. v, 1829. Nom. propr.* (κίκκος). **Cicadellae.**
- Cidoria** *Am. et A. Serv.* Hém. 1843. cidor, orbis (*hebr.*). **Reduvini.**
- Cimicina** *Newm. Ent. Mag. II, 1834. Cimex.* **Heteroptera.**
- Cladodiptera** *Spin. in Guér. Rev. Zool. 1839.* κλάδος, ramus; δίπτερον, dipterum. **Fulgorellae.**
- Cladypha** *Am. et A. Serv.* Hém. 1843. κλάδος, ramus; ὑφάω, texo. **Fulgorellae.**

- Cobax** *Germ.* — Etym. κώβαξ, cicada. — **Fulgorellae.**
- Coleotrichus** *White Trans. Entom. Soc. Lond. III, 1842.* κωλέα, femur; τρέχω, curro. **Pentat.**
- Colobesthes** *Am. et A. Serv. Hém. 1843.* κολοβός, mutilus; ἐσθής, toga. **Fulgorellae.**
- Coloborrhis** *Germ. in Silb. Rev. ent. IV, 1836.* κολοβός, mutilus; ῥίς, nasus. **Cicadellae.**
- Combophorides** *Am. et A. Serv. Hém. 1843.* Combophora. **Membracides.**
- Conicipites** *Am. et A. Serv. Hém. 1843.* Conus; caput. **Reduvini.**
- Coniscuti** *Am. et A. Serv. Hém. 1843.* Conus; scutum. **Pentatomides.**
- Conorhinides** *Am. et A. Serv. Hém. 1843.* Conorhinus. **Reduvini.**
- Conorhinus** *Lap.* — Etym. κώνος, conus; ῥίς, nasus. — **Reduvini.**
- Coptochilus** *Am. et A. Serv. Hém. 1843.* κόπτω, seco; χεῖλος, labrum. **Pentatomides.**
- Coreomelas** *White Mag. of Nat. H. 1839.* κόρις, cimex; μέλας, niger. **Pentatomides.**
- Corethura** *Hope Trans. Linn. Soc. Lond. XIX, . . .* κορέω, orno; θοῦρος, vehemens. **Fulgorellae.**
- Coriplatus** *White Trans. Ent. Soc. Lond. III, 1842.* κόρις, cimex; πλατύς, latus. **Pentatomides.**
- Corisa** *Am. et A. Serv. Hém. 1843.* (Vid. **Corixa**). — **Notonectides.**
- Corisides** *Am. et A. Serv. Hém. 1843.* Corisa. **Notonectides.**
- Cornidorsi** *Am. et A. Serv. Hém. 1843.* Cornu; dorsum. **Membracides.**
- Corticicolae** *Am. et A. Serv. Hém. 1843.* Cortex; colo. **Aradites.**
- Coryssorhaphis** *Am. et A. Serv. Hém. 1843.* κορύσσω, armo; ῥαφίς, acus. = **Coryzorhaphis.** — **Pent.**
- Crimia** *Am. et A. Serv. Hém. 1843.* Crimi, insectum (*sanscr.*). **Aradites.**
- Cyclochila** *Am. et A. Serv. Hém. 1843.* κύκλος, circulus; χεῖλος, labrum. **Cicadellae.**
- Cyclopelta** *Am. et A. Serv. Hém. 1843.* κύκλος, orbis; πέλις, pelta. **Pentatomides.**
- Cydnides** *Am. et A. Serv. Hém. 1843.* Cydnus. **Pentatomides.**
- Cydnus** *Fabr.* — Etym. κυδνός, famosus. — **Pentatomides.**
- Cylindricipites** *Am. et A. Serv. Hém. 1843.* Cylindrus; caput. **Reduvini.**
- Cymodera** *Spin. Essai s. I. Hém. 1837.* κῦμα, unda; δέση, collum. **Coreides.**
- Cyphonia** *Lap.* — Etym. κύφων, furcifer. — **Membracides.**
- Cyrene** *Westw. Arcan. entomol. 1657. Nom. propr.* **Fulgorellae.**
- Cyrtomenus** *Am. et A. Serv. Hém. 1843.* κυρτόομαι, curvor. **Pentatomides.**
- Dalader** *Am. et A. Serv. Hém. 1843.* dala, folium; dri, fera (*sanscr.*). **Coreides.**
- Dalapax** *Am. et A. Serv. Hém. 1843.* dala, folium; paksh, ala (*sanscr.*). **Fulgorellae.**
- Dalcantha** *Am. et A. Serv. Hém. 1843.* dala, folium; cantha, collum (*sanscr.*). **Pentatomides.**
- Dalpada** *Am. et A. Serv. Hém. 1843.* dala, folium; peda, pes (*sanscr.*). **Pentatomides.**
- Dalsira** *Am. et A. Serv. Hém. 1843.* dala, folium; sira, caput (*sanscr.*). **Pentatomides.**
- Darbanus** *Am. et A. Serv. Hém. 1843.* darban, aculeus (*hebr.*). **Reduvini.**
- Darnides** *Am. et A. Serv. Hém. 1843.* Darnis. **Membracides.**
- Delphacides** *Am. et A. Serv. Hém. 1843.* Delphax. **Fulgorellae.**

- Derbides** *Am. et A. Serv.* Hém. 1843. *Derbe*. **Fulgorellae.**
- Deribia** *Westw.* Trans. Linn. Soc. Lond. XIX, 1842. *Derbe?* **Fulgorellae.**
- Dicrotelus** *Erichs.* Arch. f. Naturg. VIII, 1842. *δικρούς*, furca; *τέλεω*, termino. **Reduwini.**
- Diestostemma** *Am. et A. Serv.* Hém. 1843. *διεστῶς*, distans; *στέμμα*, ocellus. **Cicadellae.**
- Diplodus** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ὄδους*, dens. **Reduwini.**
- Diplorhinus** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ῥιν*, nasus. **Pentatomides.**
- Diploxys** *Am. et A. Serv.* Hém. 1843. *διπλοῦς*, duplex; *ὄξυς*, acutus. **Pentatomides.**
- Dismegistus** *Am. et A. Serv.* Hém. 1843. *δις*, bis; *μέγιστος*, maximus. **Pentatomides.**
- Doryderes** *Am. et A. Serv.* Hém. 1843. *δόρυ*, hasta; *δέρη*, collum. **Pentatomides.**
- Dorypleura** *Am. et A. Serv.* Hém. 1843. *δόρυ*, hasta; *πλευρά*, latus. **Pentatomides.**
- Dryptocephala** (*Lap.*) *Am. et A. Serv.* Hém. 1843. = **Dryptocephalus.** — **Pentatomides.**
- Ductirostri** *Am. et A. Serv.* Hém. 1843. *Ductus*; *rostrum*. **Heteroptera.**
- Dundubia** *Am. et A. Serv.* Hém. 1843. *dundubhi*, tympanum (*sanscr.*). **Cicadellae.**
- Durganda** *Am. et A. Serv.* Hém. 1843. *durganda*, putor (*sanscr.*). **Reduwini.**
- Dyroderes** *Spin.* Essai s. I. Hém. 1837. (Vid. **Doryderes**). — **Pentatomides.**
- Dysdercus** *A. Serv. Boisd.* Voy. Astrol. II, *δύς*, malè; *δέροω*, video. **Lygaeites.**
- Dysodius** *A. Serv.* Enc. méth. X, 1825. *δυσωδία*, putor. **Aradites.**
- Ectatops** *Am. et A. Serv.* Hém. 1843. *ἐκτατός*, extensus; *ὄψ*, oculus. **Lygaeites.**
- Ectrichodides** *Am. et A. Serv.* Hém. 1843. *Ectrichodia*. **Reduwini.**
- Edessides** *Am. et A. Serv.* Hém. 1843. *Edessa*. **Pentatomides.**
- Elasmoscelis** *Spin.* in *Guér.* Rev. zool. 1839. (Vid. **Elasmocelis**). — **Fulgorellae.**
- Elidiptera** *Spin.* in *Guér.* Rev. zool. 1839. (Vid. **Elydiptera**). — **Fulgorellae.**
- Eloisura** *Spin.* Essai s. I. Hém. 1837. (Vid. **Elvisura**). — **Pentatomides.**
- Elvisura** *Spin.* Essai s. I. Hém. 1837. *Valerius* (Anagramma). **Pentatomides.**
- Elydiptera** *Spin.* Ann. Soc. Ent. Fr. 1834. *ἐλυω*, insolvo; *δίπτερος*, dipterus. **Fulgorellae.**
- Emesides** *Am. et A. Serv.* Hém. 1843. *Emesa*. **Reduwini.**
- Enchenopa** *Am. et A. Serv.* Hém. 1843. *ἐγχος*, ensis; *ἐνοπή*, facies. **Membracides.**
- Enchophora** *Spin.* Ann. Soc. Ent. Fr. VIII, 1839. *ἐγχος*, ensis; *φορός*, ferens. **Fulgorellae.**
- Enchophyllum** *Am. et A. Serv.* Hém. 1843. *ἐγχος*, ensis; *φύλλον*, folium. **Membracides.**
- Enoplops** *Am. et A. Serv.* Hém. 1843. *ἐνοπλος*, armatus; *ὄψ*, facies. **Coreides.**
- Entilia** *Am. et A. Serv.* Hém. 1843. (Vid. **Entylia**). — **Membracides.**
- Epiclinae** *Am. et A. Serv.* Hém. 1843. *ἐπικλινής*, inclinatus. **Cicadellae.**
- Erthesina** *Spin.* Essai s. I. Hém. 1837. *Theresina* (Anagramma). **Pentatomides.**
- Eucoryssus** *Am. et A. Serv.* Hém. 1843. *εὖ*, benè; *κορυῖσσω*, armo. **Pentatomides.**
- Eulyes** *Am. et A. Serv.* Hém. 1843. *eul*, duplex; *ye*, alatus (*sin.*). **Reduwini.**
- Eurybrachys** (*Guér.*) *Am. et A. Serv.* Hém. 1843. *εὐρύς*, latus; *βραχὺς*, brevis. **Fulgorellae.**

- Eurygastrides** *Am. et A. Serv. Hém. 1843. Eurygaster. Pentatomides.*
- Eurymela** *Hoffmsg. — Etym. εὐρύς, latus; μέλος, membrum. — Cicadellae.*
- Eurymelides** *Am. et A. Serv. Hém. 1843. Eurymela. Cicadellae.*
- Eurypleura** *Am. et A. Serv. Hém. 1843. εὐρύς, latus; πλευρά, costa. Pentatomides.*
- Euryptera** *Guér. in Bélang. Voy. Ind. Orient. 1834. εὐρύς, latus; πτερόν, ala. Fulgorellae.*
- Evagoras** (*Burm.*) *Am. et A. Serv. Hém. 1843. (Vid. Euagoras). — Reduvini.*
- Evoplitus** *Am. et A. Serv. Hém. 1843. εὖ, benè; ὀπλίτης, armatus. Pentatomides.*
- Fidicina** *Am. et A. Serv. Hém. 1843. Fidicinus. Cicadellae.*
- Flata** *Fabr. — Etym. Flatus. — Fulgorellae.*
- Flatides** *Am. et A. Serv. Hém. 1843. Flata. Fulgorellae.*
- Fulgorides** *Am. et A. Serv. Hém. 1843. Fulgora. Fulgorellae.*
- Gaeana** *Am. et A. Serv. Hém. 1843. gayana, cantator (sanscr.). Cicadellae.*
- Galedanta** *Am. et A. Serv. Hém. 1843. gala, collum; danta, dens (sanscr.). Pentatomides.*
- Galgulides** *Am. et A. Serv. Hém. 1843. Galgulus. = Galgulites.*
- Galgupha** *Am. et A. Serv. Hém. 1843. gal, acerva; guph, corpus (hebr.). Pentatomides.*
- Galostha** *Am. et A. Serv. Hém. 1843. gala, collum; oshtha, labrum. (sanscr.). Pentatomides.*
- Gargara** *Am. et A. Serv. Hém. 1843. gargar, granum (hebr.). Membracides.*
- Geocorizes** *Spin. Essai s. I. Hém. 1837. Geocoris. = Geocorisae.*
- Germaria** *Lap. Ann. Soc. Ent. Fr. I, 1832. Dic. GERMAR. Cicadellae.*
- Gerrides** *Am. et A. Serv. Hém. 1843. Gerris. Ploteres.*
- Globulosi** *Am. et A. Serv. Hém. 1843. Globulosus. Pentatomides.*
- Golema** *Am. et A. Serv. Hém. 1843. golem, clava impolita (hebr.). Coreides.*
- Gonopsis** *Am. et A. Serv. Hém. 1843. γωνία, angulus; ὄψις, facies. Pentatomides.*
- Gradipedes** *Am. et A. Serv. Hém. 1843. Gradus; pes. Aphidii.*
- Gypona** *Germ. Mag. d. Ent. IV, 1821. γύπωνες, saltatores. Cicadellae.*
- Halyses** *Am. et A. Serv. Hém. 1843. Halys. Pentatomides.*
- Harpactor** *Lap. — Etym. ἄρπακτῆρ, raptor. — Reduvini.*
- Harpactorides** *Am. et A. Serv. Hém. 1843. Harpactor. Reduvini.*
- Hebrides** *Am. et A. Serv. Hém. 1843. Hebrus. Ploteres.*
- Helicoptera** *Am. et A. Serv. Hém. 1843. ἑλιξ, helix; πτερόν, ala. Fulgorellae.*
- Helonotus** *Am. et A. Serv. Hém. 1843. ἥλος, clavus; νῶτος, dorsum. Reduvini.*
- Hemisciera** *Am. et A. Serv. Hém. 1843. ἥμισυς, semi; σκιερὸς, opacus. Cicadellae.*
- Henetaris** *Spin. Essai s. I. Hém. 1837. (Vid. Henestaris). — Theresina (Anagramma). Lygaeites.*
- Heniartes** *Spin. Essai. s. I. Hém. 1837. Theresina (Anagramma). Reduvini.*
- Herega** *Am. et A. Serv. Hém. 1843. hereg, homicidium (hebr.). Reduvini.*
- Heterocrates** *Am. et A. Serv. Hém. 1843. ἕτερος, diversus; κράς, caput. Pentatomides.*



- Meza** *Am. et A. Serv. Hém. 1843. hez, hircus. (hebr.). Reduvini.*
- Hiverus** *Am. et A. Serv. Hém. 1843. hiver, cæcus (hebr.). Pentatomides.*
- Holoptilides** *Am. et A. Serv. Hém. 1843. Holoptilus. Reduvini.*
- Holotrichides** *Am. et A. Serv. Hém. 1843. Holotrichius. Reduvini.*
- Homæocerus** (*Burm.*) *Am. et A. Serv. Hém. 1843. = Homœocerus. — Coreides.*
- Homalocephala** *Am. et A. Serv. Hém. 1843. ὁμαλὸς, planus; κεφαλή, caput. Fulgorellae.*
- Homalocoris** *Perty Del. An. Art. 1830. ὁμαλὸς, planus; κόρις, cimex. Pentatomides.*
- Homéocérides** *Am. et A. Serv. Hém. 1843. Homæocerus. Coreides.*
- Homœocerus** *Burm. Handb. Entom. II, 1835. ὁμοιος, similis; κέρας, cornu. Coreides.*
- Hoplophorides** *Am. et A. Serv. Hém. 1843. Hoplophora. Membracides.*
- Hotea** *Am. et A. Serv. Hém. 1843. hote, chlamys (hebr.). Pentatomides.*
- Hotinus** *Am. et A. Serv. Hém. 1843. ho, ignis; ting, vertex (sin.). Fulgorellae.*
- Huechys** *Am. et A. Serv. Hém. 1843. hue, sanguis; ky, cicada (sin.). Cicadellae.*
- Hyalymenus** *Am. et A. Serv. Hém. 1843. ὑάλος, vitrum; ὑμῆν, membrana. Coreides.*
- Hydrocorizes** *Spin. Essai s. I. Hém. 1837. = Hydrocorisae.*
- Hydrometrices** *Am. et A. Serv. Hém. 1843. Hydrometra. Ploteres.*
- Hydrometrina** *Newm. Ent. Mag. II, . . . Hydrometra. Ploteres.*
- Hygiops** *Am. et A. Serv. Hém. 1843. ὑγιής, sanus; ὄψ, oculus. Fulgorellae.*
- Hymenarcys** *Am. et A. Serv. Hém. 1843. ὑμῆν, membrana; ἄρκυς, rete. Pentatomides.*
- Hymenophora** *Am. et A. Serv. Hém. 1843. ὑμῆν, membrana; φορὸς, ferens. = Hymeniphora. — Cor.*
- Hypencha** *Am. et A. Serv. Hém. 1843. ὑπὸ, sub; ἔγχος, ensis. Pentatomides.*
- Hypoxys** *Am. et A. Serv. Hém. 1843. ὑπὸ, sub; ὀξύς, acutus. Pentatomides.*
- Hypsauchenia** *Germ. in Silb. Rev. ent. III, . . . ὑψος, elevatio; ἀρχήν, cervix. Membracides.*
- Hypselopus** *Burm. Handb. Entom. II, 1835. (Vid. Hypselophus). — ὑψηλὸς, altus; πῆς, pes. Coreid.*
- Hysteropterum** *Am. et A. Serv. Hém. 1843. ὑστερος, posterior; περὸν, ala. Fulgorellae.*
- Jassides** *Am. et A. Serv. Hém. 1843. Jassus. Cicadellae.*
- Infericornes** *Am. et A. Serv. Hém. 1843. Inferus; cornu. Lygaeites.*
- Irochrotus** *Am. et A. Serv. Hém. 1843. εἶρος, lana; χροῦς, corpus. Pentatomides.*
- Isodermus** *Erichs. Arch. f. Naturg. VIII, 1842. ἴσος, æqualis; δέρμα, cutis. Reduvini.*
- Isocondylus** *Am. et A. Serv. Hém. 1843. ἴσος, æqualis; κόνδυλος, articulatio. Reduvini.*
- Issides** *Am. et A. Serv. Hém. 1843. Issus. Fulgorellae.*
- Laevipedes** *Am. et A. Serv. Hém. 1843. Lævis; pes. Cicadellae.*
- Laninsecta** *Am. et A. Serv. Hém. 1843. Lana; insectum. Capsini.*
- Lappida** *Am. et A. Serv. Hém. 1843. lappida, lucerna (hebr.). Fulgorellae.*
- Largides** *Am. et A. Serv. Hém. 1843. Largus. Lygaeites.*
- Laternaria** *Linn. Mus. L. Ulr. 1764. Laterna. Fulgorellae.*

- Lecticolae** *Am. et A. Serv. Hém. 1843. Lectum; colo. Cimicites.*
- Leptopides** *Am. et A. Serv. Hém. 1843. Leptopus. Riparii.*
- Lepyronia** *Am. et A. Serv. Hém. 1843. λεπύρον, concha ovi. Cicadellae.*
- Lestomerus** *Am. et A. Serv. Hém. 1843. λεστής, latro; μηρός, femur. Reduwini.*
- Linicornes** *Am. et A. Serv. Hém. 1843. Linum; cornu. Coreides.*
- Lobostoma** *Am. et A. Serv. Hém. 1843. λοβός, lobus, στόμα, os. Pentatomides.*
- Lohita** *Am. et A. Serv. Hém. 1843. lohita, ruber. (sanscr.). Lygaeites.*
- Longicoxi** *Am. et A. Serv. Hém. 1843. Longus; coxa. Reduwini.*
- Longiscuti** *Am. et A. Serv. Hém. 1843. Longus; scutum. Pentatomides.*
- Lophops** *Spin. in Guér. Rev. zool. 1839. λόφος, crista; ὄψ, facies. Fulgorellae.*
- Loxa** *Am. et A. Serv. Hém. 1843. λοξός, obliquus. Pentatomides.*
- Lycoderes** *Germ. in Silb. Rev. . . . λύκος, lupus, δέση, collum. Membracides.*
- Machtima** *Am. et A. Serv. Hém. 1843. chatam, produco (hebr.). Coreides.*
- Macrina** *Am. et A. Serv. Hém. 1843. macrin, cornutus (hebr.). Pentatomides.*
- Macrocephalides** *Am. et A. Serv. Hém. 1843. Macrocephalus. Phymatites.*
- Macrocheraia** *Guér. Icon. R. an. . . . = Macroceraea. — Lygaeites.*
- Macropides** *Am. et A. Serv. Hém. 1843. Macrops. Reduwini.*
- Macropsis** *Lewis Trans. Ent. Soc. Lond. I, 1836. μακρός, longus; ὄψις, facies. Cicadellae.*
- Maotys** *Am. et A. Serv. Hém. 1843. mao, pila; ty, corpus (sin.). Reduwini.*
- Mattiphus** *Am. et A. Serv. Hém. 1843. mattiph, distillator (hebr.). Pentatomides.*
- Megyménides** *Am. et A. Serv. Hém. 1843. Megymentum. Pentatomides.*
- Meloza** *Am. et A. Serv. Hém. 1843. luz, amoveo (hebr.). Coreides.*
- Melucha** *Am. et A. Serv. Hém. 1843. lucha, axis (hebr.). Coreides.*
- Membracis** *Fabr. — Etym. Membrana? — Membracides.*
- Menaccarus** *Am. et A. Serv. Hém. 1843. nacar, fodere (hebr.). Pentatomides.*
- Menipha** *Am. et A. Serv. Hém. 1843. nuph, ungere (hebr.). Pentatomides.*
- Metapodius** *Westw. in Hope Catal. II, 1837. = Metopodus. — Coreides.*
- Metastemma** *Am. et A. Serv. Hém. 1843. μετά, retrorsum; στέμμα, ocellus. Reduwini.*
- Metopodus** *Am. et A. Serv. Hém. 1843. μέτωπον, frons; ὀδούς, dens. Coreides.*
- Mezira** *Am. et A. Serv. Hém. 1843. zara, nausea (hebr.). Aradites.*
- Micrauchenus** *Am. et A. Serv. Hém. 1843. μικρός, parvus; ἀντήν, collum. Reduwini.*
- Mictides** *Am. et A. Serv. Hém. 1843. Mictis. Coreides.*
- Mictis** *Leach Zool. Misc. I, 1814. = Myctis. — Coreides.*
- Mirides** *Am. et A. Serv. Hém. 1843. Miris. Capsini.*
- Mogannia** *Am. et A. Serv. Hém. 1843. mogannia, cantatrix (arab.). Cicadellae.*
- Molchina** *Am. et A. Serv. Hém. 1843. Lachina, putere (arab.). Coreides.*

- Monanthia** *St. Farg.* — Etym. *μονή*, habitaculum; *άνθος*, flos. — **Tingidites.**
- Monecphora** *Am. et A. Serv.* Hém. 1843. *μόνος*, solus; *έκχορά*, eminentia. **Cicadellae.**
- Monopsis** *Spin.* — Etym. *μόνος*, solus; *όψις*, facies. — **Fulgorellae.**
- Montina** *Am. et A. Serv.* Hém. 1843. *muntin*, putens (*arab.*) **Reduvini.**
- Mormidea** *Am. et A. Serv.* Hém. 1843. *μορμώ*, strix; *ιδέα*, aspectus. **Pentatomides.**
- Mozena** *Am. et A. Serv.* Hém. 1843. *ozen*, auris (*hebr.*) **Coreides.**
- Mucanum** *Am. et A. Serv.* Hém. 1843. *meou*, lancea; *kan*, scutum (*sin.*) **Pentatomides.**
- Mustha** *Am. et A. Serv.* Hém. 1843. *Mushuth*, pecten (*arab.*) **Pentatomides.**
- Mycterodes** *Spin.* Ann. Soc. Ent. VIII, 1839. — (Vid. **Mycterodus**). — **Fulgorellae.**
- Mycoris** *Burm.* — Etym. *μυίς*, musca; *κόρις*, cimex. — **Reduvini.**
- Myrochea** *Am. et A. Serv.* Hém. 1843. *μύρον*, unguentum; *χεώ*, fundo. **Pentatomides.**
- Myzoxylides** *Am. et A. Serv.* Hém. 1843. *Myzoxylus*. **Aphidii.**
- Myzoxylus** *Am. et A. Serv.* Hém. 1843. — (Vid. **Myzoxyle**). — **Aphidii.**
- Namacus** *Am. et A. Serv.* Hém. 1843. *namac*, puo (*hebr.*) **Coreides.**
- Naucorides** *Am. et A. Serv.* Hém. 1843. *Naucoris*. **Nepides.**
- Nematopides** *Am. et A. Serv.* Hém. 1843. *Nematopus*. **Coreides.**
- Nephesa** *Am. et A. Serv.* Hém. 1843. *nephas*, flatus. (*arab.*) **Fulgorellae.**
- Nepina** *Newm.* Ent. Mag. II, . . . *Nepa*. **Nepides.**
- Nevroscia** *Am. et A. Serv.* Hém. 1843. *νεῦρον*, nervus; *σκιά*, umbra. **Pentatomides.**
- Nezara** *Am. et A. Serv.* Hém. 1843. *nezar*, cinctus cingulo (*hebr.*) **Pentatomides.**
- Nodicornes** *Am. et A. Serv.* Hém. 1843. *Nodus*; *cornu*. **Coreides.**
- Notocera** *Am. et A. Serv.* Hém. 1843. *νότος*, dorsum; *κέρας*, cornu. **Membracides.**
- Notonectina** *Newm.* Ent. Mag. II, . . . *Notonecta*. **Notonectides.**
- Nudimargines** *Am. et A. Serv.* Hém. 1843. *Nudus*; *margo*. **Fulgorellae.**
- Nudipedes** *Am. et A. Serv.* Hém. 1843. *Nudus*; *pes*. **Pentatomides.**
- Nudirostri** *Am. et A. Serv.* Hém. 1843. *Nudus*; *rostrum*. **Heteroptera.**
- Nudiscuti** *Am. et A. Serv.* Hém. 1843. *Nudus*; *scutum*. **Cicadellae.**
- Octicelli** *Am. et A. Serv.* Hém. 1843. *Octo*; *cella*. **Stridulantes.**
- Oculati** *Am. et A. Serv.* Hém. 1843. *Oculus*. **Riparii.**
- Odontoscelides** *Am. et A. Serv.* Hém. 1843. *Odontoscelis*. **Pentatomides.**
- Oeda** *Am. et A. Serv.* Hém. 1843. *οιδέω*, inflo. **Membracides.**
- Oedancala** *Am. et A. Serv.* Hém. 1843. *οιδέω*, inflo; *άγκάλη*, brachium. **Lygaeites.**
- Oedosoma** *Am. et A. Serv.* Hém. 1843. *ώοειδής*, oviformis; *σώμα*, corpus. **Pentatomides.**
- Opinus** *Lap.* Essai Cl. syst. Hém. 1833. *Nom. propr.* **Reduvini.**
- Orbiscuti** *Am. et A. Serv.* Hém. 1843. *Orbis*; *scutum*. **Pentatomides.**
- Orthezia** *Am. et A. Serv.* Hém. 1843. *Dic.* ORTHEZ. **Coccides.**


- Orthézides** *Am. et A. Serv. Hém. 1843. Orthezia. Coccides.*
- Orthorhaphia** (*Westw.*) *Am. et A. Serv. Hém. 1843. — (Vid. Orthorapha). — Cicadellae.*
- Oxynotides** *Am. et A. Serv. Hém. 1843. Oxynotus. Pentatomides.*
- Oxypleura** *Am. et A. Serv. Hém. 1843. ὀξύς, acutus; πλευρά, latus. Stridulantes.*
- Oxyrhinus** *Am. et A. Serv. Hém. 1843. ὀξύς, acutus; ῥιν, nasus. Pentatomides.*
- Oxythyreus** *Westw. Trans. Ent. Soc. III, 18. . . ὀξύς, acutus; θυρεός, scutum. Phymatites.*
- Pachycorides** *Am. et A. Serv. Hém. 1843. Pachycoris. Pentatomides.*
- Passaleutus** *Am. et A. Serv. Hém. 1843. πασσαλευτός, clavatus. Reduvini.*
- Pediopsis** *Burm. — Etym. πεδίον, pedica; ὄψις, facies. — Cicadellae.*
- Pedirapti** *Am. et A. Serv. Hém. 1843. Pes; raptus. Nepides.*
- Pediremi** *Am. et A. Serv. Hém. 1843. Pes; remus. Notonectides.*
- Pelogonides** *Am. et A. Serv. Hém. 1843. Pelogonus. Galgolini.*
- Peltophora** *Burm. — Etym. πέλτη, scutum; φορός, ferens. — Pentatomides.*
- Pephricus** *Am. et A. Serv. Hém. 1843. πεφρικώς, echinatus. Coreides.*
- Peromatus** *Am. et A. Serv. Hém. 1843. πήρωμα, mutilatio. Pentatomides.*
- Petalops** *Am. et A. Serv. Hém. 1843. πέταλον, folium; ὄψ, facies. Coreides.*
- Phalaenomorpha** *Am. et A. Serv. Hém. 1843. φάλαινα, phalæna; μορφή, forma. Fulgorellae.*
- Philia** *Schiödt in Kröyer Naturh. Tidsk. IV, 1842. φιλέω, amo. Pentatomides.*
- Phimodera** *Germ. — Etym. φιμός, frenum; δέση, collum. — Pentatomides.*
- Phléides** *Am. et A. Serv. Hém. 1843. Phloea. Pentatomides.*
- Phrictus** *Spin. in Guér. Rev. Zool. 1839 — (non Mag.) — Fulgorellae.*
- Phyllocephalides** *Am. et A. Serv. Hém. 1843. Phyllocephala. Pentatomides.*
- Phyllochirus** *Am. et A. Serv. Hém. 1843. — (Vid. Phyllocheirus). — Pentatomides.*
- Phyllyphanta** *Am. et A. Serv. Hém. 1843. φύλλον, folium; ύφαντός, textus. Fulgorellae.*
- Phymatides** *Am. et A. Serv. Hém. 1843. Phymata. Phymatites.*
- Physopelta** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; πέλτη, scutum. Lygaeites.*
- Physoplia** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; ὄπλον, arma. Membracides.*
- Physorhynchus** *Am. et A. Serv. Hém. 1843. φυσάω, inflo; ῥύγχος, rostrum. Reduvini.*
- Phytathelgi** *Am. et A. Serv. Hém. 1843. φυτὸν, planta; ἀθέλγω, mulgeo. Capsini.*
- Picromerus** *Am. et A. Serv. Hém. 1843. πικρός, amarus; μηρός, lumbus. Pentatomides.*
- Piesmides** *Am. et A. Serv. Hém. 1843. Piesma. Tingidites.*
- Piestosoma** *Lap. — Etym. πιεστός, depressus; σῶμα, corpus. — Tingidites.*
- Piezogaster** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; γαστήρ, venter. Coreides.*
- Piezopleura** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; πλευρά, latus. Reduvini.*
- Piezosternum** *Am. et A. Serv. Hém. 1843. πιέζω, deprimo; στέρον, sternum. Pentatomides.*
- Piratides** *Am. et A. Serv. Hém. 1843. Pirates. Reduvini.*

- Placosternum** *Am. et A. Serv. Hém. 1843.* πλάξ, lamina; στέρονον, sternum. **Pentatomides.**
- Planidorsi** *Am. et A. Serv. Hém. 1843.* Planus; dorsum. **Cicadellae.**
- Planigeni** *Am. et A. Serv. Hém. 1843.* Planus; gena. **Fulgorellae.**
- Platymerus** *Am. et A. Serv. Hém. 1843.* — (Vid. **Platymeris**). — **Reduvini.**
- Platynopus** *Am. et A. Serv. Hém. 1843.* πλατύνω, dilato; ποῦς, pes. **Pentatomides.**
- Platypleura** *Am. et A. Serv. Hém. 1843.* πλατύς, planus; πλευρά, latus. **Stridulantes.**
- Plenifrontes** *Am. et A. Serv. Hém. 1843.* Plenus; frons. **Coreides.**
- Plociomerus** *Say Descr. Het. Hem. 1831.* πλόκιος, astrictus; μηρός, lumbus. **Lygaeites.**
- Plocaria** *Am. et A. Serv. Hém. 1843.* — (Vid. **Ploiaria**). — **Reduvini.**
- Plocogaster** *Am. et A. Serv. Hém. 1843.* πλοῖον, navis; γαστήρ, venter. **Reduvini.**
- Pochazia** *Am. et A. Serv. Hém. 1843.* pochaz, levis (*hebr.*) **Fulgorellae.**
- Pododides** *Am. et A. Serv. Hém. 1843.* Pododus. **Pentatomides.**
- Pododus** *Am. et A. Serv. Hém. 1843.* ποῦς, pes; ὄδους, dens. **Pentatomides.**
- Poecilochroma** *White Trans. Entom. Soc. L. III, 1842.* ποικίλος, variegatus; χροῶμα, color. **Pentatom.**
- Polynévrides** *Am. et A. Serv. Hém. 1843.* Polyneura. **Stridulantes.**
- Ponerobia** *Am. et A. Serv. Hém. 1843.* πονηρός, perversus; βίος, vita. **Reduvini.**
- Pothea** *Am. et A. Serv. Hém. 1843.* pothe, bardus (*hebr.*) **Reduvini.**
- Prismatocerus** *Am. et A. Serv. Hém. 1843.* πρίσμα, prisma; κέρας, cornu. **Coreides.**
- Pristhesancus** *Am. et A. Serv. Hém. 1843.* prishtha, dorsum; sancu, clavus (*sanscr.*) **Reduvini.**
- Pristhevarma** *Am. et A. Serv. Hém. 1843.* prishtha, dorsum; varma, scutum (*sanscr.*) **Reduvini.**
- Probaenops** *White in Entomologist, 1842.* προβαίνω, procedo; ὄψ, facies. **Pentatomides.**
- Proconia** *Lep. et A. Serv. Ann. Soc. Ent. Fr. I, 1832.* πρό, antè; κῶνος, conus. **Cicadellae.**
- Prooxys** *Am. et A. Serv. Hém. 1843.* τρὸ, antè; ὄξυς, acutus. — (Vid. **Proxys**). — **Pentatomid.**
- Pseudophanides** *Am. et A. Serv. Hém. 1843.* Pseudophana. **Fulgorellae.**
- Pterotmetus** *Am. et A. Serv. Hém. 1843.* πτερόν, ala; τμύω, seco. **Lygaeites.**
- Ptilomera** *Am. et A. Serv. Hém. 1843.* πτιλον, ala; μηρός, crus. **Ploteres.**
- Pycanum** *Am. et A. Serv. Hém. 1843.* py, cochlear; kan, scutum (*sin.*) **Pentatomides.**
- Pycnos** *Am. et A. Serv. Hém. 1843.* πυκνός, spissus. **Stridulantes.**
- Pygoda** *Am. et A. Serv. Hém. 1843.* πυγή, anus; ὄδους, dens. **Pentatomides.**
- Pygolampis** *Germ. — Etym. πυγή, anus; λαμπάς, lucerna. — Reduvini.*
- Pyrrhocorides** *Am. et A. Serv. Hém. 1843.* Pyrrhocoris. **Lygaeites.**
- Rachava** *Am. et A. Serv. Hém. 1843.* rachav, largus (*hebr.*) **Pentatomides.**
- Ramicornes** *Am. et A. Serv. Hém. 1843.* Ramus; cornu. **Reduvini.**
- Raphirhinus** *Lap. Ann. Soc. Ent. Fr. I, 1832.* ῥαφίς, acus; ῥίν, nasus. **Homoptera.**
- Rasahus** *Am. et A. Serv. Hém. 1843.* rashah, sceleratus (*hebr.*) **Reduvini.**
- Reduvides** *Am. et A. Serv. Hém. 1843.* Reduvius. **Reduvini.**

- Reduvites** Spin. Essai. s. l. Hém. 1837. *Reduvius*. **Reduvini.**
- Resthenia** Spin. — Etym. *Theresina* (Anagramma). — **Capsini.**
- Reticelli** Am. et A. Serv. Hém. 1843. *Rete; cella*. **Stridulantes.**
- Rhaphidosoma** Am. et A. Serv. Hém. 1843. *ῥαφίς, acus; σῶμα, corpus*. **Reduvini.**
- Rhaphigaster** Lap. Essai Cl. syst. Hém. 1833. *ῥαφίς, acus; γαστήρ, venter*. **Pentatomides.**
- Rhaphigastrides** Am. et A. Serv. Hém. 1843. *Rhaphigaster*. **Pentatomides.**
- Rhaphirhinus** Lap. Ann. Soc. Ent. Fr. I, 1832. *ῥαφίς, acus; ῥίη, nasus*. **Cicadellae.**
- Rhinaulax** Am. et A. Serv. Hém. 1843. *ῥίη, nasus; αὐλάξ, sulcus*. **Cicadellae.**
- Rhopalides** Am. et A. Serv. Hém. 1843. *Rhopalus*. **Coreides.**
- Rhyparochromides** Am. et A. Serv. Hém. 1843. *Rhyparochromus*. **Lygaeites.**
- Ricania** (**Rycania**) Germ. Mag. d. Ent. III, 1818. *ῥυκάνη, runcina*. **Fulgorellae.**
- Ricanides** Am. et A. Serv. Hém. 1843. *Ricania*. **Fulgorellae.**
- Ripicolae** Am. et A. Serv. Hém. 1843. *Ripa; colo*. **Phymatites.**
- Saccoderides** Am. et A. Serv. Hém. 1843. *Saccoderes*. **Reduvini.**
- Sachana** Am. et A. Serv. Hém. 1843. *tsachana, putor (hebr.)* **Pentatomides.**
- Saica** Am. et A. Serv. Hém. 1843. *shaica, spinosus (arab.)* **Reduvini.**
- Sallipedes** Am. et A. Serv. Hém. 1843. *Saltus; pes*. **Homoptera.**
- Salyavata** Am. et A. Serv. Hém. 1843. *salya, hystrix; vata, custos (sanscr.)* **Reduvini.**
- Salyavatides** Am. et A. Serv. Hém. 1843. *Salyavata*. **Reduvini.**
- Sastragala** Am. et A. Serv. Hém. 1843. *sastra, arma; gala, collum (sanscr.)* **Pentatomides.**
- Sastrapada** Am. et A. Serv. Hém. 1843. *sastra, arma; pada, pes (sanscr.)* **Reduvini.**
- Sava** Am. et A. Serv. Hém. 1843. *tsava, inflatus (hebr.)* **Reduvini.**
- Scarides** Am. et A. Serv. Hém. 1843. *Scaris*. **Cicadellae.**
- Scaris** A. Serv. — Etym. *σκαίρω, salio*. — **Cicadellae.**
- Schizops** Spin. Essai s. l. Hém. 1837. *σχίζω, findo; ὤψ, facies*. **Pentatomides.**
- Sciocorides** Am. et A. Serv. Hém. 1843. *Sciocoris*. **Pentatomides.**
- Sciodopterus** Am. et A. Serv. Hém. 1843. *σκιώδης, opacus; πτερὸν, ala*. **Riparii.**
- Scytinelytra** Am. et A. Serv. Hém. 1843. *σχύτινος, coriaceus; ἔλυτρον, elytrum*. **Homoptera.**
- Sectifrontes** Am. et A. Serv. Hém. 1843. *Sectus; frons*. **Pentatomides.**
- Shirides** Am. et A. Serv. Hém. 1843. *Shirus*. **Pentatomides.**
- Shirus** Am. et A. Serv. Hém. 1843. *shir, echinatus (hebr.)* **Pentatomides.**
- Sephela** Am. et A. Serv. Hém. 1843. *shephela, complanatio (hebr.)* **Pentatomides.**
- Sephina** Am. et A. Serv. Hém. 1843. *sephina, cymba (hebr.)* **Coreides.**
- Serenthia** Spin. — Etym. *Theresina* (Anagramma). — **Tingidites.**
- Serripedes** Am. et A. Serv. Hém. 1843. *Serra; pes*. **Cicadellae.**
- Sinea** Am. et A. Serv. Hém. 1843. *sene, sentis (hebr.)* **Reduvini.**

- Solenostethium** *Am. et S. Hém.* 1843. σωλήν, canalis; στῆθος, pectus. = **Solenosthedium**. — **Pent.**
- Spartocerides** *Am. et A. Serv.* Hém. 1843. *Spartocera*. **Coreides.**
- Spathophora** *Am. et A. Serv.* Hém. 1843. σπάθη, spathula; φορὸς, ferens. **Coreides.**
- Sphaeridops** *Am. et A. Serv.* Hém. 1843. σφαῖρα, sphaera; ὄψ, oculus. **Reduvini.**
- Sphaeronotus** *Lap. Ann. Soc. Ent. Fr.* 1, 1832. σφαῖρα, sphaera; νῶτος, dorsum. **Membracides.**
- Sphenorhina** *Am. et A. Serv.* Hém. 1843. σφήν, cuneus; ῥίν, nasus. **Cicadellae.**
- Sphéridopides** *Am. et A. Serv.* Hém. 1843. *Sphaeridops*. **Reduvini.**
- Spinifrontes** *Am. et A. Serv.* Hém. 1843. *Spina*; *frons*. **Coreides.**
- Spinipedes** *Am. et A. Serv.* Hém. 1843. *Spina*; *pes*. **Pentatomides.**
- Spissipedes** *Am. et A. Serv.* Hém. 1843. *Spissus*; *pes*. **Phymatites.**
- Spissirostri** *Am. et A. Serv.* Hém. 1843. *Spissus*; *rostrum*. **Pentatomides.**
- Spongipedes** *Am. et A. Serv.* Hém. 1843. *Spongus*; *pes*. **Reduvini.**
- Stagnigradi** *Am. et A. Serv.* Hém. 1843. *Stagnum*; *gradus*. **Ploteres.**
- Stenopodides** *Am. et A. Serv.* Hém. 1843. *Stenopoda*. **Reduvini.**
- Sternorhynchi** *Am. et A. Serv.* Hém. 1843. στέρον, sternum; ῥύγχος, rostrum. **Homoptera.**
- Stiretrides** *Am. et A. Serv.* Hém. 1843. *Stiretrus*. **Pentatomides.**
- Strachia** *Hahn.* — Etym. στραγγεῦω, stillo. — **Pentatomides.**
- Strigimargines** *Am. et A. Serv.* Hém. 1843. *Striga*; *margo*. **Fulgorellae.**
- Strombosoma** *Am. et A. Serv.* Hém. 1843. στρόμβος, turbo; σῶμα, corpus. **Pentatomides.**
- Subtericornes** *Am. et A. Serv.* Hém. 1843. *Subterus*; *cornu*. **Fulgorellae.**
- Sundarus** *Am. et A. Serv.* Hém. 1843. *sundara*, elegancia (*sanscr.*) **Coreides.**
- Supericornes** *Am. et A. Serv.* Hém. 1843. *Superus*; *cornu*. **Coreides.**
- Sycanus** *Am. et A. Serv.* Hém. 1843. *chy*, hastula; *kan*, scutum (*sin.*) **Reduvini.**
- Syromastes** *Latr.* — Etym. σύρω, traho; μαστός, mamma. — **Coreides.**
- Syromastides** *Am. et A. Serv.* Hém. 1843. *Syromastes*. **Coreides.**
- Tacua** *Am. et A. Serv.* Hém. 1843. *ta*, magnus; *kou*, tympanum (*sin.*) **Stridulantes.**
- Tarisa** *Am. et A. Serv.* Hém. 1843. *taris*, scuto tectus (*arab.*) **Pentatomides.**
- Taurocerus** *Am. et A. Serv.* Hém. 1843. ταῦρος, taurus; κέρασ, cornu. **Pentatomides.**
- Tectiscuti** *Am. et A. Serv.* Hém. 1843. *Tectus*; *scutum*. **Membracides.**
- Tesseratoma** *Am. et A. Serv.* Hém. 1843. — (Vid. **Tessaratomy**). — **Pentatomides.**
- Tetragonocephali** *Am. et A. Serv.* Hém. 1843. τετράγωνος, quadrangulus; κεφαλή, caput. **Coreid.**
- Tetroda** *Am. et A. Serv.* Hém. 1843. τέτρα, quatuor; ὀδοῦς, dens. **Pentatomides.**
- Tetroxia** *Am. et A. Serv.* Hém. 1843. τέτρα, quatuor; ὄξυ, acus. **Reduvini.**
- Tettigades** *Am. et A. Serv.* Hém. 1843. τέττιξ, cicada; ἄδης, inferi. **Stridulantes.**
- Tettigometrides** *Am. et A. Serv.* Hém. 1843. *Tettigometra*. **Fulgorellae.**
- Tettigomyia** *Am. et A. Serv.* Hém. 1843. τέττιξ, cicada; μῦια, musca. **Stridulantes.**

- Tetyrides** *Am. et A. Serv. Hém. 1843. Tetyra. Pentatomides.*
- Thelia** *Am. et A. Serv. Hém. 1843. theli, culter (hebr.) Membracides.*
- Thelima** *Am. et A. Serv. Hém. 1843. thelem, sulcus (hebr.) Pentatomides.*
- Therava** *Am. et A. Serv. Hém. 1843. tharaph, unde Theraphim, nomen idoli (hebr.) Coreides.*
- Thopha** *Am. et A. Serv. Hém. 1843. thoph, tympanum (hebr.) Stridulantes.*
- Thyreocorides** *Am. et A. Serv. Hém. 1843. Thyreocoris. Pentatomides.*
- Tingides** *Am. et A. Serv. Hém. 1843. Tingis. Tingidites.*
- Tlasia** *Germ. in Silb. Rev. iv, 1836. τλάω, patior. Cicadellae.*
- Tomaspis** *Am. et A. Serv. Hém. 1843. τέμνω, emargino; άσπίς, scutum. Cicadellae.*
- Tosena** *Am. et A. Serv. Hém. 1843. to, crassus; chen, cicada (sin.) Stridulantes.*
- Tosenides** *Am. et A. Serv. Hém. 1843. Tosena. Stridulantes.*
- Trichoscelis** *Am. et A. Serv. Hém. 1843. θροῖξ, pilum; σκελῖς, perna. Reduvini.*
- Tricephora** *Am. et A. Serv. Hém. 1843. τρεῖς, tres; έκφορά, eminentia. Cicadellae.*
- Trigonocephali** *Am. et A. Serv. Hém. 1843. τρίγωνος, triangulus; κεφαλή, caput. Coreides.*
- Tritomegas** *Am. et A. Serv. Hém. 1843. τρίτος, tertius; μέγας, magnus. Pentatomides.*
- Tynotoma** *Am. et A. Serv. Hém. 1843. τύνος, parvus; τομή, segmen. Coreides.*
- Ugyops** *Guér. Voy. Ind. orient. 1834. — (Vid. Hygiops). — Fulgorellae.*
- Ulopides** *Am. et A. Serv. Hém. 1843. Ulopa. Cicadellae.*
- Uroxiphus** *Am. et A. Serv. Hém. 1843. ούρα, cauda; ξιφός, ensis. Cicadellae.*
- Velides** *Am. et A. Serv. Hém. 1843. Velia. Ploteres.*
- Verlusia** *Spin. — Etym. Valerius (Anagramma). — Coreides.*
- Vulsirea** *Spin. — Etym. Valerius (Anagramma). — Pentatomides.*
- Yolinus** *Am. et A. Serv. Hém. 1843. yo, pretiosus; ling, cælatura perlucida (sin.) Reduvini.*
- Zaitha** *Am. et A. Serv. Hém. 1843. zaith, oliva (hebr.) Nepides.*
- Zalega** *Am. et A. Serv. Hém. 1843. zalag, unde nomen fuscina est deductum (hebr.) Pentatomides.*
- Zammara** *Am. et A. Serv. Hém. 1843. zammar, cantator (hebr.) Stridulantes.*
- Zélides** *Am. et A. Serv. Hém. 1843. Zelus. Reduvini.*
- Zicca** *Am. et A. Serv. Hém. 1843. zacac, stillo (hebr.) Coreides.*
- Zicrona** *Am. et A. Serv. Hém. 1843. zicron, odorans (hebr.) Pentatomides.*
- Zinneca** *Am. et A. Serv. Hém. 1843. zanac, salio (hebr.) Cicadellae.*
- Zoreva** *Am. et A. Serv. Hém. 1843. zarav, fluo (hebr.) Coreides.*





CONSPECTUS FAMILIARUM  
**HEMIPTERORUM.**

**Heteroptera.**

*Pentatomides.*  
*Coreides.*  
*Lygæites.*  
*Capsini.*  
*Tingidites.*  
*Aradites.*  
*Reduvini.*  
*Phymatites.*  
*Acanthillæ s. Riparii.*  
*Nepidæ.*  
*Galgulites.*  
*Ploteres.*  
*Notonectides.*

**Homoptera.**

*Fulgorellæ.*  
*Membracides.*  
*Cicadellæ.*  
*Stridulantes.*  
*Psyllidæ.*  
*Aphidii.*  
*Aleyrodides.*  
*Coccides.*

*Genera sequentia*: Carineta, Cicada, *Cicadides*, Cyclochila, Dundubia, Fidicina, Gæana, Hemisciera, Huechys et Mogannia, non ad **Cicadellas** sed ad **Stridulantes** pertinent.

Adde:

**Ancyra** White in Mag. of N. Hist. 1845. ἀγκυρα, ancora. **Cicadellæ.**

**Ledropsis** White in Mag. of N. Hist. 1845. Le dra; ὄψις, facies. **Cicadellæ.**

---

## HEMIPTERA.

### LIBRI IN ADDENDIS CITATI.

---

- Am. et A. Serv.* Hém. — *Amyot et Audinet Serville*, Histoire naturelle des Insectes Hémiptères.
- Erichs.* Arch. f. Naturg. — *Erichson's Archiv für Naturgeschichte.*
- Guér.* Icon. R. An. — *Guérin*, Iconographie du Règne animal.
- Hope* Trans. Linn. Soc. Lond. — *Hope* in Transactions of the Linnean Society of London.
- Linn.* Mus. L. Ulr. — *Linné*, Museum S. R. M. Ludovicæ Ulricæ Reginae, etc.
- Newm.* Ent. Mag. — *Newman* in Entomological Magazine.
- Schiödte* in *Kröyer Naturh. Tidsk.* — *Schiödte* in *Kröyer Tijdschrift voor Natuurhiike Geschiednis.*
- Serv. et Boisd.* Voy. Astrol. — *Audinet Serville et Boisduval* in Voyage de l'Astrolabe.
- » Enc. méth. — *Audinet Serville* in Encyclopédie méthodique.
- Spin.* Ann. Soc. Ent. Fr. — *Spinola* in Annales de la Société entomologique de France.
- Westw.* Arcan. Entomol. — *Westwood* Arcana entomologica.
- » Trans. Linn. Soc. Lond. — *Westwood* in Transaction of the Linnean Society of London.
- White* Trans. ent. Soc. — *White* in Transactions of the entomological Society.
- » in Entomologist. — *White* in the Entomologist.

